



Aerospace Medicine
and Biology
A Continuing
Bibliography
with Indexes

NASA SP-7011(298)
June 1987

Aerospace Medicine and Biology

Volume 00 106

June 1987

**Aerospace Medicine & Biology
space Medicine & Biology Aero
e Medicine & Biology Aerospace
dicine & Biology Aerospace M
ne & Biology Aerospace Medic
Biology Aerospace Medicine &
gy Aerospace Medicine & Biolo
gy
pace Medicine & Biology Aeros
Medicine & Biology Aerospace
cine & Biology Aerospace Med
& Biology Aerospace Medicine**

AEROSPACE MEDICINE AND BIOLOGY

**A CONTINUING BIBLIOGRAPHY
WITH INDEXES**

(Supplement 298)

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced in May 1987 in

- *Scientific and Technical Aerospace Reports (STAR)*
- *International Aerospace Abstracts (IAA).*



Scientific and Technical Information Office
National Aeronautics and Space Administration
Washington, DC

1987

This supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161, price code A04.

INTRODUCTION

This Supplement to *Aerospace Medicine and Biology* lists 173 reports, articles and other documents announced during May 1987 in *Scientific and Technical Aerospace Reports (STAR)* or in *International Aerospace Abstracts (IAA)*. The first issue of the bibliography was published in July 1964.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which man is subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects of biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. In general, emphasis is placed on applied research, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the bibliography consists of a bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged by *STAR* categories 51 through 55, the Life Sciences division. The citations, and abstracts when available, are reproduced exactly as they appeared originally in *IAA* or *STAR*, including the original accession numbers from the respective announcement journals. The *IAA* items will precede the *STAR* items within each category.

Seven indexes — subject, personal author, corporate source, foreign technology, contract, report number, and accession number — are included.

An annual index will be prepared at the end of the calendar year covering all documents listed in the 1987 Supplements.

Information on the availability of cited publications including addresses of organizations and NTIS price schedules is located at the back of this bibliography.

TABLE OF CONTENTS

	Page
Category 51 Life Sciences (General)	99
Category 52 Aerospace Medicine Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.	107
Category 53 Behavioral Sciences Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.	119
Category 54 Man/System Technology and Life Support Includes human engineering; biotechnology; and space suits and protective clothing.	121
Category 55 Space Biology Includes exobiology; planetary biology; and extraterrestrial life.	125
Subject Index	A-1
Personal Author Index	B-1
Corporate Source Index	C-1
Foreign Technology Index	D-1
Contract Number Index	E-1
Report Number Index	F-1
Accession Number Index	G-1

TYPICAL REPORT CITATION AND ABSTRACT

NASA SPONSORED

↓
ON MICROFICHE

ACCESSION NUMBER →	N87-11481* # Umpqua Research Co., Myrtle Creek, Ore.	← CORPORATE SOURCE
TITLE →	A PROTOTYPE SPACE FLIGHT INTRAVENOUS INJECTION SYSTEM Final Report	
AUTHOR →	G. V. COLOMBO May 1985 65 p	← PUBLICATION DATE
	(Contract NAS9-16337)	← AVAILABILITY SOURCE
REPORT NUMBERS →	(NASA-CR-171911; NAS 1.26:171911) Avail: NTIS HC A04/MF	← PRICE CODE
COSATI CODE →	A01 CSCL 06E	

Medical emergencies, especially those resulting from accidents, frequently require the administration of intravenous fluids to replace lost body liquids. The development of a prototype space flight intravenous injection system is presented. The definition of requirements, injectable concentrates development, water polisher, reconstitution hardware development, administration hardware development, and prototype fabrication and testing are discussed.
B.G.

TYPICAL JOURNAL ARTICLE CITATION AND ABSTRACT

NASA SPONSORED

↓

ACCESSION NUMBER →	A87-11660* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.	
TITLE →	EFFECT OF ANTIGRAVITY SUIT INFLATION ON CARDIOVASCULAR, PRA, AND PVP RESPONSES IN HUMANS	
AUTHORS →	S. E. KRAVIK, L. C. KEIL, G. GELEN, C. E. WADE, P. R. BARNES	
AUTHOR'S AFFILIATION →	(NASA, Ames Research Center, Moffett Field; U.S. Army, Letterman Army Medical Center, San Francisco, CA) et al. Journal of Applied Physiology (ISSN 0161-7567), vol. 61, Aug. 1986, p. 766-774. refs	← JOURNAL TITLE
		← PUBLICATION DATE

The effects of lower body and abdominal pressure, produced by antigravity suit inflation, on blood pressure, pulse rate, fluid and electrolyte shift, plasma vasopressin and plasma renin activity in humans in upright postures were studied. Five men and two women stood upright for 3 hr with the suit being either inflated or uninflated. In the control tests, the suit was inflated only during the latter part of the trials. Monitoring was carried out with a sphygmomanometer, with sensors for pulse rates, and using a photometer and osmometer to measure blood serum characteristics. The tests confirmed earlier findings that the anti-g suit eliminates increases in plasma renin activity. Also, the headward redistribution of blood obtained in the tests commends the anti-g suit as an alternative to water immersion or bed rest for initial weightlessness studies.
M.S.K.

AEROSPACE MEDICINE AND BIOLOGY

A Continuing Bibliography (Suppl. 298)

JUNE 1987

51

LIFE SCIENCES (GENERAL)

A87-23439* Arizona Univ., Tucson.

PROTEIN TURNOVER IN ADIPOSE TISSUE FROM FASTED OR DIABETIC RATS

MARC E. TISCHLER, ALAN H. OST, and JULIA COFFMAN (Arizona, University, Tucson) *Life Sciences* (ISSN 0024-3205), vol. 39, no. 16, 1986, p. 1447-1452. refs
(Contract NIH-AM-28647; NAGW-227)

Protein synthesis and degradation *in vitro* were compared in epididymal fat pads from animals deprived of food for 48 h or treated 6 or 12 days prior with streptozotocin to induce diabetes. Although both fasting and diabetes led to depressed (-24 to -57 percent) protein synthesis, the diminution in protein degradation (-63 to -72 percent) was even greater, so that net *in vitro* protein balance improved dramatically. Insulin failed to inhibit protein degradation in fat pads of these rats as it does for fed animals. Although insulin stimulated protein synthesis in fat pads of fasted and 12 day diabetic rats, the absolute change was much smaller than that seen in the fed state. The inhibition of protein degradation by leucine also seems to be less in fasted animals, probably because leucine catabolism is slower in fasting. These results show that fasting and diabetes may improve protein balance in adipose tissue but diminish the regulatory effects of insulin.

Author

A87-23441* Arizona Univ., Tucson.

INCREASED RESPONSE TO INSULIN OF GLUCOSE METABOLISM IN THE 6-DAY UNLOADED RAT SOLEUS MUSCLE

ERIK J. HENRIKSEN, MARC E. TISCHLER, and DAVID G. JOHNSON (Arizona, University, Tucson) *Journal of Biological Chemistry* (ISSN 0021-9258), vol. 261, Aug. 15, 1986, p. 10707-10712. refs

(Contract NAGW-227; NAG2-384)

Hind leg muscles of female rats were unloaded by tail cast suspension for 6 days. In the fresh-frozen unloaded soleus, the significantly greater concentration of glycogen correlated with a lower activity ratio of glycogen phosphorylase (*p* less than 0.02). The activity ratio of glycogen synthase also was lower (*p* less than 0.001), possibly due to the higher concentration of glycogen. In isolated unloaded soleus, insulin (0.1 milliunit/ml) increased the oxidation of D(U-C-14) glucose, release of lactate and pyruvate, incorporation of D-(U-C-14) glucose into glycogen, and the concentration of glucose 6-phosphate more (*p* less than 0.05) than in the weight-bearing soleus. At physiological doses of insulin, the percent of maximal uptake of 2-deoxy-D-(1,2-H-3) glucose/muscle also was greater in the unloaded soleus. Unloading of the soleus increased, by 50 percent the concentration of insulin receptors, due to no decrease in total receptor number during muscle atrophy. This increase may account for the greater response of glucose metabolism to insulin in this muscle. The extensor digitorum longus, which generally shows little response to

unloading, displayed no differential response of glucose metabolism to insulin.

Author

A87-23453* Arizona Univ., Tucson.

REDUCTION-OXIDATION STATE AND PROTEIN DEGRADATION IN SKELETAL MUSCLES OF GROWING RATS

JULIE M. FAGAN and MARC E. TISCHLER (Arizona, University, Tucson) *Growth*, vol. 50, 1986, p. 139-146. refs
(Contract PHS-AM-28647; NAGW-227)

The relationship between the NAD redox state and protein degradation during growth was studied in isolated soleus and extensor digitorum longus muscles of 4- to 14-week-old rats. As muscle size increased with age, protein breakdown slowed and the muscles became progressively more reduced as shown by higher ratios of lactate/pyruvate in incubated and fresh-frozen muscle. Correlations were strong between redox state of protein degradation, and muscle mass, and between redox state and protein degradation. This relationship may be important in the slowing of muscle breakdown that occurs with age.

Author

A87-23475

A SELECTIVE IMIDAZOBENZODIAZEPINE ANTAGONIST OF ETHANOL IN THE RAT

PETER D. SUZDAK, JOHN R. GLOWA, JACQUELINE N. CRAWLEY, ROCHELLE D. SCHWARTZ, PHIL SKOLNICK (NIH, Bethesda, MD) et al. *Science* (ISSN 0036-8075), vol. 234, Dec. 5, 1986, p. 1243-1247. refs

The effectiveness of the imidazobenzodiazepine (Ro15-4513) as an antagonist to the intoxication properties of ethanol (and pentobarbital- and muscimol-stimulated Cl-36(-) uptake) in rat brains was examined experimentally. The blood levels of ethanol, 20-100 mM, were at pharmacologically relevant concentrations known to stimulate gamma-aminobutyric acid (GABA) receptor-mediated uptake of Cl into brain vesicles. Micromolar doses Ro15-4513 proved to be an effective anticonflict remover in ethanol-treated rats who would undergo punishment to drink water stopped seeking water. Ro15-4513 failed to have the same effect on rats treated with pentobarbital. Further tests are required to determine if Ro15-4513 can block the ethanol-induced CNS effects mediated by other neurotransmitter receptors or voltage-dependent channels.

M.S.K.

A87-23524

HOW ROOTS RESPOND TO GRAVITY

MICHAEL L. EVANS, KARL-HEINZ HASENSTEIN (Ohio State University, Columbus), and RANDY MOORE (Baylor University, Waco, TX) *Scientific American* (ISSN 0036-8733), vol. 255, Dec. 1986, p. 112-119.

The first phase of vegetal gravitropism is perception, which occurs in the terminal 0.5 mm of the root (the cap). Secondly, in transduction, communication takes place between the cap and the response zone (third phase), where a downward curvature takes place. Organelles called amyloplasts have been found that migrate to the lowest side of the cap cells in response to changing orientation. Experimentation has shown that, in reoriented roots, the lower part of the root grows slower than the upper side, which lets a root tip curve downward. Other studies have shown that Ca(++) ions are released from the cap. The ions activate transport systems which move Ca and auxin from cell to cell along the cap, then auxin from the cap to the lower side of the

elongated, growing zone. A qualitative model is defined for the exact cell dynamics which move and respond to the Ca and auxin. M.S.K.

A87-24148**ARTERIAL BLOOD GASES AND ACID-BASE STATUS OF DOGS DURING GRADED DYNAMIC EXERCISE**

TIMOTHY I. MUSCH, DANIEL B. FRIEDMAN, GEORGE C. HAIDET, JAMES STRAY-GUNDERSEN, TONY G. WALDROP (University of Texas Health Science Center, Dallas) et al. *Journal of Applied Physiology* (ISSN 0161-7567), vol. 61, Nov. 1986, p. 1914-1919. Research supported by the Lawson and Rogers Lacy Research Fund in Cardiovascular Diseases. refs
(Contract NIH-HL-06296; NIH-HL-07360; NIH-HL-28662)

A87-24149**ADRENERGIC AND LOCAL CONTROL OF O₂ UPTAKE DURING AND AFTER SEVERE HYPOXIA**

C. E. KING and S. M. CAIN (Alabama, University, Birmingham) *Journal of Applied Physiology* (ISSN 0161-7567), vol. 61, Nov. 1986, p. 1920-1927. Research supported by the Canadian Heart Foundation. refs
(Contract NIH-HL-26927)

The effect of regional distribution of O₂ supply on adrenergic receptors is examined experimentally. The first experiment studied local control of O₂ supply and regional O₂ deficit and repayment by blocking alpha and beta adrenergic receptors; the second experiment stimulated alpha-adrenergic receptors in order to decrease O₂ delivery by excessive vasoconstriction; and in the third experiment the beta-receptors were stimulated by isoproterenol infusion in order to increase O₂ delivery. The cardiac output, whole-body and hindlimb O₂ uptake, end-tidal pressure of CO₂ and O₂, and pH were analyzed. The data reveal that the distribution of O₂ deficit to tissues during severe hypoxia and O₂ repayment in recovery is due to local metabolic factors rather than to external neural or humoral effects. I.F.

A87-24248**THERMOPOLARIZATION ANALYSIS OF PURPLE MEMBRANE FILMS OF HALOBACTERIA [TERMOPOLARIZATSIONNYI ANALIZ PLENOK PURPURNYKH MEMBRAN GALOBAKTERII]**

G. P. BORISEVICH, A. P. PONOMAREV, and A. A. KONONENKO (Moskovskii Gosudarstvennyi Universitet; Moskovskii Institut Elektronnoy Mashinostroyeniya, Moscow, USSR) *Biofizika* (ISSN 0006-3029), vol. 31, Sept.-Oct. 1986, p. 804-809. In Russian. refs

A87-24249**THE EFFECT OF MILLIMETER-RANGE ELECTROMAGNETIC OSCILLATIONS ON THE BLOOD SYSTEM OF ANIMALS DEPENDING ON THE ANIMAL'S INITIAL STATUS AND THE ZONE OF IRRADIATION [VLIYANIE ELEKTROMAGNITNYKH KOLEBANII MILLIMETROVOGO DIAPAZONA NA SISTEMU KROVI ZHIVOTNYKH V ZAVISIMOSTI OT IKH ISKHOZHNOGO SOSTOYANIYA I ZONY OBLUCHENIYA]**

N. P. DIDENKO, V.M. PERELMUTER, M. E. GUREVICH, Z. I. RZHEVSKAYA (Tomskii Politehnicheskii Institut, Tomsk, USSR), and V. A. CHA *Biofizika* (ISSN 0006-3029), vol. 31, Sept.-Oct. 1986, p. 882-885. In Russian.

The effect of millimeter-range microwaves on the characteristics of blood cells and bone marrow preparations was studied, using mice irradiated by microwaves aimed either at the left or at the right hind leg. It was found that, in mice with low (less than 12 x 10 to the 9th/l) initial leukocyte numbers, a 1-h exposure to microwaves stimulated erythropoiesis and induced a change of the lymphocyte number in the blood; the high-leukocyte animals were almost insensitive to microwave radiation. The reaction depended on the site of irradiation. In mice irradiated on the left, lymphopenia and erythropoietic changes in the bone marrow of the thorax and left thigh were observed. In animals irradiated on the right side, lymphocytosis and stimulation of erythropoiesis in

the right-thigh bone marrow were observed. A mechanism likely to be responsible for the observed changes is proposed. I.S.

A87-24250**ORIENTATION OF WHEAT ROOTS UNDER THE EFFECT OF THE GEOMAGNETIC FIELD [ORIENTATSIIA KORNEI PSHENITSY POD DEISTVIEY GEOMAGNITNOGO POLIA]**

N. I. BOGATINA, V. M. LITVIN, and M. P. TRAVKIN (Belgorodskii Gosudarstvennyi Pedagogicheskii Institut, Belgorod, USSR) *Biofizika* (ISSN 0006-3029), vol. 31, Sept.-Oct. 1986, p. 886-890. In Russian.

A87-24259**ORGANIZATION AND SUPRABULBAR CONTROL OF THE BARORECEPTOR REFLEX ARC [ORGANIZATSIYA I SUPRABUL'BARNYI KONTROL' DUGI BARORETSEPTORNOGO REFLEKSA]**

V. A. TSYRLIN (Leningradskii Nauchno-Issledovatel'skii Institut Kardiologii, Leningrad, USSR) *Uspekhi Fiziologicheskikh Nauk* (ISSN 0301-1798), vol. 17, Oct.-Dec. 1986, p. 24-37. In Russian. refs

Data concerning the organization of the baroreceptor reflex arc are discussed, together with data illustrating the role of stress in the baroreceptor reflex regulation of circulation. It is shown that electric stimulation of hypothalamus leads to inhibition of both chronotropic and vasomotor components of the baroreceptor reflex. A hypothesis is presented according to which the suppression of baroreceptor reflex due to emotional stress leads to an elevation of arterial pressure. I.S.

A87-24260**CORONAROGENIC METABOLIC ACIDOSIS AND THE PROBLEMS OF ITS PHARMACOLOGICAL CORRELATION [KORONAROGENNYI METABOLICHESKII ATSIDOZ I PROBLEMA EGO FARMAKOLOGICHESKOI KORRELIATSII]**

V. V. GATSURA and A. F. SIDORENKO (Nauchno-Issledovatel'skii Institut po Biologicheskim Ispytaniyam Khimicheskikh Soedineniy, Staraya Kupavna, USSR) *Uspekhi Fiziologicheskikh Nauk* (ISSN 0301-1798), vol. 17, Oct.-Dec. 1986, p. 38-56. In Russian. refs

Evidence concerning the role of severe acidosis in triggering pathogenic processes in an ischemic heart injury is discussed, together with data concerning the role of mild acidosis in mobilization of compensatory reactions and provision of energy necessary for the survival of the tissue under the conditions of myocardial ischemia. Possible means of alleviating intracellular coronarogenic metabolic acidosis and the connected myocardial injury are considered. The antiacidotic effects of electron-accepting systems and compounds with high redox potential are examined, considering both the endogenic and exogenic sources of such neutralizers. The need is emphasized for developing pH-dependent carrier-bound electron receptors which would be released from their polymer-carrier moiety in the cells of a myocardial zone with marked intracellular metabolic acidosis. I.S.

A87-24261**INDIVIDUAL VARIATIONS IN THE ADAPTATION TO HYPOXIA AND TO COLD ACCORDING TO THE CRITERION OF EMOTIONAL-BEHAVORIAL REACTIVITY [INDIVIDUAL'NYE RAZLICHIIA V ADAPTATSII K GIPOKSII I KHOLODU PO KRITERIU EMOTSIONAL'NO-POVEDENCHESKOI REAKTIVNOSTI ORGANIZMA]**

V. B. ZAGUSTINA, Z. A. ALEKSANIAN, and N. N. VASILEVSKII (Nauchno-Issledovatel'skii Institut Eksperimental'noi Meditsiny, Leningrad, USSR) *Uspekhi Fiziologicheskikh Nauk* (ISSN 0301-1798), vol. 17, Oct.-Dec. 1986, p. 68-84. In Russian. refs

Data concerning the relationships between the emotional-behavioral stability of an individual, the individual's ability for cold adaptation capability, and the individual's hypoxia adaptation capacity were obtained on rats, using 19 behavioral parameters to evaluate anxiety, aggressiveness, domineering tendencies, and stability with respect to external provocation. It was found that rats with low levels of anxiety and sensitivity to provocation, and a high tendency to social domineering had higher

adaptability to acute hypoxic hypoxia than other rats. Using different sequences of successive exposures to cold and hypoxia, it was found that, in the combination of cold exposure followed by hypoxia, relative stability with respect to hypoxia increased above the control levels, whereas, in the reverse combination, the stability to hypoxia returned to the control levels. I.S.

A87-24266

A NEW TYPE OF CHROMOSOME ABERRATIONS IN MICROSPORES OF TRADESCANTIA PALUDOSA OBSERVED IN EXPERIMENTS ON BOARD SATELLITES [NOVYI TIP KHROMOSOMNYKH MUTATSII, ZAREGISTRIROVANNYI V MIKROSPORAKH TRADESCANTIA PALUDOSA PRI EKSPERIMENTAKH NA KOSHICHESKIKH KORABLIKH-SPUTNIKAKH]
N. L. DELONE, V. V. ANTIPOV, and G. P. PARFENOV (Institut Mediko-Biologicheskikh Problem, Moscow, USSR) Akademii Nauk SSSR, Doklady (ISSN 0002-3264), vol. 290, no. 4, 1986, p. 979-981. In Russian.

A87-24275

DESULFUROCOCCUS AMYLOLYTICUS N.SP. - NEW SPECIES OF EXTREMAL-THERMOPHILIC ARCHAEOBACTERIA FROM HYDROTHERMAL SYSTEMS [DESULFUROCOCCUS AMYLOLYTICUS N.SP. - NOVYI VID EKSTREMAL'NO-TERMOFIL'NOI ARKHEBAKTERII IZ GIDROTERM] GIDROTERM]
E. A. BONCH-OSMOLOVSKAIA, A. I. SLESAREV, M. L. MIROSHNICHENKO, and T. P. SVETLICHNAIA (AN SSSR, Institut Mikrobiologii, Moscow, USSR) Akademii Nauk SSSR, Doklady (ISSN 0002-3264), vol. 290, no. 5, 1986, p. 1259-1263. In Russian. refs

A87-24375

STUDY OF THE ROLE OF PEROXIDATIVE OXIDATION OF LIPIDS IN CHANGING THE SENSITIVITY OF RAT LIVER TO GLUCOCORTICOID DURING COLD ADAPTATION [IZUCHENIE ROLI REAKTSII PEREKISNOGO OKISLENIIA LIPIDOV V IZMENENII CHUVSTVITEL'NOSTI PECHENI KRYSA K GLIUKOKORTIKOIDAM PRI KHOLODOVOI ADAPTATSII]
V. G. SELIATITSKAIA, N. G. KOLOSOVA, I. A. GERLITS, V. I. KULIKOV, and I. U. P. SHORIN (Institut Klinicheskoi i Eksperimental'noi Meditsiny, Novosibirsk, USSR) Fiziologicheskii Zhurnal (Kiev) (ISSN 0201-8489), vol. 32, Sept.-Oct. 1986, p. 533-537. In Russian. refs

A87-24860

GIANT SUBTIDAL STROMATOLITES FORMING IN NORMAL SALINITY WATERS
EUGENE A. SHINN (USGS, Miami Beach, FL), ANTHONY T. JONES, KEVIN KELLY (Hawaii, University, Honolulu), RANDOLPH P. STEINEN (Connecticut, University, Storrs), and ROBERT F. DILL Nature (ISSN 0028-0836), vol. 324, Nov. 6, 1986, p. 55-58. Research supported by the Caribbean Marine Research Center and NOAA. refs

The distribution, composition and formative processes for giant lithified subtidal columnar stromatolites which were recently found in current-swept channels by the Exuma Islands on the Bahama Bank, are described. Stromatolites are candidate sources for free oxygen in the Precambrian era. Located in fence-like rows growing to 1-2.5 m heights equal to those of nearby ooid sand dunes, the stromatolites have pustulate, filamentary, and smooth features on their surfaces. No green algae were found on the stromatolites which, when dissected, exhibited various laminated forms, sometimes incorporating spicules. Processes by which the stromatolites grew by the trapping of sand in layers cemented by exudations of marine organisms are discussed. M.S.K.

A87-24867

VEGETATION, CLIMATIC AND FLORAL CHANGES AT THE CRETACEOUS-TERTIARY BOUNDARY

JACK A. WOLFE and GARLAND R. UPCHURCH, JR. (USGS, Denver, CO) Nature (ISSN 0028-0836), vol. 324, Nov. 13, 1986, p. 148-152. refs

Studies of the leaf flora in the western interior of North America are used to provide data on the effects of a terminal Cretaceous event on the land flora, vegetation, and climate. It is concluded that at the K-T boundary there were: (1) high levels of extinction in the south and low levels in the north; (2) major ecological disruption followed by long-term vegetational changes that mimicked normal ecological succession; (3) a major increase in precipitation; and (4) a brief, low-temperature excursion, which supports models of an 'impact winter'. C.D.

A87-25147

MATHEMATICAL METHOD FOR IDENTIFYING BIOLOGICAL AND HELIOGEOPHYSICAL RHYTHMS OF DIFFERENT FREQUENCY [MATEMATICHESKII METOD VYIAVLENIIA BIOLOGICHESKIKH I GELIOGEOFIZICHESKIKH RITMOV RAZNOI CHASTOTY]

I. U. M. NIKITIN, E. N. CHIRKOVA, and V. V. NEMOV (Glavnyi Voennyi Klinicheskii Gosptal', Moscow, USSR) Akademii Nauk SSSR, Doklady (ISSN 0002-3264), vol. 290, no. 6, 1986, p. 1347-1351. In Russian.

Attention is given to the problem of finding a procedure for determining a hierarchy of rhythms of different dimensionality in the dynamics of biological and heliogeophysical indices. A set of mathematical methods is proposed in order to eliminate the limitations of spectral analysis connected with the identification of biorhythms of different dimensionality. As an example, the proposed approach is used to identify monthly and weekly biorhythms in variations of the number of leukocytes in a healthy subject. It is concluded that the proposed approach for identifying latent periodicities is applicable to the determination of biorhythms and heliorhythms with unknown periods and phase in the case of a small number of sample values. B.J.

A87-25164

PROSTAGLANDINS AND THE INTERPHASE DEATH OF IRRADIATED CELLS [PROSTAGLANDINY I INTERFAZNAIA GIBEL' OBLUCHENNYKH KLETOK]

E. F. ROMANTSEV, Z. I. ZHULANOVA, E. N. PRIANISHNIKOVA, T. I. NIKANDROVA, and V. S. AGAFEVA (Institut Biofiziki, Moscow, USSR) Radiobiologiya (ISSN 0033-8192), vol. 26, Sept.-Oct. 1986, p. 579-590. In Russian. refs

The role played by radiation-induced changes in the metabolism and functioning of intracellular prostaglandins (PGs) in the interphase death of irradiated cells is examined. Correlations between the biosynthesis of PGs and the biosyntheses of DNA and RNA are discussed, together with the pathways of biosynthesis of different PGs and the role of PG-receptors and SH-groups in their regulatory activity. It is proposed that the radiation-induced structural and functional changes in cellular membranes lead to disruptive changes in the synthesis of PGs (as well as of other biochemically active molecules). These changes cause alterations in the DNA biosynthesis and RNA transcription, which in turn trigger the mechanisms directly responsible for the death of nondividing cells. I.S.

A87-25165

THE PROBLEM OF PEROXIDATION IN RADIOBIOLOGY [PROBLEMA PEREKISNOGO OKISLENIIA V RADIOBIOLOGII]

V. A. BARABOI and E. E. CHEBOTAREV (Kievskii Nauchno-Issledovatel'skii Rentgeno-Radiologicheskii i Onkologicheskii Institut, Kiev, Ukrainian SSR) Radiobiologiya (ISSN 0033-8192), vol. 26, Sept.-Oct. 1986, p. 591-597. In Russian. refs

The role of free radicals (FRs) and other cytotoxins in the development of pathological symptoms that accompany different types of stresses, including radiation-induced stress, is discussed together with the protective role of biological antioxidants. It is

argued that products of FR-induced oxidation of lipids, phenols, and indols which are produced under the effect of ionizing radiation are similar to the compounds found in an organism subjected to emotional, analgesic, hypoxic and other stresses. It is suggested that, in spite of the differences in primary effects of the two types of stresses, i.e., the radiation stress primarily induces the FR formation, while the emotional-analgesic stresses primarily stimulate the homeostasis with peroxidation as the secondary effect; the products of FR-oxidation act as the mediators of the stress syndrome in both cases. I.S.

A87-25166

RELIABILITY OF AUTOREGULATORY MECHANISMS IN BIOSYSTEMS SUBJECTED TO IONIZING RADIATION [NADEZHNOST' AVTOREGULATORNYKH MEKHAZMOV V BIOSISTEMAKH PRI VOZDEISTVII IONIZIRUIUSHCHEI RADIATSII]

V. A. BARABOI, G. I. GROZOVSKI, and V. E. OREL (Kievskii Nauchno-Issledovatel'skii Rentgeno-Radiologicheskii i Onkologicheskii Institut, Kiev, Ukrainian SSSR) Radiobiologiya (ISSN 0033-8192), vol. 26, Sept.-Oct. 1986, p. 637-641. In Russian. refs

Using rats subjected to whole-body irradiation, progressive changes in spontaneous chemoluminescence of blood serum and in concentrations of malonic dialdehyde in red blood cells were measured for different radiation doses. These data were used as parametric fluctuations in an analysis that was designed to establish the reliability of a biosystem in the process of adaptation and homeostasis in terms of a stochastic processes theory developed for autoregulatory systems with random parameters. The analysis of the parameter fluctuations made it possible to predict the adaptability of the system and to make timely corrections. I.S.

A87-25167

EXPERIMENTAL MODELING OF AUTOIMMUNE REACTIONS UNDER THE EFFECT OF NONIONIZING MICROWAVE RADIATION [EKSPERIMENTAL'NOE MODELIROVANNIE AUTOIMMUNNYKH REAKTSII PRI VOZDEISTVII NEIONIZIRUIUSHCHEI MIKROVOLNOVOI RADIATSII]

G. I. VINOGRADOV and G. M. NAUMENKO (Kievskii Nauchno-Issledovatel'skii Institut Obshchei i Kommunal'noi Gigieny, Kiev, Ukrainian SSR) Radiobiologiya (ISSN 0033-8192), vol. 26, Sept.-Oct. 1986, p. 705-708. In Russian. refs

Data were obtained demonstrating the possibility of simulating autoimmune syndrom in Wistar rats by immunizing intact rats with extracts of bone marrow obtained from rats irradiated for 30 days, 7 h/day, with microwaves of 50 and 500 microwatt/sq cm intensity. Compared with noninjected controls and with rats injected with extracts from nonirradiated animals, the rats immunized with extracts from irradiated animals displayed significant increases in the percentages of basophil degranulation and plaque-forming cells and in the level of complement fixation, measured two and three weeks following immunization. The levels of autoimmune reactions were highest in rats immunized with extracts from donors irradiated at the intensity of 500 microwatt/sq cm. I.S.

A87-25168

THE EFFECT OF CONTINUOUS AND MODULATED LASER IRRADIATION ON THE ACTIVITY OF THE GLUTAMIC-ACID-METABOLISM ENZYMES IN RAT TISSUES [VLIANIE NEPRERYVNOGO I MODULIROVANNOGO LAZERNOGO IZLUCHENIIA NA AKTIVNOST' FERMENTOV OBMENA GLUTAMINOVOI KISLOTY V TKANIYAKH KRYSY]

A. T. PIKULEV, T. N. ZYRIANOVA, V. M. LAVROVA, V. A. MOSTOVNIKOV, S. V. NECHAEV (Belorusskii Gosudarstvennyi Universitet; AN BSSR, Institut Fiziki, Minsk, Belorussian SSR) et al. Radiobiologiya (ISSN 0033-8192), vol. 26, Sept.-Oct. 1986, p. 712-714. In Russian. refs

A87-25169

THE EFFECT OF LOCALIZED MICROWAVE IRRADIATION OF THE RAT FOOT ON THE IMPULSE ACTIVITY IN THE TIBIAL NERVE [VLIANIE LOKOL'NOGO SVCH-OBLUCHENIIA STOPY KRYSY NA IMPUL'SNUIU AKTIVNOST' V BOL'SHEBERTSOVOM NERVE]

A. A. ARIFULIN, M. S. BURENKOV, and V. V. ENGOVATOV (Institut Biofiziki, Moscow, USSR) Radiobiologiya (ISSN 0033-8192), vol. 26, Sept.-Oct. 1986, p. 715, 716. In Russian. refs

Data are presented on the effect of the microwave irradiation of a rat foot on the impulse activity of partially isolated tibial nerve. Impulsive activity was registered in 60 individual afferent fibers, selected from 24 rats subjected to different levels (from 0.04 to 103 mW/sq cm) of radiation intensity. Of the 60 fibers tested, 46 (77 percent) displayed significant changes in impulse activity, compared with the spontaneous activity levels of nonirradiated controls. Microwaves of all intensity levels were observed to modify the impulse activity of the afferent fibers, mainly by an increase in a current average frequency, indicating that even microwaves of very low current density (0.04-0.08 mW/sq cm) can stimulate afferent structures. I.S.

A87-25170

THE ROLE OF RADIOPROTECTORS IN THE EFFECTIVENESS OF THE TREATMENT OF COMBINED RADIATION INJURIES [VLIANIE RADIOPROEKTOROV NA EFEKTIVNOST' LECHENIIA KOMBINIROVANNYKH RADIATSIONNYKH PORAZHENii (OZOR LITERATURY)]

M. N. FARSHATOV (Voenno-Meditsinskii Zhurnal (ISSN 0026-9050), July 1986, p. 22-25. In Russian. refs

The beneficial role of cystamine in treatments of combined radiation injuries, i.e., when burns, wounds, or shock are also present, is discussed. Data are presented illustrating the protective effect of cystamine on the survival rate of animals irradiated with gamma rays and suffering from radiation sickness complicated by the presence of skin burns, wounds, etc., which intensify the harmful effect of body irradiation. The protective effects of cystamine include significant increases of effective lethal dose, decreased leukopenia, and decreased wound infections. The stimulating role of cystamine in hemopoiesis is discussed. I.S.

A87-25198

CHANGES IN THE FUNCTIONAL ACTIVITY OF CEREBRAL CORTICAL STRUCTURES AND IN THEIR BLOOD SUPPLY IN ALERT RABBITS SUBJECTED TO ROCKING MOTION [IZMENENIIA FUNKTSIONAL'NOI AKTIVNOSTI KORKOVYKH STRUKTUR MOZGA I IKH KROVOSNABZHENIE PRI UKACHIVANII U BODRSTVUIUSHCHIKH KROLIKOV]

V. F. MAKSIMUK (AN SSSR, Institut Evoliutsionnoi Fiziologii i Biokhimii, Leningrad, USSR) and N. A. SKOROMNYI (Krymskii Meditsinskii Institut, Simferopol, Ukrainian SSR) Fiziologicheskii Zhurnal SSSR (ISSN 0015-329X), vol. 72, July 1986, p. 881-887. In Russian. refs

The effect of motion sickness on the dynamics of cardiovascular parameters, cerebral blood flow, and cortical bioelectrical activity was studied in unanesthetized rabbits subjected to repeated one-hour sessions of rocking motion. Rocking motion was found to induce bradycardia, hypotension, an increase in cerebral blood flow, and changes in the electrocorticogram frequency components. The observed increases in bioelectrical activities of the visual and auditory cortical zones were more pronounced than those of the motor zone. All observed changes were more pronounced after the second rocking session, as compared with the first session, but decreased after the third rocking. In the summer, the bioelectrical responses to rocking were less pronounced and of shorter duration, than in the winter season. It is proposed that the ability of the nervous system to adapt to rocking stimulus is greater in the summer than in the winter season. I.S.

A87-25199

DYNAMICS OF CERTAIN CHARACTERISTICS OF SYMPATHETIC GANGLIA OF ANIMALS SUBJECTED TO CHEMICAL DESYMPATHIZATION AT HIGH ALTITUDE [DINAMIKA NEKOTORYKH KHARAKTERISTIK SIMPATICHESKIKH GANGLIEV ZHIVOTNYKH, PODVERGNUTYKH KHMICHESKOI DESIMPATIZATSII V USLOVIAKH VYSOKOGOR'IA]

S. B. DANIAROV, A. I. KALMAMBETOVA, and E. M. BEBINOV (Kirgizskii Gosudarstvennyi Meditsinskii Institut, Frunze, Kirgiz SSR) Fiziologicheskii Zhurnal SSSR (ISSN 0015-329X), vol. 72, July 1986, p. 902-907. In Russian. refs

The effect of adaptation of rats to high altitude on the dynamics of changes induced in sympathetic ganglia by a sympatholytic agent was studied in animals injected with guanethidine (25 mg/kg body wt). The state of the ganglia was evaluated by microscopic examination and by quantization of catecholamine concentrations in unaffected cells in tissue samples collected 7, 14, 21, and 30 days after the injection. It was found, that in rats adapted to high altitude (3200 m above sea level), the number of adrenergic neurons destroyed by guanethidine was smaller, and the catecholamine-specific fluorescence in unaffected cells was higher than in rats kept at the low-altitude location. I.S.

A87-25200

THE ROLE OF THE STATE OF SERUM WATER IN OSMOLALITY REGULATION IN GROUND SQUIRRELS DURING SPONTANEOUS AWAKENING [ROL' SOSTOIANIIA VODY SYVOROTKI KROVI V REGULIATSII EE OSMOLIAL'NOSTI U SUSLIKA PRI SPONTANNOM PROBUDZHENII]

IU. G. MONIN and O. A. GONCHAREVSKAIA (AN SSSR, Institut Evoliutsionnoi Fiziologii i Biokhimii, Leningrad, USSR) Fiziologicheskii Zhurnal SSSR (ISSN 0015-329X), vol. 72, July 1986, p. 982-986. In Russian. refs

The effect of spontaneous awakening (in January) from hibernation on the serum water and salt regulation in ground squirrel (*Citellus undulatus* Pall) was studied by analyzing the concentrations of inorganic and organic components of blood serum and of the ultrafiltrate. Spontaneous awakening of animals was accompanied by increases of serum and ultrafiltrate concentrations of K and Na and by a decrease of ultrafiltrate content of Mg. The water contents in serum and ultrafiltrate were not changed. I.S.

A87-25814

UNIVERSAL REGULARITIES IN PROTEIN PRIMARY STRUCTURE PREFERENCE IN BONDING AND PERIODICITY

ORLIN CH. IVANOV (B'lgarska Akademiia na Naukite, Institut po Organichna Khimiia, Sofia, Bulgaria) and BERTHOLD FOERTSCH (Max-Planck-Institut fuer Biochemie, Munich, West Germany) Origins of Life (ISSN 0302-1688), vol. 17, 1986, p. 35-49. Research supported by the Max-Planck-Gesellschaft. refs

Utilizing the whole protein data base as well as parts of it (groups and individual representatives), the universal character of the regularities in protein primary structure preference in bonding (self-ordering) and periodicity - is shown by means of an improved procedure of checking statistical significance. In the vast majority of the cases there is a preference in bonding with the same or with very similar amino acid. Taken as a whole, both regularities show a universal character. The results obtained provide evidence in favor of the conception about the priority of proteins as information polymers. Author

A87-25951* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

OSTEOBLAST HISTOGENESIS IN PERIODONTAL LIGAMENT AND TIBIAL METAPHYSICS DURING SIMULATED WEIGHTLESSNESS

PAUL J. FIELDER, EMILY R. MOREY, and W. EUGENE ROBERTS (NASA, Ames Research Center, Moffett Field; University of the Pacific, San Francisco, CA) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. 1125-1130. Research supported by the Pacific Dental Research Foundation. refs

(Contract NAGW-356; NCC2-224)

Utilizing the nuclear morphometric assay for osteoblast histogenesis, the effect of simulated weightlessness (SW) on the relative numbers of the periodontal ligament (PDL) osteoblast progenitors and on the total number of osteogenic cells was determined in rats. Weightlessness was simulated by subjecting rats to continuous 30-deg head-down posture using a modified back-harness device of Morey (1979). The response of a partially unloaded, weight-bearing bone, tibial primary spongiosa (PS), was compared to a normally loaded, nonweight-bearing PDL bone. Data indicated a similar differentiation sequence in PS and PDL, which suggests that these bones might be sensitive to the same systemic factors. Preosteoblast numbers were seen to decrease in both nonweight-bearing and weight-bearing bones during SW (compared with rats not exposed to SW), indicating the importance of systemic mediators, such as cephalad fluid shift, physiological stress, and/or growth retardation. I.S.

A87-25952

EFFECTS OF HYPERGRAVITY ON 'WHOLE-BLOOD' CULTURES OF HUMAN LYMPHOCYTES

GIOVANNA LORENZI, PIA FUCHS-BISLIN, and AUGUSTO COGOLI (Zuerich, Eidgenoessische Technische Hochschule, Zurich, Switzerland) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. 1131-1135. Research supported by the Eidgenoessische Technische Hochschule Zuerich. refs

(Contract SNSF-3,382,0,82)

The purpose of this paper is to present a detailed description of the effects of hypergravity on the mitogenic response of human lymphocytes to concanavalin A. The effect on cultures of lymphocytes isolated from peripheral blood are compared with those on whole-blood cultures obtained by diluting fresh blood with culture medium 1:10. Whole-blood cultures of lymphocytes from crew members will be investigated inflight on the Spacelab missions D-1 and SLS-1. In hypergravity, there is an increase in lymphocyte activation of up to 500 percent. A similar increase can be induced by preincubating the cultures in hypergravity prior to exposure to concanavalin A at 1 G. The effect is less evident in cultures of isolated lymphocytes. The influence of autologous plasma and erythrocytes has also been investigated. Plasma and hypergravity have a synergistic and positive effect on lymphocyte activation, i.e., cultures of separated lymphocytes show the highest activation when incubated at 10 G and supplemented with autologous plasma. Conversely, erythrocytes depress lymphocyte activation. Author

A87-25954* Harvard Univ., Boston, Mass.

RESYNCHRONIZATION OF CIRCADIAN SLEEP-WAKE AND TEMPERATURE CYCLES IN THE SQUIRREL MONKEY FOLLOWING PHASE SHIFTS OF THE ENVIRONMENTAL LIGHT-DARK CYCLE

D. B. WEXLER and M. C. MOORE-EDE (Harvard University, Boston, MA) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. 1144-1149. refs

(Contract AF-AFOSR-78-3560; NSG-9054)

Circadian rhythms in physiological and behavioral functions gradually resynchronize after phase shifts in environmental time cues. In order to characterize the rate of circadian resynchronization in a diurnal primate model, the temperature, locomotor activity, and polygraphically determined sleep-wake states were monitored in squirrel monkeys before and after 8-h phase shifts of an

environmental light-dark cycle of 12 h light and 12 h dark (LD 12:12). For the temperature rhythm, resynchronization took 4 d after phase delay shift and 5 d after phase advance shift; for the rest-activity cycle, resynchronization times were 3 d and 6 d, respectively. The activity acrophase shifted more rapidly than the temperature acrophase early in the post-delay shift interval, but this internal desynchronization between rhythms disappeared during the course of resynchronization. Further study of the early resynchronization process requires emphasis on identifying evoked effects and measuring circadian pacemaker function. Author

A87-25956**EFFECT OF DIETARY PROTEIN QUALITY ON THE SERUM ENZYMES OF RATS EXPOSED TO SIMULATED HYPOBARIC HYPOXIC STRESS**

S. K. NIKUMB, K. SANTHANAM, and M. V. RAMA RAO (Defence Food Research Laboratory, Mysore, India) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. 1154-1157. refs

Changes in dietary protein quality and high altitude stress alter the serum urea cycle enzyme activities. To find a dietary protein which will facilitate quicker acclimatization to altitude stress, groups of rats were fed two diets, isocaloric and isonitrogenous, but differing in amino acid make up. The rats were exposed to simulated altitude stress of 0.5 atmospheric pressure for various periods up to 65 h. When serum arginase and ornithine transcarbamylase activities were assayed, it was seen that the group on the unbalanced protein (Cajanus cajan) diet showed less increase on exposure and a tendency to return to normal level earlier than the group on the balanced protein (egg) diet. Author

A87-26195* Louisville Univ., Ky.**INTERFERON IN RESISTANCE TO BACTERIAL AND PROTOZOAN INFECTIONS**

GERALD SONNENFELD, CHERYL L. GOULD, FELIPE KIERSZENBAUM, ANTONIE L. W. DEGREE, and JOHN M. MANSFIELD (Louisville, University, KY; Michigan State University, East Lansing; Wisconsin, University, Madison) IN: The biology of the interferon system 1985. Amsterdam, Elsevier Science Publishers, 1986, p. 291-297. refs
(Contract NCC2-213; NIH-AI-14848; NIH-AI-17041; NIH-AI-22441; NIH-RR-05375)

The effects of genetic differences in mouse strains on the modulation of protozoan infections by interferon (IFN) were investigated. In one set of experiments, three different strains of mice were injected with *T. cruzi*, and their sera were assayed at five time intervals for IFN titer. A greater quantity of IFN was produced by mouse strains that were susceptible to *T. cruzi* infection than by the more resistant strain. In another set of experiments, spleen cell cultures from inbred strains of mice were challenged with an antigen made from *T.b. rhodesiense*. The cells from mice resistant to infection, produced greater amounts of IFN-gamma than did cells from the susceptible mice. In a third set of experiments, it was found that mice injected with *T.b. rhodesiense* before being infected with a diabetogenic virus (EMC-D) were resistant to the effects of the virus and did not produce virus-specific antibody. I.S.

A87-26198* Arizona Univ., Tucson.**REDUCTION-OXIDATION STATE AND PROTEIN DEGRADATION IN SKELETAL MUSCLE OF FASTED AND REFED RATS**

JULIE M. FAGAN and MARC E. TISCHLER (Arizona, University, Tucson) Journal of Nutrition (ISSN 0022-3166), vol. 116, 1986, p. 2028-2033. refs
(Contract PHS-AM-28647; NAGW-227)

Redox state and protein degradation were measured in isolated muscles of fasted (up to 10 d) and refed (up to 4 d) 7- to 14-wk-old rats. Protein degradation in the extensor digitorum longus muscle, but not in the soleus muscle, was greater in the fasted rats than in weight-matched muscle from fed rats. The NAD couple was more oxidized in incubated and fresh extensor digitorum longus muscles and in some incubated soleus muscles of fasted rats

than in weight-matched muscle from fed rats. In the extensor digitorum longus muscle of refed or prolonged fasted rats, protein degradation was slower and the NAD couple was more reduced than in the fed state. Therefore, oxidation of the NAD couple was associated with increased muscle breakdown during fasting, whereas reduction of the NAD couple was associated with muscle conservation and deposition. Author

A87-26282**RADIOPROTECTIVE ACTIVITY OF CYSTAMINE AND GAMMAPHOS UNDER GAMMA-RAY IRRADIATION [RADIOZASHCHITNOE DEISTVIE TSISTAMINA I GAMMAFOSA PRI VOZDEISTVII GAMMA-LUCHEI]**

P. KUNA Voenno-Meditsinskii Zhurnal (ISSN 0026-9050), Aug. 1986, p. 72-74. In Russian. refs

The radioprotective efficiencies of intramuscular injections (20 min prior to irradiation) of cystamine and gammaphos (aminopropyl-aminoethyl thiophosphoric acid) were compared, using dogs irradiated with Co-60. To alleviate the intestinal tract side effects, the animals receiving these drugs were also injected with metoclopramide. The efficiency of the two drugs was evaluated from the rate of survival and from hematological indexes. Animals receiving either cystamine or gammaphos (in combination with antibiotics) exhibited a significantly higher rate of survival (67 percent after 45 days versus about 17 percent of controls) and less severe changes of hematological indexes. Gammaphos was somewhat more efficient than cystamine in terms of protection of blood tissue. I.S.

A87-26301**LIPID PEROXIDATION IN CEREBRAL SYNAPTOSOMES OF RATS UNDER SLEEP DISTURBANCE [PEREKISNOE OKISLENIE LIPIDOV SINAPTOSOM GOLOVNOGO MOZGA KRYIS PRI NARUSHENII SNA]**

N. P. TARANOVA and N. S. NILOVA (AN SSSR, Institut Fiziologii, Leningrad, USSR) Fiziologicheskii Zhurnal SSSR (ISSN 0015-329X), vol. 72, Aug. 1986, p. 1065-1068. In Russian. refs

The effect of sleep disturbance on the processes of lipid peroxidation in cerebral synaptosomes was studied in rats deprived of the paradoxical phase of sleep. It was found that paradoxical sleep deprivation for 24 h inhibited lipid peroxidation at two stages: formation of diene conjugates (by 30 percent) and of Schiff's bases (by 18 percent); the level of malonic dialdehyde was not altered. Sleep disturbance also induced activation (by 25 percent) of synaptosome superoxide dismutase. It is suggested that ultrastructural modifications of the synaptic membranes due to lowered peroxidation activity caused by sleep deprivation may result in less efficient synaptic transfers. I.S.

A87-26302**THE EFFECT OF A LOW-FREQUENCY MAGNETIC FIELD ON THE AUTORHYTHM OF A FROG'S ISOLATED ATRIUM [DEISTVIE NIZKOCHASTOTNOGO MAGNITNOGO POLIA NA SOBSTVENNYI RITM IZOLIROVANNOGO PREDSERDIIA LIAGUSHKI]**

A. S. KOLOKOLOV, T. SH. KSHUTASHVILI, A. V. LAZAREV, O. V. NAKIPOVA, and A. N. KUZNETSOV (AN SSSR, Institut Khimicheskoi Fiziki, Moscow, USSR) Akademiia Nauk SSSR, Izvestiia, Seria Biologicheskaja (ISSN 0002-3329), Nov.-Dec. 1986, p. 947-950. In Russian. refs

A87-26400**THE COMBINED EFFECT ON BLOOD CELLS OF HYPERBARIC CONDITIONS AND NEGATIVE TEMPERATURES [SOCHETANNOE DEISTVIE NA KLETKI KROVI GIPRBARI I OTRITSATEL'NYKH TEMPERATUR]**

I. I. GITELZON, R. A. PAVLENKO, and I. U. A. KUDENKO (AN SSSR, Institut Biofiziki, Krasnoyarsk, USSR) Akademiia Nauk SSSR, Doklady (ISSN 0002-3264), vol. 291, no. 2, 1986, p. 476-479. In Russian. refs

A87-27249* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

AXOGLIAL CONTACTS IN THE AREA POSTREMA OF THE CAT - AN ULTRASTRUCTURAL STUDY

FERNANDO E. DAMELIO, MICHAEL A. GIBBS, WILLIAM R. MEHLER, DELBERT E. PHILPOTT (NASA, Ames Research Center, Moffett Field, CA), and WAYNE SAVAGE (San Jose State University, CA) *Anatomical Record* (ISSN 0003-276X), vol. 215, 1986, p. 407-412. refs

(Contract NCC2-282; NCA2-OR-675-303)

Axoglial contacts were observed in an ultrastructural study of the area postrema of the cat. According to the disposition of the electron-dense projections attached to the adjoining membranes these contacts were classified as symmetrical or asymmetrical. The axon profiles contained aggregations of clear vesicles randomly distributed or grouped in clusters adjacent to the electron-dense projections. Dense core vesicles were occasionally seen. The neuroglial profiles were either astrocytic or ependymogial in nature. The astrocytes showed a clear cytoplasm, polymorphous vesicles, mitochondria, glycogen granules, and bundles of filaments. The ependymal cells, in contrast, had a more electron-dense and granular appearance, tubular structures, irregular vesicular formations, profiles of smooth reticuloendoplasm, and filaments grouped in bundles or isolated in the cytoplasm. The possibility that these contacts might play a role in the chemical transfer from neurons to glial cells is discussed on the basis of existing biochemical data.

Author

A87-27323* Utah Univ., Salt Lake City.

THE EFFECTS OF PROSTAGLANDIN E₂ IN RAPIDLY GROWING RATS DEPRESSED LONGITUDINAL AND RADIAL GROWTH AND INCREASED METAPHYSEAL HARD TISSUE MASS

K. UENO, T. HABA, D. WOODBURY, P. PRICE (Utah, University, Salt Lake City), R. ANDERSON (California, University, La Jolla) et al. *Bone* (ISSN 8756-3282), vol. 6, 1985, p. 79-86. refs

(Contract NIH-AM-20935; NIH-AM-27029; NAG2-108; DE-AC02-76EV-00119)

A87-27324* Kernforschungszentrum, Karlsruhe (West Germany).

AUTOMATED TRABECULAR BONE HISTOMORPHOMETRY

E. POLIG (Kernforschungszentrum Karlsruhe GmbH, Institut fuer Genetik und Toxikologie von Spaltstoffen, West Germany) and W. S. S. JEE (Utah, University, Salt Lake City) *Bone* (ISSN 8756-3282), vol. 6, 1985, p. 357-359. refs

(Contract NIM-AM-31844; NIH-AM-27029; NAG2-108; DE-AC02-76EV-00119)

The toxicity of alpha-emitting bone-seeking radionuclides and the relationship between bone tumor incidence and the local dosimetry of radionuclides in bone are investigated. The microdistributions of alpha-emitting radionuclides in the trabecular bone from the proximal humerus, distal humerus, proximal ulna, proximal femur, and distal femur of six young adult beagles injected with Am-241 (three with 2.8 micro-Ci/kg and three with 0.9 micro-Ci/kg) are estimated using a computer-controlled microscope photometer system; the components of the University of Utah Optical Track Scanner are described. The morphometric parameters for the beagles are calculated and analyzed. It is observed that the beagles injected with 0.9 micro-Ci of Am-241/kg showed an increase in the percentage of bone and trabecular bone thickness, and a reduction in the width of the bone marrow space and surface/volume ratio. The data reveal that radiation damage causes abnormal bone structure.

I.F.

A87-27325* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

IMMOBILIZATION-ASSOCIATED OSTEOPOROSIS IN PRIMATES

D. R. YOUNG (NASA, Ames Research Center, Moffett Field, CA), W. J. NIKLOWITZ, R. J. BROWN (San Francisco, University, CA), and W. S. S. JEE (Utah, University, Salt Lake City) *Bone* (ISSN 8756-3282), vol. 7, 1986, p. 109-117. refs

(Contract NCC2-135; NAG2-108)

Osteopenic changes in the tibial compact bone of fifteen adult male monkeys immobilized for up to 7 months are examined histologically. Osteonal formation in the proximal tibia is analyzed. The analysis reveals the loss of haversian bone in the proximal tibia, increased activation with excessive depth of penetration of osteoclastic activity, rapid bone loss, and resorption cavities of irregular size and orientation. Osteonal formation following reambulation is examined; the recovery of cortical is a repair and rejuvenation process characterized by refilling of resorption cavities and remodeling activities.

I.F.

A87-27399* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

HALOBACTERIAL ADENOSINE TRIPHOSPHATASES AND THE ADENOSINE TRIPHOSPHATASE FROM HALOBACTERIUM SACCHAROVORUM

HORDUR KRISTJANSSON, MARTHA H. SADLER, and LAWRENCE I. HOCHSTEIN (NASA, Ames Research Center, Moffett Field, CA) *FEMS Microbiology Reviews* (ISSN 0168-6445), vol. 39, 1986, p. 151-157. refs

Membranes prepared from various members of the genus *Halobacterium* contained a Triton X-100 activated adenosine triphosphatase. The enzyme from *Halobacterium saccharovorum* was unstable in solutions of low ionic strength and maximally active in the presence of 3.5 M NaCl. A variety of nucleotide triphosphates was hydrolyzed. MgADP, the product of ATP hydrolysis, was not hydrolyzed and was a competitive inhibitor with respect to MgATP. The enzyme from *H. saccharovorum* was composed of at least 2 and possibly 4 subunits. The 83-kDa and 60-kDa subunits represented about 90 percent of total protein. The 60-kDa subunit reacted with dicyclohexyl-carbodiimide when inhibition was carried out in an acidic medium. The enzyme from *H. saccharovorum*, possesses properties of an F(1)F(0) as well as an E(1)E(2) ATPase.

Author

N87-17762*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

EXO BIOLOGY ISSUES AND EXPERIMENTS AT A MARS BASE

CHRISTOPHER P. MCKAY /in NASA, Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 510 - 518 May 1986

Avail: NTIS HC A24/MF A01 CSCL 06C

Research in Exobiology, the study of the origin, evolution, and distribution of life in the universe, may be a major component of the science activities at a Mars Base. Exobiology activities would include: continuing the search for life on Mars; searching for evidence for ancient life from a warmer Martian past; research into the chemistry of the biogenic elements and their compounds; and other related activities. Mars provides an opportunity in Exobiology, both for immediate study and for long range and possibly large scale experimentation in planetary biology. Author

N87-18201# Karlsruhe Univ. (West Germany). Inst. of Plant Physiology.

LASER-INDUCED CHLOROPHYLL FLUORESCENCE OF LIVING PLANTS

H. K. LICHTENTHALER /In ESA Proceedings of the 1986 International Geoscience and Remote Sensing Symposium (IGARSS '86) on Remote Sensing: Today's Solutions for Tomorrow's Information Needs, Volume 3 p 1571-1579 Aug. 1986

Avail: NTIS HC A21/MF A01; ESA, Paris, France, 3 volume set \$90 Member States, AU, CN, and NO (+20% others)

The principles of in vivo chlorophyll fluorescence (excitation, spectral characteristics, induction kinetics, Kautsky effect, intensity) are summarized and examples of the change in chlorophyll fluorescence parameters due to development, chlorophyll content, herbicide action and stress are given. The ratio of fluorescence decrease to steady state fluorescence is established as a rapid nondestructive method to study the vitality of leaves and needles in ecophysiological field research and in ground truth measurements. It is an excellent tool to study the physiological condition of plants, to document stress effects, and the regeneration of photosynthesis. With respect to the differences in chlorophyll fluorescence signatures between healthy and damaged or stressed plants and trees, it is feasible and technically possible to develop a fluorosensor for remote sensing of the vegetation.

ESA

N87-18202# Stuttgart Univ. (West Germany). Dept. of Bioenergetics.

LASER-INDUCED FLUORESCENCE OF PLANTS AND ITS APPLICATION IN ENVIRONMENTAL RESEARCH

R. J. STRASSER /In ESA Proceedings of the 1986 International Geoscience and Remote Sensing Symposium (IGARSS '86) on Remote Sensing: Today's Solutions for Tomorrow's Information Needs, Volume 3 p 1581-1585 Aug. 1986

Avail: NTIS HC A21/MF A01; ESA, Paris, France, 3 volume set \$90 Member States, AU, CN, and NO (+20% others)

Remote sensing of fluorescence to analyze extensive areas of biotopes is discussed. The problems are: undefined and unstable environmental conditions; heterogeneity of the plant material; and difficulty in applying concepts of the photosynthetic apparatus to whole plant areas. It is proposed to consider the whole biotope as one unit which shows an energy uptake J and a biological activity. The whole biotope unit may be characterized by an overall constant K . A steady state flux goes through the system. The actual position of this steady state level B determines the behavior of the system. The J-K-B-Trilogy concept can be used as a tool for remote sensing techniques to describe the dynamics of a system (as variation in B) and real conformational changes (as variation in K) as well as to correlate these changes with variations in the environmental conditions.

ESA

N87-18203# Karlsruhe Univ. (West Germany). Inst. of Plant Physiology.

APPLICATION OF LASER-INDUCED CHLOROPHYLL-A FLUORESCENCE IN FOREST DECLINE RESEARCH

G. SCHMUCK and H. K. LICHTENTHALER /In ESA Proceedings of the 1986 International Geoscience and Remote Sensing Symposium (IGARSS '86) on Remote Sensing: Today's Solutions for Tomorrow's Information Needs, Volume 3 p 1587-1590 Aug. 1986 Sponsored by Projekt Europaisches Forschungszentrum fuer Massnahmen zur Luftreinhaltung

Avail: NTIS HC A21/MF A01; ESA, Paris, France, 3 volume set \$90 Member States, AU, CN, and NO (+20% others)

The determination of the in vivo-chlorophyll fluorescence kinetics to judge the photosynthetic activity of healthy and damaged needle tissue is discussed. At high photosynthetic rates in vivo-chlorophyll fluorescence is low; under stress conditions chlorophyll fluorescence rises parallel to the decline of photosynthesis and to the degree of damage to the photosynthetic apparatus. From the laser-induced fluorescence induction kinetics, determined with a portable field instrument, the damage degree can be quantified by the fluorescence decrease ratio R_{fd} , which

is a direct measure of the potential photosynthetic activity. This allows the identification of the degree of damage to trees. Damaged trees possess fewer needles/leaves, and the photosynthetic rates of their leaves are also lower as seen from lower R_{fd} -values than in healthy trees. Chlorophyll fluorescence measurements can also be applied to the detection of forest dieback by remote sensing.

ESA

N87-18204*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

LASER-INDUCED FLUORESCENCE (LIF) FROM PLANT FOLIAGE

E. W. CHAPPELLE and D. L. WILLIAMS /In ESA Proceedings of the 1986 International Geoscience and Remote Sensing Symposium (IGARSS '86) on Remote Sensing: Today's Solutions for Tomorrow's Information Needs, Volume 3 p 1591-1598 Aug. 1986

Avail: NTIS HC A21/MF A01; ESA, Paris, France, 3 volume set \$90 Member States, AU, CN, and NO (+20% others) CSCL 06C

The fluorescence spectra and fluorescence induction kinetics of green plants excited at 337 nm by a laser were studied. They correlate with plant type, as well as with changes in the physiology of the plant as the result of stress. The plant types studied include herbaceous dicots, monocots, hardwoods, conifers, and algae. These plant types could be identified on the basis of differences in either the number of fluorescent bands or the relative intensity of the bands. Differences in fluorescent spectra which could be related to vigor status are observed in conifers located in an area of high atmospheric deposition. Changes in the fluorescence spectra and induction kinetics are also seen in plants grown under conditions of nutrient deficiency and drought stress.

ESA

N87-18205*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

LASER AND SUNLIGHT-INDUCED FLUORESCENCE FROM CHLOROPHYLL PIGMENTS

H. H. KIM and K. S. BROWN /In ESA Proceedings of the 1986 International Geoscience and Remote Sensing Symposium (IGARSS '86) on Remote Sensing: Today's Solutions for Tomorrow's Information Needs, Volume 3 p 1599-1601 Aug. 1986

Avail: NTIS HC A21/MF A01; ESA, Paris, France, 3 volume set \$90 Member States, AU, CN, and NO (+20% others) CSCL 06C

Fluorescence properties of chlorophyll pigment bearing plant foliage utilizing a 337 nm nitrogen laser and integrating sphere were studied. Measured yields, in terms of number of photons emitted per 100 photons absorbed, range from 1.5 to 0.1 for the 685 nm peak, and from 4.2 to 0.2 for the 730 nm peak. Decreasing order of magnitude puts herbaceous leaves ahead of all others followed by broad leaves of hardwoods and coniferous needles. Meaningful quantization for the fluorescence peaks at 430 and 530 nm could not be attained. Passive monitoring of these fluorescence peaks is successful only for the 685 nm from the ocean surface. Field data show the reflectance changes at 685 nm due to the algae presence amounts to 1% at most.

ESA

N87-18206# Oldenburg Univ. (West Germany).

PHOTOINHIBITION OF CHLOROPHYLL-A FLUORESCENCE AND ITS INFLUENCE TO REMOTE SENSING TECHNIQUES

K. P. GUENTHER /In ESA Proceedings of the 1986 International Geoscience and Remote Sensing Symposium (IGARSS '86) on Remote Sensing: Today's Solutions for Tomorrow's Information Needs, Volume 3 p 1603-1607 Aug. 1986

Avail: NTIS HC A21/MF A01; ESA, Paris, France, 3 volume set \$90 Member States, AU, CN, and NO (+20% others)

Remote sensing of laser and solar stimulated fluorescence of chlorophyll a is evaluated, taking into account a variable in vivo fluorescence efficiency. The calculations are based on the expanded bipartite model where the fluorescence efficiency is assumed to depend on the photosynthetic active radiation. The results concerning laser remote sensing show that the depth

integrated fluorescence lidar signals measured under daylight conditions are reduced compared to night. Additional depth resolved fluorescence signals received during day operation would show a time decay quite different from night operation. ESA

N87-18207# Oldenburg Univ. (West Germany).

LASER-INDUCED CHLOROPHYLL-A FLUORESCENCE OF TERRESTRIAL PLANTS

R. ZIMMERMANN and K. P. GUENTHER *In* ESA Proceedings of the 1986 International Geoscience and Remote Sensing Symposium (IGARSS '86) on Remote Sensing: Today's Solutions for Tomorrow's Information Needs, Volume 3 p 1609-1613 Aug. 1986

Avail: NTIS HC A21/MF A01; ESA, Paris, France, 3 volume set \$90 Member States, AU, CN, and NO (+20% others)

A modified oceanographic lidar system operating over forest regions detected the chlorophyll A fluorescence at 685 nm and 735 nm. Inspecting the fluorescence signal ratio along the flight lines confirms that the fluorescence ratio reflects the physiological state of the plant. Results correspond to the evaluation of multispectral scanner data and terrestrial investigation. ESA

N87-18208# Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Oberpfaffenhofen (West Germany).

REMOTE SENSING EXPERIMENT: ADRIA 1984: A COMPARISON OF PASSIVE AND LASER-INDUCED CHLOROPHYLL-FLUORESCENCE

V. AMANN, K. P. GUENTHER (Oldenburg Univ., West Germany), and P. SCHLITTENHARDT (Joint Research Centre of the European Communities, Ispra, Italy) *In* ESA Proceedings of the 1986 International Geoscience and Remote Sensing Symposium (IGARSS '86) on Remote Sensing: Today's Solutions for Tomorrow's Information Needs, Volume 3 p 1615-1620 Aug. 1986

Avail: NTIS HC A21/MF A01; ESA, Paris, France, 3 volume set \$90 Member States, AU, CN, and NO (+20% others)

Simultaneous measurements of chlorophyll concentration were made with an airborne lidar system and an airborne radiometer over the Northern Adriatic Sea in August. Results are compared with in-situ measurements. The results confirm the potential use of airborne chlorophyll fluorescence sensors for identification of chlorophyll concentration in the Northern Adriatic Sea. ESA

N87-18300*# National Aeronautics and Space Administration, Washington, D.C.

THE 1985-86 NASA SPACE/GRAVITATIONAL BIOLOGY ACCOMPLISHMENTS

Feb. 1987 176 p Prepared in cooperation with George Washington Univ., Washington, D.C. (Contract NASW-3165)

(NASA-TM-89809; NAS 1.15:89809) Avail: NTIS HC A09/MF A01 CSCL 06C

Individual Technical summaries of research projects of NASA's Space/Gravitational Biology Program are presented. This Program is concerned with using the unique characteristics of the space environment, particularly microgravity, as a tool to advance knowledge in the biological sciences; understanding how gravity has shaped and affected life on Earth; and understanding how the space environment affects both plant and animal species. The summaries for each project include a description of the research, a listing of the accomplishments, an explanation of the significance of the accomplishments, and a list of publications.

Author

AEROSPACE MEDICINE

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

A87-24101

REFRACTIVE CORNEAL SURGERY AND ITS IMPACTS ON THE VISUAL APTITUDE OF PILOTS [LA CHIRURGIE REFRACTIVE DE LA CORNEE ET SES INCIDENCES SUR L'APTITUDE VISUELLE DU PERSONNEL NAVIGANT]

P. MANENT (Centre Principal d'Expertise Medicale du Personnel Navigant, Paris, France) and J. C. BALLION (Hopital d'Instruction des Armees R. Picque, Bordeaux, France) *Medecine Aeronautique et Spatiale*, vol. 25, 3rd Quarter, 1986, p. 199-204. In French.

Refractory corneal surgical techniques are described, along with the impacts of the operations on the flight fitness of two myopic pilots. In myopia, the curvature of cornea, the length of the eye, and the refractive power of the cornea act to focus incoming light on a spot before the retina, thereby lowering visual acuity. One type of surgery seeks to alleviate the problem by radial incisions around the cornea to permit a flattening effect to occur. A second technique rearranges the corneal tissue by grafting techniques guided by computer modeling of the shape the cornea needs to regain normal vision. The results of the two operations on pilots, one regaining and the other losing flight fitness certification, are detailed. Factors influencing the decision on whether or not to operate and which technique to use are discussed. M.S.K.

A87-24102

CRYSTALLINE IMPLANTS AND THE VISUAL APTITUDE OF PILOTS [LES IMPLANTS CRISTALLINIENS ET L'APTITUDE VISUELLE DU PERSONNEL NAVIGANT]

C. CORBE, M. MAILLE, and P. JACQUIOT (Centre Principal d'Expertise Medicale du Personnel Navigant, Paris, France) *Medecine Aeronautique et Spatiale*, vol. 25, 3rd Quarter, 1986, p. 204-206. In French.

The various types of corrective measures available to correct for the formation of cataracts are reviewed, with emphasis on the surgical implantation of lenses and the impact on the flight fitness of pilots. Attention is given to the limitations of glasses and contact lenses, and to the anterior chamber, pupillary, and posterior implantation of artificial lenses. Problems arising from the lack of regenerative powers in the epithelium, the mechanical stresses are imposed on the incised tissue immediately after surgery, and the shape of the eye in the regions where operations are possible are discussed. Although several methods have been devised to implant lenses in ways which will allow for the stresses imposed on the implants during flight, pilots who undergo corrective surgery will in almost all cases be declared unfit for flight duty. M.S.K.

A87-24103

MIDDLE EAR SURGERY AND ITS IMPACTS ON THE FLIGHT FITNESS OF PILOTS [LA CHIRURGIE DE L'OREILLE MOYENNE ET SES INCIDENCES SUR L'APTITUDE DU PERSONNEL NAVIGANT]

P. NARCY (Hopital Bretonneau, Paris, France) and P. CONTENCIN *Medecine Aeronautique et Spatiale*, vol. 25, 3rd Quarter, 1986, p. 208-210. In French.

The various diseases and dysfunctions to which the human middle ear is subject are reviewed, along with appropriate surgical measures and their effects on flight fitness. Techniques for ameliorating blockage of the Eustachian tube, infection and/or keratitis of the tympano-mastoidal cavities, lesions in the tympano-ossicular system and ankylosis of the stirrup platen. Only ankylosis of the stirrup platen is a cause for immediate suspension from flight duty upon discovery. The evolution of the disorder must be monitored after surgery and judged rectified before flight fitness certification is regained. M.S.K.

A87-24104**MEDICINAL TREATMENTS FOR CARDIOVASCULAR BLOCKINGS AND THEIR IMPACT ON FLIGHT FITNESS [LES TRAITEMENTS MEDICAMENTEUX DES AFFECTIONS CARDIOVASCULAIRES ET LEUR INCIDENCE SUR L'APTITUDE DU PERSONNEL NAVIGANT]**

J. P. BURLATON, J. P. GOURBAT, A. SEIGNEURIC, and A. DIDIER (Hopital d'Instruction des Armees Dominique Larrey, Versailles, France) *Medecine Aeronautique et Spatiale*, vol. 25, 3rd Quarter, 1986, p. 210-215. In French. refs

The various medications prescribed for cardio-vascular disorders are reviewed with an eye to the compatibility of the medications and flight fitness. Attention is given to eight classes of therapeutic substances, including anticoagulants, vasodilators, diuretics, etc., and to the secondary effects of antihypertensives. A continuing controversy is noted for the use of beta blockers, which are permitted. Currently available beta blocking substances which have either no effects or positive effects on pilot concentration are identified. Finally, medications which are completely incompatible with flight safety are discussed. M.S.K.

A87-24105**PARAMETRIC ENDOCARDIOGRAPHIC STUDIES WITH TWO POPULATIONS OF PILOTS. I - STATISTICAL ANALYSIS [ETUDES DE PARAMETRES ECHOCARDIOGRAPHIQUES OBTENUS CHEZ DEUX POPULATIONS DE PILOTES. I - ANALYSE STATISTIQUE]**

P. QUANDIEU, E. VICAUT, B. PIEDECOCQ (Centre de Recherche de Medecine Aeronautique, Paris, France), J. LEFEBVRE, M. BOITARD (Institut National de la Recherche Agronomique, Jouy en Josas, France) et al. *Medecine Aeronautique et Spatiale*, vol. 25, 3rd Quarter, 1986, p. 219-228. In French.

Multivariate statistical techniques were applied to 11 echocardiographic parameters recorded from 32 fighter pilots and 34 transport aircraft pilots. The variables included the weight, height, body surface, age, cumulative flight hours, the thickness of the arterial walls and the diameters of the cardiac cavities. The analysis concentrated on the homogeneity of the populations and identifying the minimum number of parameters which furnish the maximum amount of data. Weighting coefficients devised to correct for data abnormalities are discussed, along with details of the statistical techniques that were applied. M.S.K.

A87-24106**SOLID MECHANICAL VIBRATIONS. III [LES VIBRATIONS MECANQUES SOLIDIENNES. III]**

J. L. POIRIER *Medecine Aeronautique et Spatiale*, vol. 25, 3rd Quarter, 1986, p. 229-236. In French. refs

Vibratory phenomena which can affect the health of humans riding in vehicles are discussed, along with available techniques for ameliorating the effects of vibrations. Attention is given to the perception of the vibrations, the types and magnitudes of harm imparted to humans at different vibrational frequencies, and to the physiological areas which are most subject to damage from vibrational loading. The vibrational hazards of land vehicles, helicopters and aircraft are reviewed, together with the use of active and suspended seats for reducing the vibrational load on the pilot, noting the increased chances of harmful effects with the length of time for the specific types of vehicles. Adaptive control systems and pilot posture seats are considered as means to lessening pilot exposure to vibration. M.S.K.

A87-24107**SINUS BAROTRAUMA IN THE AERONAUTICAL ENVIRONMENT. I [DU BARO-TRAUMATISME SINUSIEN EN MILIEU AERONAUTIQUE. I]**

J. F. GOUTEYRON (Hopital d'Instruction des Armees Dominique Larrey, Versailles, France) *Medecine Aeronautique et Spatiale*, vol. 25, 3rd Quarter, 1986, p. 236-244. In French.

Human physiological reactions to sudden losses of atmospheric pressure, i.e., sudden, intense pain, can cause pilots, both civil and military, to lose control of an aircraft. Techniques are defined for examining pilot candidates to identify those who are subject to

nasal and/or sinus blockages due to the shape and/or size of the ostia, which permits drainage of mucous and pressure equalization between sinus and nasal cavities. Clinical symptoms which signify the onset of sinus barotrauma are described and diagnostic tests are discussed for discerning patients with sinus problems from those with other ailments which cause the same symptoms. Anatomical characteristics of the first, second and third stages of sinus barotrauma, beginning with simple blockage and ending with edema of the sinus cavity, are detailed. M.S.K.

A87-24108**ASTHMA AND AIRCREW [ASTHME ET PERSONNEL NAVIGANT]**

G. LEGUAY and J. DRONIOU (Hopital d'Instruction des Armees Dominique Larrey, Versailles, France) *Medecine Aeronautique et Spatiale*, vol. 25, 3rd Quarter, 1986, p. 244-248. In French. refs

The physiological basis and symptoms of asthma are reviewed with an eye to the compatibility of asthma sufferers and flight safety. It has long been known that higher altitudes are therapeutic for asthma, as are repeated sessions cycling in a hypobaric chamber. The precipitating causes of asthmatic bronchial obstruction are identified, along with statistics of the age-related occurrence of asthma, which show that although only 50 percent of the persons who exhibit asthma as babies have symptoms in young adulthood, 70 percent will have symptoms after the age of 40. Techniques are defined for clinical monitoring of pilots who are susceptible to asthma attacks. It is noted that pilots of combat aircraft routinely experience high-g accelerations which induce symptoms that are similar to asthma attacks. M.S.K.

A87-24109**SYMPTOMS OF KINETOSIS: SIMULATOR SICKNESS - THE RELATIONSHIP TO SENSORIAL ILLUSIONS [UN ASPECT ACTUEL DES CINETOSES: LE MAL DES SIMULATEURS RELATION AVEC LES ILLUSIONS SENSORIELLES]**

A. LEGER (Centre d'Essais en Vol, Bretigny sur Orge, France) *Medecine Aeronautique et Spatiale*, vol. 25, 3rd Quarter, 1986, p. 248-253. In French. refs

Since fully realistic motions cannot be provided in a flight simulator, sensorial illusions are used as a compensation to heighten the realism. It is known that the inertial movement of the head in the terrestrial frame of reference or the visual perception of motion will excite certain responses in the central nervous system. However, a lack of correspondence between visual and physical motions can cause response conflicts, producing the classic symptoms of nausea, ocular tension, dizziness and vertigo. The symptoms can appear in all flight simulators. Various prophylactic and in-session and techniques for avoiding the occurrence of simulator sickness are delineated. M.S.K.

A87-24142**NONTHERMOREGULATORY CONTROL OF HUMAN SKIN BLOOD FLOW**

JOHN M. JOHNSON (University of Texas Health Science Center, San Antonio) *Journal of Applied Physiology* (ISSN 0161-7567), vol. 61, Nov. 1986, p. 1613-1622. refs
(Contract NIH-HL-20663)

The effects of baroreceptor-mediated reflexes or reflexes associated with exercise on the control of skin blood flow are investigated. The relations between baroreceptor control of cutaneous circulation and temperature, postural changes, and exercise are examined. It is observed that the baroreceptor reflexes reduce sympathetic vasoconstrictor outflow to the vasculature. The vasoconstrictor effect of exercise on skin blood flow is described; exercise reduces the response in skin blood flow to elevate internal temperature. Consideration is given to efferent control and vasoconstriction. The data reveal that the reflexes cause shifts in the threshold internal temperature at which cutaneous vasodilation begins. I.F.

A87-24143* Technion - Israel Inst. of Tech., Haifa.
EFFECT OF WATER IMMERSION ON CARDIOPULMONARY PHYSIOLOGY AT HIGH GRAVITY (+GZ)
 R. ARIELI, U. BOUTELLIER, and L. E. FARHI (Technion-Israel Institute of Technology, Haifa; New York, State University, Buffalo) *Journal of Applied Physiology* (ISSN 0161-7567), vol. 61, Nov. 1986, p. 1686-1692. refs
 (Contract NAS9-16042)

The cardiopulmonary responses of eight male subject between 21-31 years exposed to 1, 2, and 3 Gz during immersion at 35 + or - 0.5 C to heart level and during control dry rides are studied. Ventilation, O2 consumption, the end-tidal pressure of CO2, heart frequency, cardiac output, functional residual capacity, and the arterial pressure of CO2 were measured. It is observed that as Gz increases ventilation, heart frequency, and O2 consumption increase, and the end-tidal and arterial pressures of CO2 decrease during dry rides, but are not altered during immersion. It is detected that the functional residual capacity is lower during immersion and decreases in both the dry and immersed state as Gz increases, and cardiac output decreases as Gz increases in dry rides. It is noted that changes produced by acceleration in a Gz direction are due to the effect on the systemic circulation rather than to the effect on the lungs. I.F.

A87-24144
PULMONARY GAS EXCHANGE IN HUMANS DURING NORMOBARIC HYPOXIC EXERCISE
 M. D. HAMMOND, G. E. GALE, K. S. KAPITAN, A. RIES, and P. D. WAGNER (California, University, San Diego) *Journal of Applied Physiology* (ISSN 0161-7567), vol. 61, Nov. 1986, p. 1749-1757. refs
 (Contract NIH-HL-17731; NIH-RR-00827)

Gas exchange during exercise under normobaric hypoxia for ten male subjects are compared with hypobaric measurements using the multiple inert gas elimination technique. The expired minute ventilation, cardiac output, arterial blood, and mixed expired respiratory and inert gas samples following various work loads were evaluated; the work loads and analysis techniques are described. The effects of ventilation-perfusion inequality and O2 diffusion limitation on alveolar arterial O2 tension difference during exercise are examined. It is observed that there is an increase in the ventilation-perfusion inequality with an increase in O2 consumption during normobaric and hypobaric hypoxia exercises and the rate of increase in dispersion with respect to O2 consumption is comparable under both conditions. Various mechanisms that may cause the increase in ventilation-perfusion inequality are proposed. I.F.

A87-24145
EFFECTS OF ADENOSINE ON VENTILATORY RESPONSES TO HYPOXIA AND HYPERCAPNIA IN HUMANS
 D. L. MAXWELL, R. W. FULLER, K. B. NOLOP, C. M. S. DIXON, and J. M. B. HUGHES (Royal Postgraduate Medical School; Hammersmith Hospital, London, England) *Journal of Applied Physiology* (ISSN 0161-7567), vol. 61, Nov. 1986, p. 1762-1766. Research supported by the Wellcome Trust, Medical Research Council and American Heart Association. refs

The effects of adenosine infused at a level of 70-80 microns/kg per min on the ventilatory response to hypoxia and hypercapnia of six male subjects between 29-48 years are investigated. The resting ventilation and progressive ventilatory responses to isocapnic hypoxia and hyperoxic hypercapnia, blood pressure, and heart rate were measured. It is observed that adenosine causes an increase in resting minute ventilation, lowers the resting end-tidal pressure of CO2, increases heart rate without changing systemic blood pressure, and increases the hypoxic ventilatory response without altering the hypercapnic response. The data reveal that adenosine stimulates ventilation by a peripheral action. I.F.

A87-24146* Beth Israel Hospital, Boston, Mass.
ATROPINE UNMASKS BED-REST EFFECT - A SPECTRAL ANALYSIS OF CARDIAC INTERBEAT INTERVALS
 ARY L. GOLDBERGER (Beth Israel Hospital, Boston, MA), DANIELLE GOLDWATER (NASA, Ames Research Center, Moffett Field, CA), and VALMIK BHARGAVA (USVA Medical Center; California, University, San Diego, CA) *Journal of Applied Physiology* (ISSN 0161-7567), vol. 61, Nov. 1986, p. 1843-1848. refs

Heart rate spectral data obtained for 10 male subjects between 35-49 years following orthostatic tolerance testing with lower body negative pressure prebed rest and after 7-10 days of bed rest, while on placebo and after intravenous atropine are analyzed. Comparison of the spectral atropine rms for subjects prebed rest and after bed rest reveal a decrease from 63 + or - 24 ms to 40 + or - 23 ms. It is observed that heart rate interval variability for subjects after bed rest and with atropine is reduced; the heart rate at bed rest with atropine is increased from 70.4 + or - 12.4 beats/min prebed rest to 83.7 + or - 18.9 beats/min; and the exercise tolerance time for subjects in the atropine prebed-rest phase (658 + or - 352 s) is higher than the bed-rest phase (505 + or - 252 s). It is noted that bed rest impairs the cardiovascular capacity to adaptively modulate physiological responses, atropine exposes bed-rest deconditioning effects, and spectral analysis is useful for studying the effects of bed-rest deconditioning on cardiac dynamics. I.F.

A87-24147
DISTORTION OF CALCULATED WHOLE-BODY HEMATOCRIT DURING LOWER-BODY IMMERSION IN WATER
 DOUGLAS R. KNIGHT, THOMAS SANTORO, and KENNETH BONDI, R. (U.S. Navy, Naval Submarine Medical Research Laboratory, Groton, CT) *Journal of Applied Physiology* (ISSN 0161-7567), vol. 61, Nov. 1986, p. 1885-1890. Navy-supported research. refs

A87-24150
PROPRANOLOL DOES NOT IMPAIR EXERCISE OXYGEN UPTAKE IN NORMAL MEN AT HIGH ALTITUDE
 LORNA G. MOORE, ALLEN CYMERMAN, SHAO-YUNG HUANG, ROBERT E. MCCULLOUGH, ROSANN G. MCCULLOUGH (Colorado, University, Denver and Boulder; U.S. Army, Research Institute of Environmental Medicine, Natick, MA; Shanghai Institute of Physiology, People's Republic of China) et al. *Journal of Applied Physiology* (ISSN 0161-7567), vol. 61, Nov. 1986, p. 1935-1941. refs
 (Contract NIH-HL-14985; NIH-HD-00681; NIH-HL-07171; DAMD17-85-C-5205)

The effects of propranolol on the cardiorespiratory responses of 12 males age 19-23 years during maximal and submaximal exercise at sea level and on Pikes Peak (4300 m) are investigated. The O2 uptake, heart rate, ventilation, and arterial O2 saturation for placebo and propranolol (240 mg/24 hrs) test groups were measured and compared. It is observed that the beta-adrenergic blockade did not affect maximal or submaximal exercise performance at high altitude, propranolol caused a decrease in the heart rate at Pikes Peak, and the maximal and submaximal levels of O2 uptake in propranolol-treated subjects are maintained. I.F.

A87-24750* National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.
DEXAMETHASONE MIMICKS THE ANTIMOTION SICKNESS EFFECTS OF AMPHETAMINE AND SCOPOLAMINE
 RANDALL LEE KOHL (NASA, Johnson Space Center, Houston, TX) *Acta Astronautica* (ISSN 0094-5765), vol. 13, Sept. 1986, p. 565-571. refs

Based on preliminary suggestions that individual differences in susceptibility to stressful motion might be related to physiological differences in responses of the hypothalamic-pituitary-adrenal axis, the efficacy of dexamethasone and metyrapone is tested in subjects exposed to cross-coupled accelerative semicircular canal stimulation on a rotating chair. Subjects given 0.5 mg of

dexamethasone every 6 h for 48 h could endure 80 percent more stressful motion ($P = 0.03$) in a within-subjects design study, whereas, no improvement followed treatment with 750 mg of metryapone every 4 h for 24 h. The efficacy of dexamethasone might be explained in terms of its neurochemical actions on several neurotransmitter systems which are also modulated by such classical antinotion sickness drugs as amphetamine and scopolamine. Because dexamethasone induces adaptive changes within the central nervous system it may prove superior to scopolamine and amphetamine which possess significant side effects, are short acting, and rapidly tolerated. Author

A87-25109

THE ACID-BASE STATE AND GAS COMPOSITION OF BLOOD OF RESIDENTS OF THE NORTHEASTERN USSR [KISLOTNO-SHCHELOCHNOE SOSTOIANIE I GAZOVYI SOSTAV KROVI ZHITELEI SEVERO-VOSTOKA SSSR]

L. N. MATVEEV (Moskovskii Meditsinskii Stomatologicheskii Institut, Moscow, USSR) and A. G. MARACHEV (Institut Morfologii Cheloveka, Moscow, USSR) Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 575-580. In Russian. refs

The acid-base contents and partial pressures of O_2 (pO_2) and CO_2 (pCO_2) in blood of newcomers to and natives of Magadan and Anadyr' in the northeastern USSR were compared with the respective values of Moscow residents. Compared with the residents of Moscow, newcomers to Magadan (but not its natives) exhibited considerable blood alkalosis and decreased pCO_2 , while both the newcomers to Anadyr' and its natives exhibited higher levels of blood acidosis and signs of metabolic acidosis. The values of pO_2 in the venous blood were higher in all newcomers to the northeast, while the percent of hemoglobin saturation was lower. The hemoglobin/oxygen correlation in the natives had the opposite character. The changes observed in newcomers are considered to indicate adaptive increases in the efficiency of tissue oxygenation, while the differences observed between the residents of Magadan and Anadyr' are explained by the higher geographical latitude of the latter. I.S.

A87-25110

PREDICTING THE HEALTH CONDITION OF MIDDLE-AGED PERSONS FROM RESULTS OF HEMODYNAMIC REACTIONS TO PHYSICAL LOADS [PROGNOZ SOSTOIANIIA ZDOROV'IA U LITS POZHILOGO VOZRASTA PO DANNYM GEMODINAMICHESKOGO REAGIROVANIYA NA FIZICHESKUII NAGRUZKU]

K. V. GAVRIKOV and L. A. SAVINA (Volgogradskii Meditsinskii Institut, Volgograd, USSR) Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 581-584. In Russian. refs

Hemodynamic reactions to minimal physical loads (bicycle ergometer exercises in horizontal position) were measured in middle-aged (up to 75 years) healthy persons, as well as in subjects suffering from cardiovascular abnormalities, correlating the results with the health status of the subjects. Among the physiological parameters measured, the type of stroke volume dynamics was found to be the most valuable index. It was found that the subjects with normal and stable increases (up to 25 percent of the value at rest) of stroke volume remained most healthy during the study period (which varied from 5 to 15 years). The hyporesponding type usually coincided with the presence of progressing cardiovascular abnormalities. A change in the type of response, especially from a hyperreacting to a hyporeacting response, and vice versa, indicated the most considerable worsening of the health status (with lethal outcome reaching 50 percent). I.S.

A87-25111

REACTIONS OF THE CARDIOPULMONARY SYSTEM ON LOW-POWER INFRARED LASER IRRADIATION OF ISOLATED SKIN AREAS OF THE HAND [REAKTSII KARDIORESPIRATORNOI SISTEMY NA INFRAKRASNOE LAZERNOE OBLUCHENIE MALOI MOSHCHNOSTI LOKAL'NYKH UCHASTKOV KOZHI KISTI RUKI]

V. I. SELEZNEV, S. V. GUSKOV, T. S. KILINA, and V. M. BELIAKOV (Nauchno-Issledovatel'skii Institut Normal'noi Fiziologii, Moscow, USSR) Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 595-600. In Russian. refs

The stimulating effect of low-power (0.5 mW) irradiation of isolated skin areas on a subject's hands by an IR laser on the cardiopulmonary system was studied, using subjects of different age, sex, and occupation groups. Among the physiological indices that were found to change as a result of irradiation, the absolute values and the dynamic changes of the integral efficiency index, defined as the ratio of the mean arterial pressure to the oxygen deficit in exhaled air, were found to be most informative. The results obtained on older nonathletic subjects suggest that, in subjects with lowered aerobic reserves, the biostimulating effect of laser irradiation can promote normalization of cardiopulmonary system functions. I.S.

A87-25112

VASCULAR RESPONSES UNDER THE EFFECT OF COLD IN MOUNTAIN CLIMBERS WHO ARE CANDIDATES TO AN EVEREST EXPEDITION TEAM [SOSUDISTYE REAKTSII PREKHOLODOVYKH VOZDEISTVIAKH U AL'PINISTOV-KANDIDATOV V SOSTAV EKSPEDITSII NA EVEREST]

N. E. PANFEROVA, T. A. KABESHEVA, and E. B. GIPPENREITER (Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 601-607. In Russian. refs

A87-25113

THE EFFECTS OF DIFFERENT TYPES OF HYPERTHERMIA ON WORK CAPACITY [VLIANIE RAZLICHNYKH VIDOV GIPERTERMII NA RABOTOSPOSOBNOST']

A. S. PAVLOV (Voroshilovgradskii Mashinostroitel'nyi Institut, Voroshilovgrad, Ukrainian SSR) Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 608-614. In Russian. refs

The effects of gradual increases of body temperature (up to 39-40 C), caused by performing either light physical activity in hot environments (endogenous hyperthermia) or heavy work in a comfortable environment (exogenous hyperthermia), on work capacity were studied in athletes and young healthy nonathletes. The work capacity was evaluated using international standards of physical fitness. Significant exogenous hyperthermia was found to decrease work capacity, but more so in physically untrained subjects. On the other hand, endogenous hyperthermia increased maximal work capacity, both in physical tests which measured strength, speed, dexterity, and flexibility, and in the tests which evaluated mental work capacity. However, during the physical endurance tests, both exogenous and endogenous hyperthermias lowered work capacity in all subjects. I.S.

A87-25114

A SIMPLIFIED MODEL OF HEAT EXCHANGE [UPROSHCHENNAIA MODEL' TEPLOOBMENA]

L. M. POLESSKAIA, V. S. VANGELI, and M. D. GODOROZIA (Moldavskii Nauchno-Issledovatel'skii Institut Gigieny i Epidemiologii, Kishinev, Moldavian SSR) Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 615-620. In Russian. refs

A simple model of heat exchange in the human body is presented, which takes into account the regulating role of the central nervous system. In the model, the body is considered as a single unit not separated into parts; the model parameters of oxygen consumption and pulmonary ventilation are expressed by dynamic regression equations obtained on the basis of experimental results. The model makes it possible to determine body temperature

and the magnitude of heat loss from its surface during work in uncomfortable environments caused by specified values of ambient temperature, humidity, CO₂ concentration, air movement, atmospheric pressure, and thermal clothing index. I.S.

A87-25115

REORGANIZATION OF MICROCIRCULATION IN THE LOWER EXTREMITIES UNDER CONDITIONS OF REGIONAL ORTHOSTATIC HYPERTENSION [PERESTROIKA MIKROT-SIRKULIATSII NIZHNIKH KONECHNOSTEI PRI LOKAL'NOI OR-TOSTATICHESKOI GIPERTENZII]

V. M. BYKOV (Altaiskii Meditsinskii Institut, Barnaul, USSR) Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 621-626. In Russian. refs

The mechanisms responsible for effective compensatory changes in the microcirculatory system of the lower extremities of the human body, caused by regional orthostatic hypertension (brought about by changing the body position from horizontal to vertical), were investigated. The techniques used to evaluate changes in the blood flow included photoplethysmography, capillaroscopy, and the use of I-131 (for estimation of capillary clearance); the capillary blood pressure was evaluated by measuring intraosseous pressure; and the O₂ and CO₂ pressures were measured by the methods described by Astrup et al. (1960). The onset of orthostatic hypertension was found to be accompanied by compensatory increases in the tonus of the vessels of the feet and toes and by a significant slowdown of tissue blood flow. The decrease of the blood flow was in turn compensated for by an increase in the rate of regional oxygen uptake. I.S.

A87-25116

THE EFFECT OF IMMERSION HYPOKINESIA ON CHARACTERISTICS OF THE RHYTHMIC ACTIVITY OF SOLEUS MUSCLE MOTOR UNITS [VLIANIE IMMERSSIONNOI GIPOKINEZII NA KHARAKTERISTIKI RITMICHESKOI AKTIVNOSTI DVIGATEL'NYKH EDINITS KAMBALOIDNOI MYSHTSY]

A. V. KIRENSKAIA, I. B. KOZLOVSKAIA, and M. G. SIROTA Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 627-632. In Russian. refs

The effect of five-day immersion on the rhythmic activity of motor units (MUs) in the soleus muscle was investigated, measuring the MU activity while the isometric tonic tension of the muscle was maintained. The results of measuring the impulse activity of the MUs before immersion and on the 3rd and 5th days of immersion have indicated significant changes in the bioelectric activity characteristics. These changes included increased variance in the interimpulse intervals, increased percent of MUs with synchronized activity, and lengthening of the interimpulse intervals. The rapidity of the development of these changes indicated their reflectorial nature. I.S.

A87-25117

EVOKED CORTICAL POTENTIALS IN HUMANS IN RESPONSE TO VERTICAL THRESHOLD ACCELERATIONS [VYZVANNYE KORKOVYE POTENTIALY NA VERTIKAL'NYE POROGOVYE USKORENIIA U CHELOVEKA]

E. IU. SLAVINSKII and K. F. TRINUS (Kievskii Nauchno-Issledovatel'skii Institut Otolaringologii, Kiev, Ukrainian SSR) Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 651-656. In Russian. refs

The informative characteristics of the cortical evoked potentials (EPs) in response to threshold vertical linear accelerations were investigated, using subjects seated in a movable chair with closed eyes. Threshold accelerations were determined by applying vertical accelerations to the chair until the subject perceived the fact of the movement, at which time the EPs were determined. The results have shown that determination of the threshold EPs can be used as a method for finding the stimulation threshold of the vestibular analyzer; the 6-Hz component in the EP spectrum may be related to the processes in the conducting path, while the 4-Hz component may reflect the subjective perception of vestibular sensations. I.S.

A87-25118

EVALUATION OF AN OPERATOR'S FUNCTIONAL STATUS UNDER THE CONDITIONS OF SENSORY DEFICIT [OTSENKA FUNKTSIONAL'NOGO SOSTOIANIIA OPERATORA V USLOVIIAKH SENSORNOGO DEFITSITA]

B. M. BAEVSKII and T. D. SEMENOVA Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 676-678. In Russian. refs

The type of activity that involves anticipation of a signal or a command takes place in the conditions of sensory deficit and is accompanied with significant nervous stress. Therefore, the information concerning the state of the vegetative system can serve in determining the work capacity of an operator performing a particular task and in determining the physiological 'prize' of the task. A technique is described for measuring a vegetative balance of an operator, using EKG recordings, which takes into account the individual peculiarities of an operator by introducing a derived index, termed the integral criterion of functional measurements. This technique makes it possible to unify evaluations of functional status performed on different operators. I.S.

A87-25119

REACTIVITY OF THE HUMAN VEGETATIVE NERVOUS SYSTEM FROM DATA OBTAINED ON THE OCULOCARDIAC, CAROTID-SINUS, AND PLANAR REFLEXES [REAKTIVNOST' VEGETATIVNOI NERVNOI SISTEMY CHELOVEKA PO DANNYM GLAZO-SERDECHNOGO, SINO-KAROTIDNOGO I SOLIARNOGO REFLEKSOV]

F. V. OSMININ, A. F. ERSHOV, A. P. PISANKO, V. A. NIBUSH, and V. N. SUNTSOV (Tomskii Gosudarstvennyi Universitet, Tomsk, USSR) Fiziologiya Cheloveka (ISSN 0131-1646), vol. 12, July-Aug. 1986, p. 679-681. In Russian. refs

Statistically-significant norm limits for changes of the heart rate (HR) in measuring the oculocardiac, carotid-sinus, and planar reflexes were obtained, applying standard methods of measurements to 164 young healthy men. A significant difference was found between the norm limits of the oculocardiac and the planar reflexes, namely, a shift of the planar reflex towards sympatheticotonia, supporting literature data. Twenty five percent of the subjects exhibited a paradoxical reaction: acceleration (instead of slowing down) of HR upon application of pressure to a reflex zone. I.S.

A87-25171

HEAT EXHAUSTION CAUSED BY BODY DEHYDRATION [TEPLOVOE ISTOSHCHENIE VSLEDSTVIE OBEZVOZHIVANIIA ORGANIZMA]

E. V. GEMBITSKII, G. N. NOVOZHILOV, and S. D. POLOZHENTSEV Voenno-Meditsinskii Zhurnal (ISSN 0026-9050), July 1986, p. 25-30. In Russian. refs

Physiological mechanisms responsible for heat exhaustion that accompanies severe dehydration are discussed, along with metabolic changes and morphological alterations seen in the heart, kidney, and liver tissues in cases of severe and/or repeated incidences of heat exhaustion. Consideration is given to clinical symptoms of heat exhaustion, and to the ways of diagnosing the severity of the condition. Methods for calculating the extent of water deficiency are described along with methods for treating and monitoring the patients' condition. Author

A87-25172

DIAGNOSING FATIGUE AND OVERFATIGUE IN FLIGHT PERSONNEL [O DIAGNOSTIKE UTOMLENIIA I PEREUTOM-LENIIA LETNOGO SOSTAVA]

V. A. BODROV Voenno-Meditsinskii Zhurnal (ISSN 0026-9050), July 1986, p. 46-48. In Russian.

A summary of experimental and literature data on the causes and symptoms of chronic fatigue and exhaustion in flight personnel is presented. Emphasis is placed on the importance of such functional symptoms as insomnia, headaches, lack of appetite, and general weakness, when these symptoms continue for days after the last assignment is completed. Physiological and biochemical changes, as well as clinical symptoms present in

overfatigued subjects are described. Among tests commonly used for diagnosing overfatigue, the most predictive are considered to be the orthostatic stability test, tremor measurements, the index of heart function under load, a test for muscle endurance under static load, and the length of the latent period of a simple sensomotor reaction to a light stimulus. I.S.

A87-25398**THREE THEORIES OF STROBOSCOPIC MOTION DETECTION**

GEORGE SPERLING, JAN P. H. VAN SANTEN, and PETER J. BURT (New York University, NY) *Spatial Vision* (ISSN 0169-1015), vol. 1, no. 1, 1985, p. 47-56. refs
(Contract AF-AFOSR-80-0279)

The three theories derive from three different paradigms. Suprathreshold judgments of perceived quality of motion in multiframe displays are modeled by space-time Fourier analysis of the motion stimulus. Stroboscopic motion is perceived as being different from real motion to the extent that the additional Fourier components in stroboscopic motion are detectable. Stroboscopic motion of dots along conflicting paths leads to perceptual competition. The theory to describe perceptual solution derives and proves the uniqueness of strength functions computed only from the time and from the distance between successive points on each path. Time-strength and motion-strength add to determine path-strength; only the strongest path is perceived. Motion-direction detection in continuously drifting two-flash combinations of sinusoidal gratings is described by elaborated Reichardt detectors (ERDs) that compute the covariance of temporal events in two adjacent locations. Other, apparently different, detectors that account for direction-detection data are shown to be equivalent to ERDs. Author

A87-25399**SPATIAL PHASE AND FREQUENCY IN MOTION CAPTURE OF RANDOM-DOT PATTERNS**

V. S. RAMACHANDRAN and V. INADA (California, University, La Jolla) *Spatial Vision* (ISSN 0169-1015), vol. 1, no. 1, 1985, p. 57-67. refs

A square matrix of spots (A) was presented in rapid alternation with an uncorrelated matrix (B). If the square arrays are superimposed spatially one sees random incoherent motion. However, incoherent motion was seen only if the outer edges were exactly aligned. If the outline of matrix A is shifted horizontally by 1 deg in relation to B, then the edges are seen to oscillate to and fro. Surprisingly, all the dots in the matrix were seen to 'adhere' to the edges and to move horizontally (Ramachandran, 1981). The edges were then aligned again to produce incoherent motion, and a sine-wave grating was superimposed on the pattern. If the grating was moved horizontally, then all the spots 'adhered' to it and moved horizontally as well. This illusion ('motion capture') was optimal at a 90-deg spatial phase shift of the grating; at low spatial frequencies (less than 0.5 cycles); and when the grating was alternated in step with the dot patterns. Density-modulated gratings were just as effective. It is concluded that the unambiguous motion signal derived from the grating is applied spontaneously to the dots as well. Author

A87-25508**SPATIAL INTEGRATION CHARACTERISTICS IN MOTION DETECTION AND DIRECTION IDENTIFICATION**

ANDREI GOREA (Paris V, Université; Ecole Pratique des Hautes Etudes, Paris, France) *Spatial Vision* (ISSN 0169-1015), vol. 1, no. 2, 1985, p. 85-102. refs
(Contract CNRS-ATP-955130)

Spatial integration characteristics were assessed with drifting gratings for both detection and direction-identification contrast thresholds. Thresholds were measured while stimulus width, length or both were varied. It was found that: (1) the shape of the size/sensitivity functions changes with spatial, but not with temporal, frequency; (2) direction-identification thresholds diverge from the detection thresholds below 1 cycle but can be reliably measured for stimulus widths as small as 0.1275 cycles; (3) the integration characteristics are slightly anisotropic for the

identification but not for the detection process; and (4) the two-dimensional spatial integration cannot be directly predicted from its one-dimensional characteristics. Width/sensitivity detection functions are well fitted by predictions of Wilson and Bergen's four-channel model. Predictions from a temporal covariance model provide a poor fit to the identification data. It is argued that classes of detection and direction-identification models must involve identical nonlinearities prior to their respective thresholds. It is concluded that the hypothesis according to which both performances are determined by the same spatial integration stage cannot be rejected. Author

A87-25509**THE TILT AFTER-EFFECT - CHANGES WITH STIMULUS SIZE AND ECCENTRICITY**

J. P. HARRIS and J. E. CALVERT (Bristol, University, England) *Spatial Vision* (ISSN 0169-1015), vol. 1, no. 2, 1985, p. 113-129. refs

Previous evidence that the tilt after-effect (TAE) is larger when the stimuli are viewed peripherally rather than centrally was confirmed. An increase in viewing distance also increased TAE size. However, the increase in the TAE in peripheral vision was abolished if stimuli were increased in size to compensate for the change in the cortical magnification factor. Both the decrease in field diameter and increase in spatial frequency with viewing distance were found to influence the size of the TAE. When the data were expressed in cortical terms, the TAE was found to increase with spatial frequency, and decrease with field diameter, regardless of retinal position. The functional significance of these effects is discussed. Author

A87-25510**FAST NONINERTIAL SHIFTS OF ATTENTION**

DOV SAGI and BELA JULESZ (AT&T Bell Laboratories, Murray Hill, NJ) *Spatial Vision* (ISSN 0169-1015), vol. 1, no. 2, 1985, p. 141-149. refs

It was suggested that some discrimination tasks (e.g., discrimination between the letters T and L) require serial search by scrutinizing each letter (target) with a small aperture of focal attention. The paper examines the effect of intertarget distance on discrimination performance, using two targets. A reduction in performance at short distances is found which is in agreement with masking studies. Constant performance independent of distance is found outside this masking region. This constant performance is still lower than expected from masking effects and might reflect attentive processes. Sequential presentation of the targets with delays up to 30-40 ms, while reducing available processing time, does not cause reduction in performance, thus supporting the suggestion that discrimination of the two targets is a serial process. The independence of performance on distance suggests fast noninertial shifts of attention. Author

A87-25511**VERNIER ACUITY PREDICTED FROM CHANGES IN THE LIGHT DISTRIBUTION OF THE RETINAL IMAGE**

M. J. MORGAN (University College, London, England) and T. S. AIBA (Hokkaido University, Sapporo, Japan) *Spatial Vision* (ISSN 0169-1015), vol. 1, no. 2, 1985, p. 151-161. refs

If two thin bars of different luminance are placed side by side, their joint spatial position in a Vernier alignment task is determined simply by their relative luminances. The threshold luminance contrast difference required to produce a just detectable change in spatial position corresponds to a spatial shift of 5-20 arcsec in the centroid of the retinal light distribution, depending upon the contrast relative to the background. This technique may be used to measure acuity with a display that has a spatial resolution considerably worse than the Vernier offset threshold. The centroid technique has also been extended to components that differ both in wavelength and luminance. Color was found to make no essential difference to the task. Taking into account the spread of light in the retinal image, the manifest contrast thresholds are equivalent to threshold intensity increments between adjacent foveal receptors

of less than 1 percent, comparable to the values reported by Hecht and Mintz for dark line detection. Author

A87-25953

PERSISTENCE OF THE ACUTE EFFECTS OF OZONE EXPOSURE

LAWRENCE J. FOLINSBEE and STEVEN M. HORVATH (California, University, Santa Barbara) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. 1136-1143. Research supported by the American Petroleum Institute. refs

To determine the duration of persistent effects of ozone, four groups of subjects were exposed for 1 h to 0.25 ppm ozone and then reexposed at 12, 24, 48, or 72 h, respectively. During the exposure, all subjects exercised continuously at about 65 percent of their respective peak $\dot{V}(O_2)$. Two pulmonary function tests, forced vital capacity and forced expired volume in 1 s ($FEV_{1.0}$), were conducted prior to and 10 min following each exposure. The EKG, heart rate, and ventilation were monitored during the exposure. A questionnaire filled out by the subjects included a list of symptoms typical for ozone exposure. The decrease in $FEV_{1.0}$ after the second ozone exposure was significantly larger than that after the first for subjects reexposed at 12 h (12 and 19 percent, respectively) or 24 h (20 and 35 percent, respectively). In subjects reexposed at 48 or 72 h, the $FEV_{1.0}$ responses were not significantly different from those in the first exposure. Symptoms of ozone exposure generally paralleled changes in pulmonary function. I.S.

A87-25955

POWER SPECTRAL ANALYSIS OF THE SURFACE ELECTROMYOGRAM DURING SHIVERING

STEPHEN R. MUZA, ANDREW J. YOUNG, MICHAEL N. SAWKA, KENT B. PANDOLF, and JAMES E. BOGART (U.S. Army, Research Institute of Environmental Medicine, Natick, MA) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. 1150-1153. refs

Electromyogram (EMG) power spectra analysis was employed to analyze the frequency components of the shivering muscle (masseter) EMG, and to determine the power spectra changes as a function of the cold exposure duration. EMG spectra of the masseter muscle were obtained in seminude males exposed to 5°C for 80 min while quietly sitting, using bipolar surface electrodes. The EMG was amplified, recorded, and subsequently digitized at 2048 Hz; the power spectrum was calculated from eight serial 0.25-s EMG samples by Fourier analysis from a frequency of 4 through 480 Hz. The frequency components of the EMG during shivering were similar to those reported for isometric exercise. The lack of shifts in the power spectrum of the shivering EMG has indicated that 80 min of cold air exposure did not produce significant muscle fatigue or muscle cooling. I.S.

A87-25957

ORTHOSTATIC TOLERANCE AND AEROBIC CAPACITY

ESKO A. LANSIMIES and ERKKI RAUHALA (Kuopio, University, Finland) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. 1158-1164. refs

The responses of heart rate and blood pressure to passive head-up tilting were assessed twice with an interval of two months in 100 healthy, middle-aged men. Then the subjects were randomly allocated into training or nontraining groups. The intervention period of four months was successfully completed by 85 subjects. Mean, indirectly-determined oxygen uptake capacity increased in the training group only. The amplitude of the change in heart rate from supine to tilting and back again was used as the sign of orthostatic tolerance (OT). OT was similar in the training and nontraining groups. When the subjects were grouped according to aerobic fitness, no differences in the OT could be observed. Changes in fitness during the intervention did not induce any changes in orthostatic tolerance. When the whole group was divided according to the OT or change in OT, no significant differences of changes in aerobic fitness were observed. It is concluded that in healthy, ambulatory, middle-aged men orthostatic tolerance and aerobic fitness are not correlated. Author

A87-25958

EFFECTS OF HYPOXIA AND HYPEROXIA ON VENTILATORY KINETICS DURING RECOVERY FROM EXERCISE

ROBERT P. GARNER, SCOTT K. POWERS, and GABIE CHURCH (Louisiana State University, Baton Rouge, LA) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. 1165-1169. refs

The purpose of this investigation was to determine the effects of breathing hyperoxic and hypoxic gas mixtures on ventilatory kinetics in the transition from submaximal exercise to rest. Eight male subjects performed three separate single blind exercise tests at 80 percent of their ventilatory threshold. Inspired oxygen concentration was varied in each experimental condition: test one (55 percent O_2 -45 percent N_2), test two (14 percent O_2 -76 percent N_2), and test three (21 percent O_2 -79 percent N_2). Ventilation, heart rate, and gas exchange were measured every 15 s for 6 min of exercise and during 9 min of recovery from exercise. Data analysis revealed no significant (p greater than 0.05) differences in the kinetics of heart rate, oxygen uptake, expired volume of carbon dioxide, or ventilation among treatments during the transition from exercise to rest. Given the belief that hyperoxia attenuates the carotid bodies and hypoxia augments carotid body chemosensitivity, these findings suggest that the carotid bodies are not important regulators of the kinetics of expired ventilation during recovery from exercise. Author

A87-26280

INCREASING THE THERMAL STABILITY OF AN ORGANISM BY MEANS OF HYPOVENTILATIONAL TRAINING [POVYSHENIE TEПЛОВОЙ УСТОЙЧИВОСТИ ОРГАНИЗМА С ПОМОЩЬЮ ГИПОВЕНТИЛЯЦИОННОЙ ТРЕНИРОВКИ]

L. A. KOROLEV and V. I. SOBOLEVSKII Voenno-Meditsinskii Zhurnal (ISSN 0026-9050), Aug. 1986, p. 40, 41. In Russian. refs

A87-26281

USE OF AN ELECTROTRANQUILIZATION METHOD TO INCREASE VESTIBULAR STABILITY IN HUMANS [ISPOL'ZOVANIE METODA ELEKTROTRANKVILIZATSII DLIYA POVYSHENIYA VESTIGULIARNOY USTOYCHIVOSTI CHELOVEKA]

S. G. MELNIK, A. V. SHAKULA, and V. V. IVANOV Voenno-Meditsinskii Zhurnal (ISSN 0026-9050), Aug. 1986, p. 42-45. In Russian. refs

The effect of electrotranquilization treatment (by the method of Kastrubin, 1981) on the stabilization of the vestibular apparatus under conditions inducing motion sickness was studied in healthy subjects, using applications of angular and Coriolis accelerations to induce motion sickness and applying electrotranquilization either before or after accelerations. The level of vestibulo-vegetative stability was estimated from the length of time before the onset of nausea (the 'endurance time') and from the results of a step test; the functional status was evaluated from physiological indices of cardiovascular and respiratory systems. Questionnaires were used for the objective evaluation of well-being. Electrotranquilization was found to have a beneficial effect as a prophylactic treatment, decreasing the intensity of the motion sickness symptoms in all subjects, and greatly increasing the endurance time in some. Treatment after the onset of the sickness was less effective. However, the treatment hastened the recovery. I.S.

A87-27250* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

MASKING OF THE CIRCADIAN RHYTHMS OF HEART RATE AND CORE TEMPERATURE BY THE REST-ACTIVITY CYCLE IN MAN

PHILIPPA H. GANDER, LINDA J. CONNELL, and R. CURTIS GRAEBER (NASA, Ames Research Center, Moffett Field, CA) Journal of Biological Rhythms, vol. 1, no. 2, 1986, p. 119-135. refs

Experiments were conducted to estimate the magnitude of the masking effect produced in humans by alternate periods of physical

activity and rest or sleep on the circadian rhythms of heart rate and core temperature. The heart rate, rectal temperature, and nondominant wrist activity were monitored in 12 male subjects during 6 days of normal routine at home and during 6 days of controlled bed-rest regimen. The comparisons of averaged waveforms for the activity, heart rate, and temperature indicated that about 45 percent of the range of the circadian heart rate rhythm during normal routine and about 14 percent of the range of the circadian temperature rhythm were attributable to the effects of activity. The smaller effect of activity on the temperature rhythm may be partially attributable to the fact that core temperature is being more rigorously conserved than heart rate, at least during moderate exercise. I.S.

A87-27344* Massachusetts Inst. of Tech., Cambridge.
M.I.T./CANADIAN VESTIBULAR EXPERIMENTS ON THE SPACELAB-1 MISSION. I - SENSORY ADAPTATION TO WEIGHTLESSNESS AND READAPTATION TO ONE-G: AN OVERVIEW

L. R. YOUNG, C. M. OMAN, B. K. LICHTENBERG (MIT, Cambridge, MA), D. G. D. WATT (McGill University, Montreal, Canada), K. E. MONEY (Defence and Civil Institute of Environmental Medicine, Downsview, Canada) et al. Experimental Brain Research (ISSN 0014-4819), vol. 64, 1986, p. 291-298. Research supported by the Defence and Civil Institute of Environmental Medicine, and Medical Research Council of Canada. refs
 (Contract NAS9-15343)

Human sensory/motor adaptation to weightlessness and readaptation to earth's gravity are assessed. Preflight and postflight vestibular and visual responses for the crew on the Spacelab-1 mission are studied; the effect of the abnormal pattern of otolith afferent signals caused by weightlessness on the pitch and roll perception and postural adjustments of the subjects are examined. It is observed that body position and postural reactions change due to weightlessness in order to utilize the varied sensory inputs in a manner suited to microgravity conditions. The aspects of reinterpretation include: (1) tilt acceleration reinterpretation, (2) reduced postural response to z-axis linear acceleration, and (3) increased attention to visual cues. I.F.

A87-27345* Massachusetts Inst. of Tech., Cambridge.
M.I.T./CANADIAN VESTIBULAR EXPERIMENTS ON THE SPACELAB-1 MISSION. II - VISUAL VESTIBULAR TILT INTERACTION IN WEIGHTLESSNESS

L. R. YOUNG, M. SHELHAMER, and S. MODESTINO (MIT, Cambridge, MA) Experimental Brain Research (ISSN 0014-4819), vol. 64, 1986, p. 299-307. refs
 (Contract NAS9-15343)

Adaptation to weightlessness includes the substitution of other sensory signals for the no longer appropriate graviceptor information concerning static spatial orientation. Visual-vestibular interaction producing roll circularvection was studied in weightlessness to assess the influence of otolith cues on spatial orientation. Preliminary results from four subjects tested on Spacelab-1 indicate that visual orientation effects were stronger in weightlessness than pre-flight. The rod and frame test of visual field dependence showed a weak post-flight increase in visual influence. Localized tactile cues applied to the feet in space reduced subjectivevection strength. Author

A87-27346* McGill Univ., Montreal (Quebec).
M.I.T./CANADIAN VESTIBULAR EXPERIMENTS ON THE SPACELAB-1 MISSION. III - EFFECTS OF PROLONGED WEIGHTLESSNESS ON A HUMAN OTOLITH-SPINAL REFLEX

D. G. D. WATT, K. E. MONEY (McGill University, Montreal, Canada), and L. M. TOMI (Defence and Civil Institute of Environmental Medicine, Downsview, Canada) Experimental Brain Research (ISSN 0014-4819), vol. 64, 1986, p. 308-315. Research supported by the Defence and Civil Institute of Environmental Medicine and NASA; Medical Research Council of Canada. refs
 (Contract MRC-MA-5897; MRC-TG-32; MRC-SP-10)

Reflex responses that depend on human otolith organ sensitivity were measured before, during and after a 10 day space flight.

Otolith-spinal reflexes were elicited by means of sudden, unexpected falls. In weightlessness, 'falls' were achieved using elastic cords running from a torso harness to the floor. Electromyographic (EMG) activity was recorded from gastrocnemius-soleus. The EMG response occurring in the first 100-120 ms of a fall, considered to be predominantly otolith-spinal in origin, decreased in amplitude immediately upon entering weightlessness, and continued to decline throughout the flight, especially during the first two mission days. The response returned to normal before the first post-flight testing session. The results suggest that information coming from the otolith organs is gradually ignored by the nervous system during prolonged space flight, although the possibility that otolith-spinal reflexes are decreased independent of other otolith output pathways cannot be ruled out. Author

A87-27347* Massachusetts Inst. of Tech., Cambridge.
M.I.T./CANADIAN VESTIBULAR EXPERIMENTS ON THE SPACELAB-1 MISSION. IV - SPACE MOTION SICKNESS: SYMPTOMS, STIMULI, AND PREDICTABILITY

C. M. OMAN, B. K. LICHTENBERG, R. K. MCCOY (MIT, Cambridge, MA), and K. E. MONEY (Defence and Civil Institute of Environmental Medicine, Downsview, Canada) Experimental Brain Research (ISSN 0014-4819), vol. 64, 1986, p. 316-334. Research supported by the Defence and Civil Institute of Environmental Medicine. refs

(Contract NAS9-15343; NAS9-17371)

Three cases of motion sickness that occurred on Spacelab-1 are described. The relation between head movements and symptom intensity is examined. The effects of visual, tactile, and proprioceptive orientation cues on motion sickness are studied. The effectiveness of the drugs used is evaluated and it is observed that the drugs reduce the frequency of vomiting and overall discomfort. Preflight and postflight motion sickness susceptibility data are presented. I.F.

A87-27348* Massachusetts Inst. of Tech., Cambridge.
M.I.T./CANADIAN VESTIBULAR EXPERIMENTS ON THE SPACELAB-1 MISSION. V - POSTURAL RESPONSES FOLLOWING EXPOSURE TO WEIGHTLESSNESS

R. V. KENYON and L. R. YOUNG (MIT, Cambridge, MA) Experimental Brain Research (ISSN 0014-4819), vol. 64, 1986, p. 335-346. refs

(Contract NAS9-15343)

The four science crewmembers of Spacelab-1 were tested for postural control before and after a 10 day mission in weightlessness. Previous reports have shown changes in astronaut postural behavior following a return to earth's 1-g field. This study was designed to identify changes in EMG latency and amplitudes that might explain the instabilities observed post-flight. Erect posture was tested having the subject stand on a pneumatically driven posture platform which pitched rapidly and unexpectedly about the ankles causing dorsi- and plantarflexion. Electromyographic (EMG) activity from the tibialis anterior and the gastrocnemius-soleus muscles was measured during eyes open and eyes closed trials. The early (pre 500 ms) EMG response characteristics (latency, amplitude) in response to a disturbance in the posture of the subject were apparently unchanged by the 10 days of weightlessness. However, the late (post 500 ms) response showed higher amplitudes than was found pre-flight. General postural control was quantitatively measured pre- and post-flight by a 'sharpened Romberg Rails test'. This test showed decrements in standing stability with eyes closed for several days post-flight. Author

A87-27349* Massachusetts Inst. of Tech., Cambridge.

M.I.T./CANADIAN VESTIBULAR EXPERIMENTS ON THE SPACELAB-1 MISSION. VI - VESTIBULAR REACTIONS TO LATERAL ACCELERATION FOLLOWING TEN DAYS OF WEIGHTLESSNESS

A. P. ARROTT and L. R. YOUNG (MIT, Cambridge, MA) Experimental Brain Research (ISSN 0014-4819), vol. 64, 1986, p. 347-357. refs

(Contract NAS9-15343)

The effects of weightlessness on human orientation and balance are investigated. The responses of the Spacelab-1 crew to linear acceleration are measured using a perception of linear motion test, a closed-loop otolith assessment test (CLOAT), a dynamic ocular torsion test, and a lateral eye deviations test. The perception of linear motion tests measures a subject's ability to detect the presence and direction of small changes in linear acceleration; CLOAT assesses a person's ability to use linear acceleration cues to perform a manual control task; and the dynamic ocular torsion test examines the gravito-inertial contribution to dynamic ocular counterrolling. The threshold accelerations, velocity constants, regression coefficients, scalar performance measures, and torsion measurements for the subjects are analyzed and described. It is noted that the data support the tilt-translation reinterpretation hypothesis of Young et al. (1984, 1986). I.F.

N87-17430*# Massachusetts Inst. of Tech., Cambridge. Dept. of Chemical Engineering.

SUPERCritical WATER OXIDATION OF PRODUCTS OF HUMAN METABOLISM Final Report

JEFFERSON W. TESTER, GEORGE A. HUFF, RICHARD K. HELLING, T. B. THOMASSON (Modar, Inc., Natick, Mass.), and K. C. SWALLOW 1986 36 p

(Contract NAG2-224; NSG-2403)

(NASA-CR-180144; NAS 1.26:180144) Avail: NTIS HC A03/MF A01 CSCL 06P

Although the efficient destruction of organic material was demonstrated in the supercritical water oxidation process, the reaction kinetics and mechanisms are unknown. The kinetics and mechanisms of carbon monoxide and ammonia oxidation in and reaction with supercritical water were studied experimentally. Experimental oxidation of urine and feces in a microprocessor controlled system was performed. A miniaturized supercritical water oxidation process for space applications was design, including preliminary mass and energy balances, power, space and weight requirements. B.G.

N87-17431*# Good Samaritan Hospital and Medical Center, Portland, Oreg. Neurological Sciences Inst.

ROLE OF ORIENTATION REFERENCE SELECTION IN MOTION SICKNESS Semiannual Status Report

ROBERT J. PETERKA and F. OWEN BLACK Feb. 1987 10 p (Contract NAG9-117)

(NASA-CR-180161; NAS 1.26:180161) Avail: NTIS HC A02/MF A01 CSCL 06S

The objectives of this proposal were developed to further explore and quantify the orientation reference selection abilities of subjects and the relation, if any, between motion sickness and orientation reference selection. The overall objectives of this proposal are to determine (1) if motion sickness susceptibility is related to sensory orientation reference selection abilities of subjects, (2) if abnormal vertical canal-otolith function is the source of these abnormal posture control strategies and if it can be quantified by vestibular and oculomotor reflex measurements, and (3) if quantifiable measures of perception of vestibular and visual motion cues can be related to motion sickness susceptibility and to orientation reference selection ability demonstrated by tests which systematically control the sensory information available for orientation. Author

N87-17432# Institut Franco-Allemand de Recherches, St. Louis (France).

BIOLOGICAL EFFECTS OF AERIAL SHOCK WAVES: REVIEW OF WORK TO DATE [EFFETS BIOLOGIQUES DES ONDES DE CHOC AERIENNES: SYNTHESE DES TRAVAUX REALISES A CE JOUR]

P. VASSOUT 20 May 1985 68 p In FRENCH; GERMAN summary

(ISL-NB-402/85; ETN-87-98805) Avail: NTIS HC A04/MF A01

The effects of aerial shock waves on living beings are reviewed. The biological effects of shock waves were studied on several animal species, and extrapolated to human beings. The most strongly affected organs are the eardrum, the respiratory system, and the gastrointestinal system. The effects of shock waves were investigated in the free field and in a reflecting environment, and compared with the effects of strong noise. Protection possibilities were examined. The harmful effects, as well as propagation models for shock waves in a biological medium are reported on. ESA

N87-17770*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

ADAPTATION AND READAPTATION MEDICAL CONCERNS OF A MARS TRIP

PHILIP C. JOHNSON In NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 593-600 May 1986

Avail: NTIS HC A24/MF A01 CSCL 06P

The ability of the human body to adapt to microgravity environments and to later readapt to a gravity environment was examined. Issues specifically relating to the effects of long duration space flight on the adaptation/readaptation process are discussed. The need for better health prediction techniques is stressed in order to be able to better anticipate crew health problems and to perform corrective actions. Several specific examples are discussed of latent diseases which could occur during a long duration space mission, even after having subjected the crew to thorough premission checkups. The need for learning how to prevent or ameliorate such problems as space adaptation syndrome, bone and muscle (and possibly tissue) atrophy, immune system atrophy, and heart arrhythmias is also discussed. The implications of the age of the crew, the influence of an onboard low level gravity field, and drugs are briefly addressed as factors in the adaptation/readaptation process. Author

N87-17771*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

HUMAN ADAPTATION AND READAPTATION FOR MARS MISSION

HARRISON H. SCHMITT In its Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 601-605 May 1986

Avail: NTIS HC A24/MF A01 CSCL 06P

Human adaptation and readaptation in space appears to involve complex physiological and psychological interactions and adjustments. There is no comprehensive clinical characterization of the symptoms of these interactions, much less a comprehensive examination and testing of appropriate measures to counteract the near and long term adverse consequences. The variety of credible potential countermeasures is great; however, a systematic clinical research program for Shuttle and space station must be implemented as an early part of a Mars Mission strategy. Author

N87-17773*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

MANNED MARS MISSION HEALTH MAINTENANCE FACILITY

JOSEPH C. DEGIOANNI In NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 613-620 May 1986

Avail: NTIS HC A24/MF A01 CSCL 06E

The Health Maintenance Facility (HMF) requirements which enable/enhance manned Mars missions (MMMs) are addressed. It does not attempt to resolve any issues that may affect the feasibility of any given element in the HMF. Reference is made to current work being conducted in the design of the space station

HMF. The HMF requirements are discussed within the context of two distinctly different scenarios: HMF as part of the Mars surface infrastructure, and HMF as part of the nine months translation from low Earth orbit to Mars orbit. Requirements for an HMF are provided, and a concept of HMF is shown. Author

N87-17776*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

MANNED MARS MISSION RADIATION ENVIRONMENT AND RADIOBIOLOGY

D. S. NACHTWEY /in NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 634-641 May 1986

Avail: NTIS HC A24/MF A01 CSCL 06R

Potential radiation hazards to crew members on manned Mars missions are discussed. It deals briefly with radiation sources and environments likely to be encountered during various phases of such missions, providing quantitative estimates of these environments. Also provided are quantitative data and discussions on the implications of such radiation on the human body. Various sorts of protective measures are suggested. Recent re-evaluation of allowable dose limits by the National Council of Radiation Protection is discussed, and potential implications from such activity are assessed. Author

N87-17777*# Naval Research Lab., Washington, D. C. Center for Space Science.

NATURAL RADIATION HAZARDS ON THE MANNED MARS MISSION

JOHN R. LETAW, REIN SILBERBERG, and C. H. TSAO /in NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 642-655 May 1986

Avail: NTIS HC A24/MF A01 CSCL 06R

The hazards of the natural radiation environment (cosmic rays and solar energetic particles) on a manned mission to Mars are considered. These hazards are addressed in three different settings: the flight to Mars where the astronauts are shielded only by the spacecraft; on the surface of Mars under an atmosphere of about 10 g/sq cm carbon dioxide; and under the surface of Mars where additional shielding would result. Author

N87-17780*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

RADIATION ENVIRONMENT AND SHIELDING FOR EARLY MANNED MARS MISSIONS

STEPHEN B. HALL and MICHAEL E. MCCANN /in its Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 686-705 May 1986

Avail: NTIS HC A24/MF A01 CSCL 06R

The problem of shielding a crew during early manned Mars missions is discussed. Requirements for shielding are presented in the context of current astronaut exposure limits, natural ionizing radiation sources, and shielding inherent in a particular Mars vehicle configuration. An estimated range for shielding weight is presented based on the worst solar flare dose, mission duration, and inherent vehicle shielding. Author

N87-17781*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

TOXICOLOGICAL SAFEGUARDS IN THE MANNED MARS MISSIONS

MARTIN E. COLEMAN /in NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 706-712 May 1986

Avail: NTIS HC A24/MF A01 CSCL 06E

Safeguards against toxic chemical exposures during manned Mars missions (MMMs) will be important for the maintenance of crew health and the accomplishment of mission objectives. Potential sources include offgassing, thermodegradation or combustion of materials, metabolic products of crew members, and escape of chemical from containment. Spacecraft maximum allowable concentration (SMAC) limits will have to be established

for potential contaminants during the MMMs. The following factors will be used in establishing these limits: duration of mission, simultaneous exposure to other contaminants, deconditioning of crew members after long periods of reduced gravity, and simultaneous exposure to ionizing radiation. Atmospheric contaminant levels in all compartments of the transit spacecraft and Manned Mars Station (MMS) will be monitored at frequent intervals with a real time analyzer. This analyzer will be highly automated, requiring minimal crew time and expertise. The atmospheric analyzer will find other usages during the MMMs such as analyzing Martian atmospheres and soils, exhaled breath and body fluids of crew members, and reaction products in chemical processing facilities. Author

N87-18301*# National Aeronautics and Space Administration, Washington, D.C.

AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 294)

Feb. 1987 59 p

(NASA-SP-7011(294); NAS 1.21:7011(294)) Avail: NTIS HC A04 CSCL 06E

This bibliography lists 146 reports, articles and other documents introduced into the NASA scientific and technical information system in January, 1987. Author

N87-18302# Virginia Polytechnic Inst. and State Univ., Blacksburg. Dept. of Industrial Engineering and Operations Research.

VEHICULAR SIMULATOR-INDUCED SICKNESS. VOLUME 3: SURVEY OF ETIOLOGICAL FACTORS AND RESEARCH FACILITY REQUIREMENTS Final Report

JOHN G. CASALI and WALTER W. WIERVILLE Aug. 1986 162 p

(Contract N00014-84-K-0226)

(AD-A173226; IEOR-TR-8503; NTSC-TR-86-012) Avail: NTIS HC A08/MF A01 CSCL 05I

A site survey of eight Naval and Marine flight training simulators was conducted to ascertain potential simulator design and procedural aspects with potential for influencing simulator-induced sickness. The results of this survey, described in this report, are catalogued in a set of seven tables including information on various simulator subsystems and simulator-induced sickness incidence. These tables include overviews of simulator visual systems, motion-cuing systems, motion-base parameters, cockpit interior systems, operator/training procedures, reported simulator anomalies, and simulator-induced sickness/aftereffects. Based on this survey, a listing of candidate simulator and operating procedure variables for study is provided. These variables were rated according to their priority for research and their feasibility for laboratory investigation as potential etiological factors in the provocation of simulator-induced sickness. Also provided is a listing of dependent measures amenable for use in research on simulator sickness. A variety of physiological, ataxia, psychomotor, perceptual, task performance, and self-report metrics are suggested. The last section of the report is devoted to the specification of a generic simulator facility aimed at the study of simulator-induced sickness. GRA

N87-18303# Federal Aviation Administration, Washington, D.C. Office of Aviation Medicine.

MEDICALLY DISQUALIFIED AIRLINE PILOTS Final Report

SHIRLEY J. DARK Jun. 1986 18 p

(AD-A173244; FAA/AM-86/17) Avail: NTIS HC A02/MF A01 CSCL 06E

This study presents comprehensive data reflecting pertinent denial rates regarding the medical and general attributes of those airline pilots denied medical certification in calendar years 1983 and 1984. The overall annual denial rate of this group is 4.7 per 1,000 active airline pilots. Age-specific denial rates for airline pilots increase to the highest rate at age interval 55 to 59. The most significant causes for denial are cardiovascular, neuropsychiatric, and the miscellaneous category. The importance of these causes for denial, particularly above age 45, is again recognized. Denials for cardiovascular reasons account for 33% of all denials in this

airline pilot group. Reasons/causes for denial and age-specific denial rates are changing. Denial rates of older pilots have decreased while rates for younger pilots have increased when compared with previous studies' rates. This could be attributed to changes in the interpretation of FAA regulations, certification policies, and pilots' concepts and concerns regarding the economic status of their employer. On the basis of these and previous findings, pilots should be educated to report history or symptoms of any disease during their periodic medical certification examinations. GRA

N87-18304# Federal Aviation Administration, Washington, D.C. Office of Aviation Medicine.

EFFECTS OF SLEEP LOSS ON VESTIBULAR RESPONSE DURING SIMPLE AND COMPLEX VESTIBULAR STIMULATION Final Report

WILLIAM E. COLLINS Jul. 1986 20 p
(AD-A173292; FAA/AM-86/9) Avail: NTIS HC A02/MF A01 CSCL 06S

Few data are available concerning the effects of sleep loss on vestibular responses although those responses are significant products of motion in aviation environments. This study assessed periodically throughout approx. 55 hrs. of sleep loss the ocular nystagmus and motion experiences of men exposed to both simple (angular acceleration and complex- Coriolis) vestibular stimulation. The effects on those responses of an alerting drug administered after 54 hr of sleep loss were also examined. Control and sleep-deprived groups each comprised 10 young men. Angular accelerations and Coriolis stimulation (30-deg head movements during CW rotation) were accomplished in an enclosed Stille-Werner rotating device. Nystagmus and motion experience (turning, diving, and climbing) were recorded for each session. Tests were given at 0900 and 1300 on each of 3 successive days. Subjects ingested 10-mg of d-amphetamine at 1200 on day 3. During simple stimulation, the sleep-deprived group showed regular declines across sessions in slow phases and duration measures of nystagmus but fast phase ocular frequency and measures of experienced turning resisted declines until the final predrug session; response latencies increased with sleep loss. Declines during rotation for ocular (climbing sensation) were obtained for the sleep deprived, but both nystagmus and sensations were unaffected d-amphetamine had no consistent effect on either the ocular or subjective responses of control subjects. GRA

N87-18305# Army Research Inst. of Environmental Medicine, Natick, Mass.

COOLING DIFFERENT BODY SURFACES DURING UPPER-AND-LOWER BODY EXERCISE

ANDREW J. YOUNG, MICHAEL N. SAWKA, YORAM EPSTEIN, BARRY DECRISTOFANO, and KENT B. PANDOLF Sep. 1986 25 p
(AD-A173320; USARIEM-M-54-86) Avail: NTIS HC A02/MF A01 CSCL 06S

The effect of varying the body surface area being cooled by a liquid microclimate system was evaluated during exercise/heat stress conditions. Six male subjects performed a total of six exercise tests in a hot environment while dressed in a clothing ensemble having low moisture-permeability and high insulation. Each subject completed two upper body exercise tests: (1) with only the torso surface cooled; and (2) with the surfaces of both the torso and upper arms cooled. Each subject also completed four lower body exercise tests: (1) with only the torso surface cooled at -20 C; (2) with only the torso surface cooled at -26 C; (3) with torso, thigh, and upper arm surface cooled at -20 C; and (4) with torso, thigh, and upper arm surface cooled at -26 C. During upper body exercise, cooling the upper arms in addition to the torso had no effect on any measured parameter. During lower body exercise, reductions in the sweat rate, heart rate and change in rectal temperature were observed with torso, thigh and upper arm cooling compared to cooling only the torso. Altering coolant temperatures had no effect on changes in rectal temperature but higher heart rates were observed with 26 C coolant temperature compared to 20 C. Author

N87-18306# Colorado Univ., Denver. Health Sciences Center. **OPERATION EVEREST 2: PRESERVATION OF CARDIAC FUNCTION AT EXTREME ALTITUDE**

JOHN T. REEVES, BERTRON M. GROVES, JOHN R. SUTTON, PETER D. WAGNER, and ALLEN CYMERMAN Oct. 1986 34 p
(Contract DAMD17-85-C-5206)

(AD-A173322) Avail: NTIS HC A03/MF A01 CSCL 06E

Hypoxia at high altitude could depress cardiac function and decrease exercise capacity. If so, impaired cardiac function should occur with the extreme, chronic hypoxemia of the 40 day simulated climb of Mt. Everest (8840m, Pa 240 mmHg, PIO₂ 43 mmHg). In the 5 subjects having resting and exercise measurements at the barometric pressures of 760 (sea level), 347 (6100m), 282 (7620m), and 240 mmHg, heart rate for a given oxygen uptake rose with the progressive hypoxia. Slight (6 beats/min) slowing of the heart rate occurred only during exercise, with arterial blood oxygen saturations below 50%. Oxygen breathing reversed hypoxemia but never increased heart rate, suggesting that depression of rate, if present, was slight. For a given oxygen uptake, cardiac output was maintained. The decrease in stroke volume appeared to reflect decreased ventricular filling i.e., decreased right atrial and wedge pressures. Oxygen breathing did not increase stroke volume for a given filling pressure. We concluded that extreme, chronic hypoxemia caused little or no impairment of cardiac rate and pump functions. GRA

N87-18307# Army Research Inst. of Environmental Medicine, Natick, Mass.

OPERATION EVEREST 2: ALVEOLAR AND ARTERIAL BLOOD GASES AT EXTREME ALTITUDE

MARK K. MALCONIAN, PAUL B. ROCK, JOHN T. REEVES, ALLEN CYMERMAN, and JOHN R. SUTTON Jul. 1986 36 p
(AD-A173401; USARIEM-M44/86) Avail: NTIS HC A03/MF A01 CSCL 06S

The relationship between alveolar P_{O2} and PCO₂ at altitudes up to the summit of Mt. Everest (barometric pressure (Pb) =240 torr) has been investigated in a small number of individuals during mountaineering expeditions and one hypobaric chamber study. No previous study has measured these values on the same subjects throughout an entire ascent and confirmed their results with arterial blood gases. Alveolar gases were measured daily on eight healthy male subjects in a decompression chamber from sea level to a simulated summit of Mt. Everest (Pb=240torr). Arterial blood gases were measured on eight occasions. Below 575 torr, a linear relation was observed between P_{O2} and PCO₂ in both arterial and alveolar samples. GRA

N87-18308# Naval Health Research Center, San Diego, Calif. **SEDATING AND NONSEDATING SLEEPING AIDS IN AIR OPERATIONS Interim Report, Oct. 1985 - Jul. 1986**

CHERYL L. SPINWEBER 14 Jul. 1986 21 p
(AD-A173503; NAVHLTHRSCHC-86-18) Avail: NTIS HC A02/MF A01 CSCL 06O

Both sedating and nonsedating sleeping aids may be appropriate for use in specific operational environments to promote sleep and permit efficient utilization of rest periods. Sedating agents, such as the benzodiazepine triazolam, produce an impairment window which is a period of time post administration when performance and responsivity during sleep are impaired. Nonsedating agents, such as the amino acid 1-tryptophan, enhance sleep but do not alter performance or responsivity at any time post administration. In a field trial of use of 1-tryptophan in U.S. Marines airlifted from California to Okinawa, 1-tryptophan increased total sleep time the first night after arrival. This sleep enhancement was associated with significantly faster reaction times the next day, sparing of short-term memory from jet-lag effects, and more rapid recovery of reaction time over the first three days after arrival. Which type of agent to use in support of an air operation will be determined by the nature of the environments in which rest periods will occur and the duration of scheduled sleep times. GRA

N87-18309# School of Aerospace Medicine, Brooks AFB, Tex.
SUBCONTACT LENS BUBBLE FORMATION UNDER LOW ATMOSPHERIC PRESSURE CONDITIONS Progress Report, Jun. 1984 - Dec. 1985

WILLIAM J. FLYNN, ROBERT E. MILLER, II, THOMAS J. TREDICI, MICHAEL G. BLOCK, and EDWARD E. KIRBY Aug. 1986 8 p (AD-A173533; USAFSAM-TR-86-21) Avail: NTIS HC A02/MF A01 CSCL 06Q

Concern regarding contact lens wear in aviation has been the fear of subcontact lens bubble formation. Previous reports have documented the occurrence of bubbles with hard PMMA lenses. Reported here are the results of contact lens bubble studies with soft hydrophilic and rigid gas-permeable lenses. Testing was accomplished in simulated aircraft flights in hypobaric chambers and onboard military transport aircraft. Hypobaric chamber flights were of 3 types: high-altitude flights up to 25,000 ft; explosive rapid decompressions from 8,000 ft to 25,000 ft; and 4-h flights at 10,000 ft. Transport aircraft typically had cabin pressures equivalent to 5,000 ft to 8,000 ft and ranged in duration from 3 to 10 h. For rigid gas-permeable lenses, central bubbles were detected in 2 of 10 eyes and occurred at altitudes greater than 20,000 ft. For soft contact lenses, bubble formation detected in 22 of 92 eyes tested, and occurred at altitudes as low as 6,000 ft. Soft lens bubbles were located only at the limbus and were without sequela to vision or corneal epithelial integrity. Bubbles under the rigid lenses were primarily central, with potential adverse effects on vision and the corneal epithelium. GRA

N87-18310# School of Aerospace Medicine, Brooks AFB, Tex.
EFFECTS OF AVIATION ALTITUDES ON SOFT CONTACT LENS WEAR Progress Report, Jun. 1983 - Jun. 1986

WILLIAM J. FLYNN, ROBERT E. MILLER, II, THOMAS J. TREDICI, and MICHAEL G. BLOCK Aug. 1986 17 p (AD-A173534; USAFSAM-TR-86-20) Avail: NTIS HC A02/MF A01 CSCL 06Q

Aviation in the U.S. Air Force can be divided into two categories on the basis of aircraft cabin environments: (1) Fighter-attack-reconnaissance (FAR) aircraft with cabin pressures equivalent to high altitudes, and (2) tanker-transport-bomber (TTB) aircraft with cabin pressures equivalent to lower altitudes, but for longer durations. The purpose of this study was to determine the effects of soft contact lens wear in these two types of aircraft environments. Ten subjects were tested in hypobaric chamber flights at 10,000 ft for 4 hr to simulate TTB flying. Four of these 12 subjects were also tested in dry air to further simulate cabin conditions. Vision and physiologic response were monitored by measurements of visual acuity, contrast sensitivity, and slit-lamp examinations. The results indicate that the physiologic response of the cornea to soft contact lens wear at altitude is subject to higher levels of manifested stresses, but these occurred without measurable degradation in vision and did not preclude the normal wearing of the soft contact lenses under the conditions of this study. GRA

N87-18311# Army Research Inst. of Environmental Medicine, Natick, Mass.

AUTOLOGOUS RED BLOOD CELL REINFUSION: EFFECTS ON STRESS AND FLUID REGULATORY HORMONES DURING EXERCISE-HEAT STRESS

RALPH P. FRANCESCONI, M. N. SAWKA, R. C. DENNIS, R. R. GONZALEZ, and A. J. YOUNG Jul. 1986 25 p (AD-A172545; USARIEM-M-48-86) Avail: NTIS HC A02/MF A01 CSCL 06S

This study assessed the effects of induced erythrocythemia on stress and fluid regulatory hormones during exercise in the heat.

Six unacclimated male subjects received approximately 600 ml of a sterile saline solution containing 50% v/v of autologous erythrocytes. Three heat stress tests (HST's) were attempted: one approximately 2 weeks prior to the reinfusion procedure, a second 48 h after the reinfusion procedure, and a third 1 wk later corresponding to 9 d subsequent to reinfusion. Each HST comprised three consecutive exercise and rest intervals of 45/15 min, respectively (VO₂ approx. 2.0 L/min, 1.56 m/s, 6% incline, 35 C, 45% rh). Blood was withdrawn before the HST and 30 min into each exercise (EX) bout. In all 3 HST's plasma cortisol (PC) levels were significantly (p is less than .01) reduced during the first exercise bout when compared to pre-exercise levels, and then progressively increased during the second and third exercise intervals during HST 1. During HST 2 (48h post-infusion), however, PC levels were same blood samples from HST-1 (pre-infusion). Plasma renin activity (PRA) and aldosterone (ALD) were significantly (p is less than .01) increased by the exercise/heat stress, but were unaffected by erythrocythemia either 48 h or 9 d subsequent to reinfusion. PRA and ALD were correlated (r=0.84, p is less than .001) under all conditions. GRA

N87-18312# David Sarnoff Research Center, Princeton, N.J.
PORTABLE DIAGNOSTIC RADIOMETER Final Report, 1 Jul. 1984 - 15 Sep. 1985

R. W. PAGLIONE Jun. 1986 38 p (Contract N00014-83-C-0524) (AD-A173761; PRRL-86-CR-10) Avail: NTIS HC A03/MF A01 CSCL 06L

A need exists for a portable diagnostic instrument that can non-invasively monitor and display internal body temperatures. This instrument would be extremely important on U.S. Navy ships whose complement does not include the services of competent medical professionals. It would be important to determine whether a particular medical emergency would require that the patient be evacuated to a suitable medical facility for treatment. The instrument would determine, by radiometric means, if there is an elevated temperature inside the body. For example, this may be helpful in the diagnosis of appendicitis or nephritis. The instrument described is a dual-frequency microwave radiometer, which measures the amount of noise power being radiated from a localized tissue volume inside the patient. The amplitude of this noise power over a frequency spectrum determined by the microwave components is proportional to the average temperature of the volume in question. Making this measurement at two separate frequencies can give an indication of the temperature profile over a depth as great as 6 cm. GRA

N87-18313# Institut Franco-Allemand de Recherches, St. Louis (France).

THE BIOMECHANICS OF HEARING [BIOMECHANIQUE DE L'AUDITION]

A. DANCER 15 Jan. 1986 111 p In FRENCH; GERMAN summary (ISL-R-102/86; ETN-87-98793) Avail: NTIS HC A06/MF A01

The conditions for the transmission of an acoustic signal from the free field to the inner ear as well as the dissipation in this organ were investigated. The transfer functions of the outer and middle ear are described. Hydrodynamic phenomena in the cochlea are explained on the basis of physical and mathematical models. Passive and active phenomena in the cochlea were studied; it is shown that they determine a large number of the electrophysiological reactions of the inner ear. The biomechanics of the peripheral hearing organ thus represents an essential element in the understanding of its physiology. ESA

BEHAVIORAL SCIENCES

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

A87-23438* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

APPARENT MOTION OCCURS ONLY BETWEEN SIMILAR SPATIAL FREQUENCIES

ANDREW B. WATSON (NASA, Ames Research Center, Moffett Field, CA) Vision Research (ISSN 0042-6989), vol. 26, no. 10, 1986, p. 1727-1730. refs

Whether apparent motion occurs only between targets of similar spatial frequency was examined. A 'crossed phi' method was used, in which two potentially different targets exchange position. If the targets differ in a feature that controls apparent motion then they will appear to move so as to exchange positions; if they differ in an irrelevant feature, no apparent exchange will occur. It was found that apparent motion occurs only between similar spatial frequencies. This result is interpreted in the light of recent models of human visual motion sensing, in which motion estimates are computed separately within a number of spatial frequency bands.

Author

A87-23440* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

ANISOTROPIC RESPONSES TO MOTION TOWARD AND AWAY FROM THE EYE

JOHN A. PERRONE (NASA, Ames Research Center, Moffett Field, CA) Perception and Psychophysics (ISSN 0031-5117), vol. 39, no. 1, 1986, p. 1-8. refs

When a rigid object moves toward the eye, it is usually perceived as being rigid. However, in the case of motion away from the eye, the motion and structure of the object are perceived nonveridically, with the percept tending to reflect the nonrigid transformations that are present in the retinal image. This difference in response to motion to and from the observer was quantified in an experiment using wire-frame computer-generated boxes which moved toward and away from the eye. Two theoretical systems are developed by which uniform three-dimensional velocity can be recovered from an expansion pattern of nonuniform velocity vectors. It is proposed that the human visual system uses two similar systems for processing motion in depth. The mechanism used for motion away from the eye produces perceptual errors because it is not suited to objects with a depth component.

Author

A87-25400
USING LOW-LEVEL FILTERS TO ENCODE SPATIAL DISPLACEMENTS OF VISUAL STIMULI

ALLAN PANTLE and KENYON HICKS (Miami University, Oxford, OH) Spatial Vision (ISSN 0169-1015), vol. 1, no. 1, 1985, p. 69-82. refs

(Contract F33615-81-K-0514; F33615-83-C-0507)

Directional responses to visual stimuli were analyzed with the aid of a minimal computational model. The model is based upon arrays of motion sensors whose receptive fields are modified versions of those (difference-of-Gaussians) used to describe mechanisms in popular spatial vision models. In the model antagonistic influences on each motion sensor were assumed to: (1) arise from spatially nonaligned areas of the retina; and (2) to follow different time courses. Implications of the model were explored with simulations, and parallel psychophysical data were collected. Visual behaviors chosen for relatively detailed analysis were judgments of the temporal order of onset of two spatially displaced stimuli and motion aftereffects generated with discontinuously moving, sine-wave gratings.

Author

A87-25512

SELECTIVE INTERNAL OPERATIONS IN THE RECOGNITION OF LOCALLY AND GLOBALLY POINT-INVERTED PATTERNS

WALTER F. BISCHOF, DAVID H. FOSTER, and JEREMY I. KAHN (Keele, University, England) Spatial Vision (ISSN 0169-1015), vol. 1, no. 2, 1985, p. 179-196. refs
(Contract SNSF-81,166,0,84)

Performance in discriminating rotated 'same' patterns from 'different' patterns may decrease with rotation angle up to about 90 deg and then increase with angle up to 180 deg. This anomalously improved performance under 180 deg pattern rotation or point-inversion can be explained by assuming that patterns are internally represented in terms of local features and their spatial-order relations ('left of', 'above', etc.), and that, in pattern comparison, an efficient internal sense-reversal operation occurs (transforming 'left of' to 'right of', etc.). Previous experiments suggested that local features and spatial relations could not be efficiently separated in some pattern-comparison tasks. This hypothesis was tested by measuring 'same-different' discrimination performance under four transformations: (1) point-inversion of the whole pattern, (2) point-inversion of local features alone, (3) point-inversion of local-feature positions alone, and (4) identity transformation. The results suggested that internal sense-reversal operations could be applied selectively and efficiently, provided that local features were well separated. Under this condition, performances for 1 and 2 were about the same whereas performance for 3 was significantly worse, the latter performance resulting possibly from an attempt to apply internal global and local sense-reversal operations serially.

Author

A87-25637

HYSTERESIS IN THE PERCEPTION OF MOTION DIRECTION AS EVIDENCE FOR NEURAL COOPERATIVITY

DOUGLAS WILLIAMS, GREGORY PHILLIPS, and ROBERT SEKULER (Illinois, University, Evanston) Nature (ISSN 0028-0836), vol. 324, Nov. 20, 1986, p. 253-255. USAF-supported research. refs

Results of experimental perception tests using dynamic random dot cinematograms are reported which demonstrate hysteresis in the perception of motion direction. This outcome strongly supports a cooperative interpretation of motion perception. The results agree quantitatively with a mathematical model incorporating nonlinear excitatory and inhibitory interactions among direction-selective elements.

C.D.

A87-25850

DEVELOPMENT OF BETTER COCKPIT TRAINING PROGRAMMES UNDER WAY

N. F. NIKULIN (Kirovogradskoe Vysshee Letnoe Uchilishche Grazhdanskoi Aviatsii, Kirovograd, Ukrainian SSR) ICAO Bulletin, vol. 41, Oct. 1986, p. 32-35.

Training requirements for achieving improved crew-response reliability under different operating conditions are discussed. The basic steps involved in training pilots on new aircraft are presented. It is necessary for the flight crew training program to consider the individual characteristics of pilot trainees, the time constraints on the pilot activities, and the amount of pilot workload. An efficient flight training program should match the flow of information from training to the optimal pilot workload under anticipated and unusual conditions. Training must be based on the solution to a specific problem and involve the use of different types of simulators and aircraft.

I.F.

A87-25959* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

INTERNATIONAL AIRCREW SLEEP AND WAKEFULNESS AFTER MULTIPLE TIME ZONE FLIGHTS - A COOPERATIVE STUDY

R. CURTIS GRAEBER, JOHN K. LAUBER, LINDA J. CONNELL, and PHILIPPA H. GANDER (NASA, Ames Research Center, Moffett Field, CA) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. B3-B9. refs

An international research team has carried out an electroencephalographic study of sleep and wakefulness in flight crews operating long-haul routes across seven or eight time zones. Following baseline recordings, volunteer crews ($n = 56$) from four airlines spent their first outbound layover at a sleep laboratory. This paper provides an overview of the project's history, its research design, and the standardization of procedures. The overall results are remarkably consistent among the four participating laboratories and strongly support the feasibility of cooperative international sleep research in the operational arena. Author

A87-25960* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

INTERNATIONAL COOPERATIVE STUDY OF AIRCREW LAYOVER SLEEP OPERATIONAL SUMMARY

R. CURTIS GRAEBER (NASA, Ames Research Center, Moffett Field, CA), WILLIAM C. DEMENT (Stanford University, CA), ANTHONY N. NICHOLSON (RAF, Institute of Aviation Medicine, Farnborough, England), MITSUO SASAKI (Japan Air Lines, Co., Ltd., Flight Crew Medical Dept., Tokyo), and HANS M. WEGMANN (DFVLR, Institut fuer Flugmedizin, Cologne, West Germany) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. B10-B13.

The findings of this cooperative study of layover sleep have direct implications for flight operations. In the consensus view of the principal investigators, these can be divided into their relevance for eastward or westward flight. Eastward flight produced more sleep disruption than westward. Different sleep and scheduling strategies are recommended for each flight direction, and the importance of individual crewmember factors is discussed in relation to age and circadian type. Despite the limitations of this study with regard to trip simplicity and the baseline data, the results for each airline are highly consistent and should be applicable to a wide range of long-haul crewmembers and carriers. Author

A87-25961* Stanford Univ., Calif.

SLEEP AND WAKEFULNESS IN AIRCREW BEFORE AND AFTER TRANSOCEANIC FLIGHTS

WILLIAM C. DEMENT, WESLEY F. SEIDEL, SUZANNE A. COHEN, MARY A. CARSKADON (Stanford University, CA), and NANCY G. BLIWISE (California, University, San Francisco) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. B14-B28. refs

(Contract NCC2-302; NIH-MH-05804)

The effects of rapid transmeridian flight on sleep and wakefulness were studied in aircrew members before and after flying one of two routes: San Francisco (SFO) to London (LHR) or SFO to Tokyo. After an adaptation night, sleep and daytime sleepiness were measured objectively in SFO and during the first layover (L/O) of the target trip, using the 'core measures' described by Graeber et al. (1986) and respiration parameters, and the Multiple Sleep Latency Test (MSLT) described by Carskadon (1982); postsleep questionnaires provided subjective assessments. It was found that baseline sleep is not an ideal basis for subsequent comparison; nevertheless, there was an indication that L/O sleep periods tended to provide either less total sleep or less efficient sleep. During baseline, there was significant midday sleepiness tendency as measured by the MSLT; this tendency occurred at almost the same time on the second L/O day in LHR. Recommendations are offered for the adjustment of flight times and for scheduling times of permitted napping as accommodations for the periods of sleepiness tendency. I.S.

A87-25962* Japan Air Lines Co. Ltd., Tokyo.

PATTERNS OF SLEEP-WAKEFULNESS BEFORE AND AFTER TRANSMERIDIAN FLIGHT IN COMMERCIAL AIRLINE PILOTS

MITSUO SASAKI, YUKO KUROSAKI (Japan Air Lines, Co., Ltd., Flight Crew Medical Service Dept., Tokyo), ATSUYOSHI MORI (Jikei University, Tokyo, Japan), and SHIRO ENDO (Tokyo, Psychiatric Research Institute, Japan) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. B29-B42. refs

(Contract NCC2-302)

A87-25963* Royal Air Force, Farnborough (England).

NOCTURNAL SLEEP AND DAYTIME ALERTNESS OF AIRCREW AFTER TRANSMERIDIAN FLIGHTS

ANTHONY N. NICHOLSON, PETA A. PASCOE, MICHAEL B. SPENCER, BARBARA M. STONE (RAF, Institute of Aviation Medicine, Farnborough, England), and ROGER L. GREEN (British Airways, Medical Service, Hounslow, England) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. B43-B52. Research supported by the Civil Aviation Authority of England. refs

(Contract NCC2-302)

The nocturnal sleep and daytime alertness of aircrew were studied by electroencephalography and the multiple sleep latency test. After a transmeridian flight from London To San Francisco, sleep onset was faster and, although there was increased wakefulness during the second half of the night, sleep duration and efficiency over the whole night were not changed. The progressive decrease in sleep latencies observed normally in the multiple sleep latency test during the morning continued throughout the day after arrival. Of the 13 subjects, 12 took a nap of around 1-h duration in the afternoon preceding the return flight. These naps would have been encouraged by the drowsiness at this time and facilitated by the departure of the aircraft being scheduled during the early evening. An early evening departure had the further advantage that the circadian increase in vigilance expected during the early part of the day would occur during the latter part of the return flight. Author

A87-25964* Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Cologne (West Germany).

SLEEP, SLEEPINESS, AND CIRCADIAN RHYTHMICITY IN AIRCREWS OPERATING ON TRANSATLANTIC ROUTES

HANS M. WEGMANN, ALEXANDER GUNDEL, ALEXANDER SAMEL, EDWIN SCHWARTZ (DFVLR, Institut fuer Flugmedizin, Cologne, West Germany), MARTIN NAUMANN (Deutsche Lufthansa AG, Frankfurt am Main, West Germany) et al. Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 57, Dec. 1986, p. B53-B64. Research supported by the Bundesministerium fuer Verkehr. refs

(Contract NCC2-302)

A two-phase study was performed on B-747 crew members operating on regular passenger flights with 9-h time difference. In phase I, sleep-log surveys were obtained. The results for the layover period indicate congruent sleep patterns with shifts in sleep onset less than 9 h: sleep duration was prolonged. Phase II consisted of polygraphic sleep recordings and multiple sleep latency tests (MSLTs) applied to four cockpit crews in a baseline period, during the layover, and after return to home base. During the layover, mean bed times were shifted by about 4.5 h, and sleep was disturbed by early and prolonged awakenings which led to a reduction of sleep efficiency. The ECG and rectal temperature recordings gave evidence for a desynchronization of the circadian system and an internal dissociation of different body functions. I.S.

A87-27525* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

INTUITIVE REASONING ABOUT ABSTRACT AND FAMILIAR PHYSICS PROBLEMS

MARY KISTER KAISER (NASA, Ames Research Center, Moffett Field, CA), JOHN JONIDES, and JOANNE ALEXANDER (Michigan, University, Ann Arbor) Memory and Cognition (ISSN 0090-502X), vol. 14, no. 4, 1986, p. 308-312. USAF-supported research. refs

Previous research has demonstrated that many people have misconceptions about basic properties of motion. Two experiments examined whether people are more likely to produce dynamically correct predictions about basic motion problems involving situations with which they are familiar, and whether solving such problems enhances performance on a subsequent abstract problem. In experiment 1, college students were asked to predict the trajectories of objects exiting a curved tube. Subjects were more accurate on the familiar version of the problem, and there was no evidence of transfer to the abstract problem. In experiment 2, two familiar problems were provided in an attempt to enhance subjects' tendency to extract the general structure of the problems. Once again, they gave more correct responses to the familiar problems but failed to generalize to the abstract problem. Formal physics training was associated with correct predictions for the abstract problem but was unrelated to performance on the familiar problems. Author

N87-17774*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

MANNED MARS MISSION PSYCHOLOGICAL ISSUES

PATRICIA A. SANTY /n NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 621-629 May 1986

Avail: NTIS HC A24/MF A01 CSCL 05I

The research on isolated environments over the last thirty years suggests that psychological factors associated with such environments will lead to negative changes in individual and group performance. A mission to Mars will be the greatest undertaking ever devised by the human species. The members of such a mission will be in an environment whose potential dangers are not even completely known at this time. The psychological factors generated by such an environment, and which might adversely affect accomplishment of mission goals, can be minimized or planned for in advance. It is hoped that these issues will not be ignored in planning for this great adventure. Author

N87-17778*# National Aeronautics and Space Administration, Washington, D.C.

SOCIO/PSYCHOLOGICAL ISSUES FOR A MARS MISSION

B. J. BLUTH /n NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 656-673 May 1986

Avail: NTIS HC A24/MF A01 CSCL 05I

Some of the socio/psychological problems expected to accompany such a long duration mission as the trip to Mars are addressed. The emphasis is on those issues which are expected to have a bearing on crew performance. Results from research into aircraft accidents, particularly those related to pilot performance, are discussed briefly, as a limited analog to space flight. Significant comparisons are also made to some aspects of long duration Antarctic stays, submarine missions, and oceanographic vessel voyages. Appropriate lessons learned from U.S. and Russian space flight experiences are provided. Design of space missions and systems to enhance crew performance is discussed at length, considering factors external and internal to the crew. The importance of incorporating such design factors early in the design process is stressed. Author

N87-17803*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

AUTOMATION, ROBOTICS, AND INFLIGHT TRAINING FOR MANNED MARS MISSIONS

ALAN C. HOLT /n NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 977-986 May 1986

Avail: NTIS HC A24/MF A01 CSCL 05I

The automation, robotics, and inflight training requirements of manned Mars missions will be supported by similar capabilities developed for the space station program. Evolutionary space station onboard training facilities will allow the crewmembers to minimize the amount of training received on the ground by providing extensive onboard access to system and experiment malfunction procedures, maintenance procedures, repair procedures, and associated video sequences. Considerable on-the-job training will also be conducted for space station management, mobile remote manipulator operations, proximity operations with the Orbital Maneuvering Vehicle (and later the Orbit Transfer Vehicle), and telerobotics and mobile robots. A similar approach could be used for manned Mars mission training with significant additions such as high fidelity image generation and simulation systems such as holographic projection systems for Mars landing, ascent, and rendezvous training. In addition, a substantial increase in the use of automation and robotics for hazardous and tedious tasks would be expected for Mars mission. Mobile robots may be used to assist in the assembly, test and checkout of the Mars spacecraft, in the handling of nuclear components and hazardous chemical propellant transfer operations, in major spacecraft repair tasks which might be needed (repair of a micrometeoroid penetration, for example), in the construction of a Mars base, and for routine maintenance of the base when unmanned. Author

N87-18314# Delaware Univ., Newark. Dept. of Psychology. **THE ROLE OF ATTENTION IN AUTOMATIC SKILLS Final Report, 1 Mar. 1983 - 31 May 1986**

JAMES E. HOFFMAN 1 Aug. 1986 8 p

(Contract DAAG29-83-K-0049)

(AD-A173190; ARO-20502.7-LS) Avail: NTIS HC A02/MF A01 CSCL 05J

The nature of performance in highly practiced detection and recognition skills was investigated. It was found that several tasks that were reputed to be automatic were susceptible to dual-task interference. Two separate limited capacity systems were identified as important in these tasks. The first is a response system and the second is a modality-specific spatial attention system. The latter system is thought to be necessary for conjunction of separable features such as color and form. Recent work on this contract shows, however, that at least some preattentive systems have access to conjunction information automatically. Future work should be directed at determining which feature conjunctions are present preattentively and which require attention. GRA

54

MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human engineering; biotechnology; and space suits and protective clothing.

A87-24358

ERGONOMIC SUPPORT OF COSMONAUT ACTIVITY [ERGONOMICHESKOE OBESPECHENIE DEIATEL'NOSTI KOSMONAVTOV]

PAVEL ROMANOVICH POPOVICH, ANATOLII ILICH GUBINSKII, and GENNADI MIKHAILOVIC KOLESNIKOV Moscow, Izdatel'stvo Mashinostroenie, 1985, 256 p. In Russian. refs

A systems analysis of cosmonaut-machine systems is given with emphasis on the evolution of types of cosmonaut activity.

The method of functional grids is developed for ergonomic-support problems for cosmonaut activity. The evaluation of ergatic systems using functional grids is considered, and aspects of ergonomic design are discussed. Finally, applied methods for solving problems of ergonomic support are examined. B.J.

A87-25216**BIOLOGICAL EFFECTS OF LOW-INTENSITY MILLIMETER-WAVE RADIATION [BIOLOGICHESKIE EFEKTY MILLIMETROVOGO IZLUCHENIIA NIZKOI INTENSIVNOSTI]**

O. V. BETSKII and A. V. PUTVINSKII Radioelektronika (ISSN 0021-3470), vol. 29, Oct. 1986, p. 4-10. In Russian. refs

The paper examines the possible role of the intense absorption of millimeter (MM) waves by water molecules in the primary mechanism of the response of biological systems to MM-wave irradiation. Data on the interaction of MM waves with simple aqueous systems are presented with emphasis on the convective mixing of aqueous solutions under the effect of low-intensity (1-10 mW/sq cm) MM-wave irradiation. This MM-wave absorption effect is noted to have great clinical significance. B.J.

A87-25498**SPACECRAFT LIFE-SUPPORT SYSTEMS: BIOPHYSICAL PRINCIPLES OF DESIGN AND TESTING [KOSMICHESKIE SISTEMY ZHIZNEOBESPECHENIIA: BIOFIZICHESKIE OSNOVY PROEKTIROVANIYA I ISPYTANIYA]**

ALEKSANDR ALEKSANDRO GLUSHKO Moscow, Izdatel'stvo Mashinostroenie, 1986, 304 p. In Russian. refs

Biophysical principles underlying the tasks of designing and testing life-support systems for manned spacecraft and specialized moduli are discussed, together with problems related to conservation of the mass-energy balances. Biophysical aspects of evaluating the adequacy of the heat regulation and water supply of the spacecraft personnel are considered, with special attention given to the problems of maintaining the water balance under conditions of stress, and of evaluating the energy, heat, and water balances for a spacecrew diet. The principles used to design tests for pressure suits and autonomous life-support systems are discussed, along with the biophysical criteria for the control of an autonomous life-support system and of the work capacity of an individual wearing a pressure suit. Finally, the interrelationship between problems of space medicine and ecological biophysics are given consideration. I.S.

A87-25756**THE ROLE OF ROBOTICS IN SPACE**

LELLAND A. C. WEAVER (Westinghouse Electric Advanced Production Technology, Ltd., Coventry, England) IN: Space Tech '86; Proceedings of the International Conference, Geneva, Switzerland, May 14-16, 1986. London, Online International, Ltd., 1986, p. 61-67.

Consideration is given to the monitoring and maintenance of the Space Station's systems and facilities using AI and robotics. The applications of expert systems, signal processing, and voice data entry or speech recognition to the Station are discussed and examples are provided. The capabilities of the Remotely Operated Service Arm, which is based on robotic systems and AI and is to be utilized to repair the Station's systems and facilities are described. The development of the Cell Management Language to coordinate the operations of different machines and create automated factories with automated manufacturing and processing for the space Station is examined. I.F.

A87-25757**A ROBOTIC SYSTEM FOR DEXTEROUS TASKS**

PIERGIOVANNI MAGNANI (Fabbrica Italiana Apparecchiature Radioelettriche S.p.A., Milan, Italy) IN: Space Tech '86; Proceedings of the International Conference, Geneva, Switzerland, May 14-16, 1986. London, Online International, Ltd., 1986, p. 69-89.

There are a range of tasks and operative conditions in the space environment which may be efficiently managed by a 'small dimension dexterous manipulator'. The configuration of such a

manipulator and its main characteristics are considered in this paper. The aspects evaluated are: articulation, position/orientation envelope working area, actuation, and sensoriality. The robotic system analyzed is suitable to be mounted on a moving frame, to be brought in the working area, and then to perform a given envelope of tasks. The moving frame can be a service manipulator arm for external space applications or a moving guide for S/C internal applications. Author

A87-25758**THE ROLE OF EXPERT SYSTEMS ON SPACE STATION**

D. R. SLOGGETT (Software Sciences, Ltd.; Environmental and Space Systems Group, Farnborough, England) IN: Space Tech '86; Proceedings of the International Conference, Geneva, Switzerland, May 14-16, 1986. London, Online International, Ltd., 1986, p. 91-107. refs

The planned deployment of the Space Station, and its associated orbital infrastructure, represents a unique opportunity to evaluate the potential of expert systems to assist in increasing the autonomy, productivity and effectiveness of the Space Station. This paper seeks to address what current technology can provide to achieve this aim, and highlights previous practical examples of Space AI Systems. The paper makes suggestions for practical research programs, that require urgent attention, to pave the way and demonstrate capability in areas of relatively new technology. From this base the paper suggests some practical areas where AI technology can be applied to the Space Station and their resulting benefits. Specific attention is drawn to the application of expert systems to planning and scheduling and the application of expert monitoring systems to assist in fault diagnosis and repair. The paper concludes that urgent attention is required in the area of demonstration programs where low-risk state-of-the-art developments can be undertaken resulting in very real benefits to the Space Station system. Author

A87-25759**SPACE STATION - THE USE OF EXPERT SYSTEMS FOR PLANNING**

JENS GULDBERG and JENS LANGELAND (Computer Resources International A/S, Denmark) IN: Space Tech '86; Proceedings of the International Conference, Geneva, Switzerland, May 14-16, 1986. London, Online International, Ltd., 1986, p. 109-117. refs

Expert systems have been shown to provide useful techniques for handling planning problems related to the operation of complex systems and to system engineering. A brief review of the principle features of such planning systems is used as a reference for a discussion on relevant applications for the Space Station, which include, e.g., mission planning, scheduling of maintenance, software development, payload design, and check-out procedures. Author

A87-25839* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

ON THE SELECTION AND EVALUATION OF VISUAL DISPLAY SYMBOLOGY FACTORS INFLUENCING SEARCH AND IDENTIFICATION TIMES

ROGER REMINGTON (NASA, Ames Research Center, Moffett Field, CA) and DOUGLAS WILLIAMS (Psycho-Linguistic Research Associates, Menlo Park, CA) Human Factors (ISSN 0018-7208), vol. 28, Aug. 1986, p. 407-420. refs

Three single-target visual search tasks were used to evaluate a set of cathode-ray tube (CRT) symbols for a helicopter situation display. The search tasks were representative of the information extraction required in practice, and reaction time was used to measure the efficiency with which symbols could be located and identified. Familiar numeric symbols were responded to more quickly than graphic symbols. The addition of modifier symbols, such as a nearby flashing dot or surrounding square, had a greater disruptive effect on the graphic symbols than did the numeric characters. The results suggest that a symbol set is, in some respects, like a list that must be learned. Factors that affect the time to identify items in a memory task, such as familiarity and visual discriminability, also affect the time to identify symbols. This analogy has broad implications for the design of symbol sets. An

attempt was made to model information access with this class of display. Author

A87-25840* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

STATISTICAL DEPENDENCY IN VISUAL SCANNING

STEPHEN R. ELLIS (NASA, Ames Research Center, Moffett Field, CA; California, University, Berkeley) and LAWRENCE STARK (California, University, Berkeley) Human Factors (ISSN 0018-7208), vol. 28, Aug. 1986, p. 421-438. refs (Contract NCC2-86)

A method to identify statistical dependencies in the positions of eye fixations is developed and applied to eye movement data from subjects who viewed dynamic displays of air traffic and judged future relative position of aircraft. Analysis of approximately 23,000 fixations on points of interest on the display identified statistical dependencies in scanning that were independent of the physical placement of the points of interest. Identification of these dependencies is inconsistent with random-sampling-based theories used to model visual search and information seeking. Author

A87-25841* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

THE EFFECT OF PERSPECTIVE GEOMETRY ON JUDGED DIRECTION IN SPATIAL INFORMATION INSTRUMENTS

MICHAEL WALLACE MCGREEVY and STEPHEN R. ELLIS (NASA, Ames Research Center, Moffett Field, CA) Human Factors (ISSN 0018-7208), vol. 28, Aug. 1986, p. 439-456. refs

Attention is given to the methodology and results of an experiment examining design aspects of panel-mounted displays that (1) incorporate a planar grid in their symbology, (2) subtend a narrow visual angle, and (3) are mounted so that they can be viewed face-on rather than obliquely. An analysis of direction judgments in such perspective displays shows that the perspective geometry of the stimulus image has a significant effect on direction judgment accuracy. Target elevation direction is generally overestimated; azimuth error varies sinusoidally with target azimuth direction, and is modulated by field-of-view angle. O.C.

A87-25984

AUTOMATION AND ROBOTICS WITH AEROSPACE APPLICATIONS

D. O. REUDINK (AT&T Bell Laboratories, Holmdel, NJ) IN: Aerospace Applications Conference, Steamboat Springs, CO, Feb. 1-8, 1986, Digest. New York, Institute of Electrical and Electronics Engineers, Inc., 1986, 13 p. refs

A Space Station making extensive use of automation and robotics (A&R) will be more flexible and adaptable than one incorporating fewer A&R features; it will in addition have lower operating costs, improved reliability, and greater autonomy. It is also expected to be capable of performing robot and teleoperator tasks unsuited to humans, such as the assembly of large space structures, due to the hazardous conditions to which they would be exposed. It is accordingly recommended that the NASA Space Station be used as a medium for the promotion of A&R. Attention is presently given to the development status and spinoff advantages of developments in robotic vision. O.C.

A87-26698

STEREOSCOPIC DISPLAYS AND THE HUMAN DUAL VISUAL SYSTEM

ROBERT E. CLAPP (Gould, Inc., Systems and Simulation Div., Tampa, FL) IN: Advances in display technology VI; Proceedings of the Meeting, Los Angeles, CA, Jan. 23, 24, 1986. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1986, p. 41-52. refs

Human stereoscopic vision processes for perceiving the environment are examined. Binocular cues, such as retinal disparity, convergence, and accommodation, and monocular cues, such as visual perspective, movement parallax, and relative size, for ocular perception of visual space are described. The functions and interactions of the ambient and focal modes of the human dual visual system are discussed. Consideration is given to the

characteristics and operations of the anaglyphs and autostereoscopic system for three-dimensional displays, three-dimensional displays generated by aerial image systems, and the processing of stereoscopic data using three-dimensional imagery and the dual visual system. I.F.

A87-26699

VISUAL SIMULATION THE OLD WAY

GARY G. GOMES (Logicon, Inc., Tactical and Training Systems Div., San Diego, CA) IN: Advances in display technology VI; Proceedings of the Meeting, Los Angeles, CA, Jan. 23, 24, 1986. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1986, p. 102-106.

A cost effective and supportable color visual system has been developed to provide the necessary visual cues to United States Air Force B-52 bomber pilots training to become proficient at the task of inflight refueling. This camera model visual system approach is not suitable for all simulation applications, but provides a cost effective alternative to digital image generation systems when high fidelity of a single movable object is required. The system consists of a three axis gimbaled KC-135 tanker model, a range carriage mounted color augmented monochrome television camera, interface electronics, a color light valve projector and an infinity optics display system. Author

N87-17433# Drexel Univ., Philadelphia, Pa. Biomedical Engineering and Science Inst.

AN EXPERIMENTAL MICROCOMPUTER CONTROLLED SYSTEM FOR SYNCHRONIZED PULSATING ANTI-GRAVITY SUIT Interim Report

THOMAS MOORE, JOANNE FOLEY, B. R. REDDY, FRANK KEPICS, and DON JARON Jul. 1986 22 p (Contract N00014-85-K-0566) (AD-A174640; NADC-86119-60) Avail: NTIS HC A02/MF A01 CSCL 06Q

This report describes an experimental system to deliver Synchronized External Pressure Pulsations (SEP) to the lower body. The system is designed using a micro-computer with a realtime interface and an electro-pneumatic subsystem capable of delivering pressure pulses to a modified anti-G suit at a fast rate. It is versatile, containing many options for synchronizing, phasing and sequencing of the pressure pulsations. Details of its software and hardware are described along with the results of initial testing in a Dynamic Flight Simulator on human volunteers. GRA

N87-17434# Virginia Polytechnic Inst. and State Univ., Blacksburg. Human Factors Lab.

UNITARY SUPRATHRESHOLD COLOR-DIFFERENCE METRICS OF LEGIBILITY FOR CRT RASTER IMAGERY Technical Report, 1982 - 1985

THOMAS M. LIPPERT and HARRY L. SNYDER Sep. 1986 107 p (Contract N00014-78-CK-0238) (AD-A175062; HFL/ONR-86-3) Avail: NTIS HC A06/MF A01 CSCL 05J

This research examined the relationships between color contrast and legibility for digital raster video imagery. CIE colorimetric components were combined into three-dimensional color coordinate systems whose coordinates map one-to-one with the physical energy parameters of all colors. The distance between any two colors' coordinates in these 3-spaces is termed Color-Difference (Delta E). Delta A was hypothesized as a metric of the speed (RS) with which observers possessing normal vision could accurately read random numeral strings on one color displayed against backgrounds of another color. Two studies totalling 32064 practice and experimental trials were conducted. The first study determined that the CIE Uniform Color Spaces are inappropriate for the modelling of RS. Subsequently, a different 3-space geometry and colorimetric component scaling were empirically derived from the Study 1 data to produce a one-dimensional Delta E scale which approximates an interval scale of RS. This Delta E scale and others were then applied to the

different stimulus conditions in Study 2 to determine the generalizability of such Delta E metrics. GRA

N87-17435# Technische Hogeschool Twente, Enschede (Netherlands). Dept. of Applied Mathematics.

MODEL OF THE HUMAN CONTROLLER OF A DYNAMIC SYSTEM

P. H. WEWERINKE Aug. 1986 25 p
(MEMO-580; ISSN-0169-2690; ETN-87-99059) Avail: NTIS HC A02/MF A01

A model of the human controller of a dynamic system involving regulating and tracking a desired finite trajectory in an optimal sense is presented. The latter concerns control behavior at a higher mental level involving planning (finite time, open loop control) and decision making (control intermittency). It is assumed that the human operator derives information about the system from instruments and/or the visual scene. This complex visual information process and the control and decision making behavior is described in terms of stochastic optimal estimation control and decision theory. ESA

N87-17772*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

MANNED MARS MISSION CREW FACTORS

PATRICIA A. SANTY /n NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 606-612 May 1986
Avail: NTIS HC A24/MF A01 CSCL 05H

Crew factors include a wide range of concerns relating to the human system and its role in a Mars mission. There are two important areas which will play a large part in determining the crew for a Mars mission. The first relates to the goals and priorities determined for such a vast endeavor. The second is the design of the vehicle for the journey. The human system cannot be separated from the other systems in that vehicle. In fact it will be the human system which drives the development of many of the technical breakthroughs necessary to make a Mars mission successful. As much as possible, the engineering systems must adapt to the needs of the human system and its individual components. Author

N87-17788*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

A PHYSICO-CHEMICAL ENVIRONMENTAL CONTROL/LIFE SUPPORT SYSTEM FOR THE MARS TRANSIT VEHICLE

MELAINÉ M. SEDEJ /n NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 787-796 May 1986
Avail: NTIS HC A24/MF A01 CSCL 05H

The environmental control/life support system (ECLSS) must be small and maintenance free as possible to allow maximum mission flexibility. A physicochemical ECLSS concept similar in many ways to several of the partially closed ECLSS concepts proposed for the space station is discussed. However, this concept eliminates several of the space station ECLSS subsystems and potentially eliminates the use of cryogenics and high-pressure gaseous storage. Author

N87-17797*# National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

MANNED MARS MISSION ENVIRONMENTAL CONTROL AND LIFE SUPPORT SUBSYSTEM

UWE HUETER /n its Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 901-909 May 1986
Avail: NTIS HC A24/MF A01 CSCL 06K

A specific design is not presented, but the general philosophy regarding potential Environmental Control/Life Support System (ECLSS) requirements, concepts, issues, and technology needs are discussed. The focus is on a manned Mars mission occurring in the late 1990's. Discussions on the Trans-Mars Vehicle, the Mars Excursion Module (MEM), and a Martian base facility are covered. The functions, performance requirements, and design loads of a typical ECLSS are listed, and the issues and technology

briefly discussed. Several ECLSS concepts and options are identified, and comparative weights and volumes are provided for these. Several aspects of the space station ECLSS are contrasted with the Mars element ECLSS. Author

N87-17798*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

PHYSIOLOGICAL AND TECHNOLOGICAL CONSIDERATIONS FOR MARS MISSION EXTRAVEHICULAR ACTIVITY

JAMES M. WALIGORA and MELAINÉ M. SEDEJ /n NASA. Marshall Space Flight Center Manned Mars Mission. Working Group Papers, V. 2, Sect. 5, App. p 910-926 May 1986
Avail: NTIS HC A24/MF A01 CSCL 06K

The nature of the suit is a function of the needs of human physiology, the ambient environment outside the suit, and the type of activity to be accomplished while in the suit. The physiological requirements that must be provided for in the Martian Extravehicular Activity (EVA) suit will be reviewed. The influence of the Martian environment on the EVA suit and EVA capabilities is elaborated, and the Martian environment is compared with the lunar environment. The differences that may influence the EVA design are noted. The type, nature, and duration of activities to be done in transit to Mars and on the Martian surface will be evaluated and the impact of these activities on the requirements for EVA systems will be discussed. Furthermore, the interaction between Martian surface transportation systems and EVA systems will be covered. Finally, options other than EVA will be considered such as robotics, nonanthropometric suits, and vehicles with anthropometric extremities or robotic end effectors. Author

N87-18315# New York Univ., New York.

NEUROMAGNETIC INVESTIGATION OF WORKLOAD AND ATTENTION Final Report, 1 Jan. 1982 - 31 Dec. 1984

LLOYD KAUFMAN and SAMUEL J. WILLIAMSON 24 Jun. 1986 51 p
(Contract F49620-82-K-0014)
(AD-A173155; AFOSR-86-0913TR; FR-1) Avail: NTIS HC A04/MF A01 CSCL 05J

Major advances were made in the technology associated with neuromagnetic measurements. These included the demonstration of the effectiveness of electronic cancellations in reducing unwanted effects of ambient field noise. Also developed were a high-precision sensor positioning system, a device for accurately positioning the subject's head under the sensors, and advanced software for a multi-sensor system. Experiments during this period included one in which we demonstrated modulation of the EEG coincident with the onset of the N100 component of a visual response to infrequent stimuli presented under the oddball paradigm. We collaborated on another experiment with the Cognitive Psychophysiology Laboratory of the University of Illinois in a study of P300 related to the presentation of alphanumeric stimuli. The results confirmed earlier findings using abstract visual stimuli, i.e., the equivalent current dipole source of P300 is in or near the hippocampal formation. GRA

N87-18316# Nationaal Inst. voor Kernfysica en Hoge Energiefysica, Amsterdam (Netherlands). Sectie-K.

A NEW PHILOSOPHY FOR THE CENTRAL CONTROL FACILITY OF MEA [EEN NIEUWE FILOSOFIE VOOR DE CENTRALE BEDIENINGSFACILITEIT VAN MEA]

FRED SCHIMMEL 23 Jul. 1986 31 p In DUTCH
(LINO-131; ETN-87-99147) Avail: NTIS HC A03/MF A01

Suggestions for improvements of the MEA control system are given to make the deviation hall AFBU controllable from the central console. The console apparatus and functions, the commands, and the organization and maintenance of the software are described. ESA

55

SPACE BIOLOGY

Includes exobiology; planetary biology; and extraterrestrial life.

A87-25812**ROLE OF AMPHIPHILIC COMPOUNDS IN THE EVOLUTION OF MEMBRANE STRUCTURE ON THE EARLY EARTH**

DAVID W. DEAMER (California, University, Davis) *Origins of Life* (ISSN 0302-1688), vol. 17, 1986, p. 3-25. refs

A variety of amphiphilic compounds have the capacity to self-assemble into membranous structures in the form of bilayers. The earliest cellular organisms must have incorporated such compounds into boundary membranes. This review discusses amphiphilic components of the prebiotic environment which would be candidates. One possible source is organic material carried to the earth's surface by meteoritic infall. To test this hypothesis, nonpolar substances were extracted from the Murchison carbonaceous chondrite and analyzed. It was found that at least some of the components can produce boundary structures which resemble membranes. This observation suggests that membranous boundary structures were present on the early earth, and were available to participate in the origin and evolution of the first cellular forms of life.

Author

A87-25813* Salk Institute for Biological Studies, San Diego, Calif.

DID TEMPLATE-DIRECTED NUCLEATION PRECEDE MOLECULAR REPLICATION?

LESLIE E. ORGEL (Salk Institute for Biological Studies, San Diego, CA) *Origins of Life* (ISSN 0302-1688), vol. 17, 1986, p. 27-34. NASA-NIH-supported research. refs

It is proposed that mononucleotides incorporated into the surfaces of microcrystals of inorganic phosphates such as hydroxyapatite can act as templates to assemble complementary mononucleotides from solution, and that the phosphate groups of the assembled nucleotides can facilitate nucleation of a second hydroxyapatite crystal. This would provide a mechanism of replication that is subject to natural selection. The possible role of a replicating system of this kind in the origins of life on the earth is discussed.

Author

A87-25815**INVESTIGATION ON THE ASYMMETRICAL INDUCED YIELDS IN (SR-90)-(Y-90)-BETA-IRRADIATED D- AND L-ALANINES**

E. CONTE (Bari, Università; ITEN, Laboratorio di Radioattività e Metodologie Radioisotopiche, Bari, Italy), G. FANFANI, R. AMEROTTI, A. DADDABBO (Bari, Università, Italy), and M. PIERALICE (Bari, Università; ITEN, Laboratorio di Radioattività e Metodologie Radiosotopiche, Bari, Italy; CNR, Servizio di Sicurezza del Lavoro e Protezione Sanitaria, Rome, Italy) *Origins of Life* (ISSN 0302-1688), vol. 17, 1986, p. 51-57. refs

The effect of irradiation by beta rays on the asymmetric decomposition of D- and L-alanines was investigated, using ESR spectra for the analysis. The experimental procedure was as follows: irradiation of D- and L-alanine samples with Co-60 to obtain the value of gamma-induced decomposition (D-gamma); subsequent irradiation of samples (with similar yields of D-gamma) with beta rays from (Sr-90)-(Y-90) and determination of the D-beta value; and the measurement of the enhancement of the major peak in the ESR spectrum by the difference between the values of D-beta and D-gamma. The asymmetrical yields induced in (Sr-90)-(Y-90)-beta-irradiated alanines were 10 percent higher in D-alanine than in L-alanine, indicating that a possible source of the asymmetry induced in the original racemic mixture of prebiotic amino acids could be the action of beta rays from the radioactive natural elements.

I.S.

A87-25816**CHEMICAL EVOLUTION OF IRON CONTAINING ENZYMES - MIXED LIGAND COMPLEXES OF IRON AS INTERMEDIARY STEPS**

MR. KAMALUDDIN, MALA SINGH, and SUSHAMA W. DEOPUJARI (Roorkee, University, India) *Origins of Life* (ISSN 0302-1688), vol. 17, 1986, p. 59-68. Research supported by the Indian Space Research Organisation. refs

The catalytic activities of several Fe(II) complexes towards some redox reactions of biological importance, such as the decomposition of H₂O₂ and the dehydrogenation of NADH and ascorbic acid (both coupled with reduction of methylene blue), were measured at three different pH values. The catalytic activities of the Fe(II) complexes investigated increased in the order: K₄/Fe(CN)₆/ - K₄/Fe(CN)₅(gly)/ K₄/Fe(CN)₅(trigly)/ at all pH's. On the basis of these results and some literature data, a hypothesis on the evolution of iron-containing enzymes is proposed, according to which the order of formation of the enzyme from the Fe(2+) ion was as follows: Fe(2+) - Fe(II) cyanide complexes - mixed-ligand Fe(II) cyanide and amino acid complexes - Fe(II) complexes of macromolecules Fe(II)-containing proenzyme or early enzyme.

I.S.

A87-25817* Rensselaer Polytechnic Inst., Troy, N.Y.

THE ADSORPTION AND REACTION OF ADENINE NUCLEOTIDES ON MONTMORILLONITE

JAMES P. FERRIS and WILLIAM J. HAGAN, JR. (Rensselaer Polytechnic Institute, Troy, NY) *Origins of Life* (ISSN 0302-1688), vol. 17, 1986, p. 69-84. refs

(Contract NSF CHE-83-04466; NGR-33-018-148)

The binding of AMP to Zn(2+)-montmorillonite is investigated in the presence of salts and Good's zwitterion buffers, PIPES and MES. The initial concentrations of nucleotide and the percent adsorption are used to calculate the adsorption isotherms, and the Langmuir adsorption equation is used for the analysis of data. The adsorption coefficient was found to be three times greater in the presence of 0.2 M PIPES than in its absence. In addition, basal spacings measured by X-ray diffraction were increased by the buffer. These results are interpreted in terms of a model in which the adsorption of AMP is mediated by a Zn(2+) complex of PIPES in different orientations in the interlamellar region of the montmorillonite. Mixed ligand complexes of this type are reminiscent of the complexes observed between metal ions and biological molecules in living systems.

I.S.

A87-25818* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

KINETICS OF THE HYDROLYSIS OF GUANOSINE 5'-PHOSPHO-2-METHYLIMIDAZOLIDE

ANASTASSIA KANAVARIOTI (NASA, Ames Research Center, Moffett Field, CA) *Origins of Life* (ISSN 0302-1688), vol. 17, 1986, p. 85-103. Research supported by the National Research Council and NASA. refs

The hydrolysis kinetics of guanosine 5'-phospho-2-methylimidazolidine (2-MelmpG) in aqueous buffered solutions of various pH's was studied at 75 and 37 C, using spectrophotometric and HPLC techniques. The hydrolysis was found to be very slow even at low pH. At 75 C and pH at or below 1.0, two kinetic processes were observed: the more rapid one was attributed to the hydrolysis of the phosphoimidazolidine P-N bond; the second, much slower one, was attributed to the cleavage of the glycosidic bond. It is noted that the P-N hydrolysis in phosphoimidazolidines is very slow compared to other phosphoramidates, and that this might be one of the reasons why the phosphoimidazolidines showed an extraordinary ability to form long oligomers under template-directed conditions.

I.S.

A87-26853

THE SEARCH FOR BIOMOLECULES IN SPACE


LEWIS E. SNYDER (Illinois, University, Urbana) IN: The search for extraterrestrial intelligence; Proceedings of the Workshop, Green Bank, WV, May 20-22, 1985. Green Bank, WV, National Radio Astronomy Observatory, 1986, p. 39-45; Discussion, p. 45-50. refs

(Contract NSF AST-82-17547)

The search for and study of biologically relevant interstellar molecules are examined. A table of 68 observed interstellar molecular species is presented; the smaller molecules were detected in the short millimeter and submillimeter ranges of spectra, and the large species were observed in the longer millimeter and centimeter ranges. The chemical processes in interstellar clouds potentially related to the evolution of biology on earth are studied. The benefits provided to the study of interstellar clouds by the use of interferometry and molecular spectroscopy are discussed. Consideration is given to data collected from cometary studies.

I.F.

Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of the document content, the title extension is added, separated from the title by three hyphens. The (NASA or AIAA) accession number and the page number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document. Under any one subject heading, the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

A

ACCELERATION PROTECTION

An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit [AD-A174640] p 123 N87-17433

ACCELERATION TOLERANCE

Evoked cortical potentials in humans in response to vertical threshold accelerations p 111 A87-25117

An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit [AD-A174640] p 123 N87-17433

ACID BASE EQUILIBRIUM

Arterial blood gases and acid-base status of dogs during graded dynamic exercise p 100 A87-24148

The acid-base state and gas composition of blood of residents of the northeastern USSR p 110 A87-25109

ACIDOSIS

Coronogenic metabolic acidosis and the problems of its pharmacological correlation p 100 A87-24260

ACOUSTIC PROPAGATION

The biomechanics of hearing [ISL-R-102/86] p 118 N87-18313

ACTIVITY (BIOLOGY)

The effect of immersion hypokinesia on characteristics of the rhythmic activity of soleus muscle motor units p 111 A87-25116

ACTIVITY CYCLES (BIOLOGY)

Photoinhibition of chlorophyll-A fluorescence and its influence to remote sensing techniques p 106 N87-18206

ADAPTATION

The acid-base state and gas composition of blood of residents of the northeastern USSR p 110 A87-25109

ADENINES

The adsorption and reaction of adenine nucleotides on montmorillonite p 125 A87-25817

ADENOSINE TRIPHOSPHATE

Halobacterial adenosine triphosphatases and the adenosine triphosphatase from Halobacterium saccharovorum p 105 A87-27399

ADENOSINES

Effects of adenosine on ventilatory responses to hypoxia and hypercapnia in humans p 109 A87-24145

ADIPOSE TISSUES

Protein turnover in adipose tissue from fasted or diabetic rats p 99 A87-23439

ADRENERGICS

Adrenergic and local control of O₂ uptake during and after severe hypoxia p 100 A87-24149

Propranolol does not impair exercise oxygen uptake in normal men at high altitude p 109 A87-24150

ADSORPTION

The adsorption and reaction of adenine nucleotides on montmorillonite p 125 A87-25817

AEROSINUSITIS

Sinus barotrauma in the aeronautical environment. I p 108 A87-24107

AEROSPACE ENGINEERING

Automation and robotics with aerospace applications p 123 A87-25984

AEROSPACE ENVIRONMENTS

The 1985-86 NASA space/gravitational biology accomplishments [NASA-TM-89809] p 107 N87-18300

AEROSPACE MEDICINE

Medical treatments for cardiovascular blockings and their impact on flight fitness p 108 A87-24104

Dexamethasone mimicks the antinotion sickness effects of amphetamine and scopolamine p 109 A87-24750

Diagnosing fatigue and overfatigue in flight personnel p 111 A87-25172

Manned Mars mission health maintenance facility p 115 N87-17773

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 294) [NASA-SP-7011(294)] p 116 N87-18301

Medically disqualified airline pilots [AD-A173244] p 116 N87-18303

Effects of sleep loss on vestibular response during simple and complex vestibular stimulation [AD-A173292] p 117 N87-18304

AFFERENT NERVOUS SYSTEMS

The effect of localized microwave irradiation of the rat foot on the impulse activity in the tibial nerve p 102 A87-25169

AGE FACTOR

Predicting the health condition of middle-aged persons from results of hemodynamic reactions to physical loads p 110 A87-25110

AGING (BIOLOGY)

Medically disqualified airline pilots [AD-A173244] p 116 N87-18303

AIR POLLUTION

Persistence of the acute effects of ozone exposure p 113 A87-25953

AIR TRAFFIC

Statistical dependency in visual scanning p 123 A87-25840

AIRCRAFT PILOTS

Parametric endocardiographic studies with two populations of pilots. I - Statistical analysis p 108 A87-24105

AIRLINE OPERATIONS

Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962

Medically disqualified airline pilots [AD-A173244] p 116 N87-18303

ALANINE

Investigation on the asymmetrical induced yields in (Sr-90)-(Y-90)-beta-irradiated D- and L-alanines p 125 A87-25815

ALERTNESS

Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963

ALGAE

Giant subtidal stromatolites forming in normal salinity waters p 101 A87-24860

ALLERGIC DISEASES

Asthma and aircrew p 108 A87-24108

ALTITUDE ACCLIMATIZATION

Individual variations in the adaptation to hypoxia and to cold according to the criterion of emotional-behavioral reactivity p 100 A87-24261

Dynamics of certain characteristics of sympathetic ganglia of animals subjected to chemical desympathization at high altitude p 103 A87-25199

Effect of dietary protein quality on the serum enzymes of rats exposed to simulated hypobaric hypoxic stress p 104 A87-25956

ALVEOLAR AIR

Operation Everest 2: Alveolar and arterial blood gases at extreme altitude p 117 N87-18307

AMBIENT TEMPERATURE

Heat exhaustion caused by body dehydration p 111 A87-25171

AMPHETAMINES

Dexamethasone mimicks the antinotion sickness effects of amphetamine and scopolamine p 109 A87-24750

ANTIRADIATION DRUGS

The role of radioprotectors in the effectiveness of the treatment of combined radiation injuries p 102 A87-25170

Radioprotective activity of cystamine and gammaphos under gamma-ray irradiation p 104 A87-26282

AQUEOUS SOLUTIONS

Biological effects of low-intensity millimeter-wave radiation p 122 A87-25216

ARTERIES

Arterial blood gases and acid-base status of dogs during graded dynamic exercise p 100 A87-24148

ARTIFICIAL INTELLIGENCE

The role of expert systems on Space Station p 122 A87-25758

ASTHMA

Asthma and aircrew p 108 A87-24108

ASTRONAUT PERFORMANCE

Ergonomic support of cosmonaut activity --- Russian book p 121 A87-24358

Socio/psychological issues for a Mars mission p 121 N87-17778

ATAXIA

Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 N87-18302

ATMOSPHERIC PRESSURE

Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144

Operation Everest 2: Alveolar and arterial blood gases at extreme altitude p 117 N87-18307

Subcontact lens bubble formation under low atmospheric pressure conditions [AD-A173533] p 118 N87-18309

ATROPINE

Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146

ATTENTION

Fast noninertial shifts of attention --- for target discrimination task p 112 A87-25510

The role of attention in automatic skills [AD-A173190] p 121 N87-18314

Neuromagnetic investigation of workload and attention [AD-A173155] p 124 N87-18315

ATTITUDE (INCLINATION)

The tilt after-effect - Changes with stimulus size and eccentricity --- for pilot visual perception study p 112 A87-25509

AUTOMATIC CONTROL

Automated trabecular bone histomorphometry p 105 A87-27324

AUTOMATION

The role of expert systems on Space Station p 122 A87-25758

Automation and robotics with aerospace applications
p 123 A87-25984

AUTONOMIC NERVOUS SYSTEM

Atropine unmasks bed-rest effect - A spectral analysis
of cardiac interbeat intervals p 109 A87-24146

B**BACTERIA**

Thermodepolarization analysis of purple membrane films
of halobacteria p 100 A87-24248
Desulfurococcus amylolyticus N.SP - New species of
extremal-thermophilic archaeobacteria from hydrothermal
systems p 101 A87-24275
Halobacterial adenosine triphosphatases and the
adenosine triphosphatase from Halobacterium
saccharovorum p 105 A87-27399

BACTERICIDES

Interferon in resistance to bacterial and protozoan
infections p 104 A87-26195

BARORECEPTORS

Nonthermoregulatory control of human skin blood flow
p 108 A87-24142
Organization and suprabulbar control of the
baroreceptor reflex arc p 100 A87-24259

BAROTRAUMA

Sinus barotrauma in the aeronautical environment. I
p 108 A87-24107

BEARING (DIRECTION)

Anisotropic responses to motion toward and away from
the eye p 119 A87-23440
Spatial integration characteristics in motion detection
and direction identification --- in human vision
p 112 A87-25508

BIBLIOGRAPHIES

Aerospace medicine and biology: A continuing
bibliography with indexes (supplement 294)
[NASA-SP-7011(294)] p 116 A87-18301

BIOASTRONAUTICS

Spacecraft life-support systems: Biophysical principles
of design and testing --- Russian book
p 122 A87-25498
The search for biomolecules in space
p 126 A87-26853

BIOCHEMISTRY

Role of amphiphilic compounds in the evolution of
membrane structure on the early earth
p 125 A87-25812

BIODYNAMICS

Dynamics of certain characteristics of sympathetic
ganglia of animals subjected to chemical desympathization
at high altitude p 103 A87-25199
The biomechanics of hearing
[ISL-R-102/86] p 118 A87-18313

BIOELECTRIC POTENTIAL

Evoked cortical potentials in humans in response to
vertical threshold accelerations p 111 A87-25117

BIOELECTRICITY

The effect of immersion hypokinesia on characteristics
of the rhythmic activity of soleus muscle motor units
p 111 A87-25116

BIOLOGICAL EFFECTS

Investigation on the asymmetrical induced yields in
(Sr-90)-(Y-90)-beta-irradiated D- and L-alanines
p 125 A87-25815
Biological effects of aerial shock waves: Review of work
to date p 115 A87-17432
[ISL-NB-402/85]
The 1985-86 NASA space/gravitational biology
accomplishments
[NASA-TM-89809] p 107 A87-18300
Aerospace medicine and biology: A continuing
bibliography with indexes (supplement 294)
[NASA-SP-7011(294)] p 116 A87-18301

BIOLOGICAL EVOLUTION

Desulfurococcus amylolyticus N.SP - New species of
extremal-thermophilic archaeobacteria from hydrothermal
systems p 101 A87-24275
Role of amphiphilic compounds in the evolution of
membrane structure on the early earth
p 125 A87-25812
Did template-directed nucleation precede molecular
replication? p 125 A87-25813
Universal regularities in protein primary structure
Preference in bonding and periodicity
p 103 A87-25814
Investigation on the asymmetrical induced yields in
(Sr-90)-(Y-90)-beta-irradiated D- and L-alanines
p 125 A87-25815
Chemical evolution of iron containing enzymes - Mixed
ligand complexes of iron as intermediary steps
p 125 A87-25816
Kinetics of the hydrolysis of guanosine
5'-phospho-2-methylimidazole p 125 A87-25818

Halobacterial adenosine triphosphatases and the
adenosine triphosphatase from Halobacterium
saccharovorum p 105 A87-27399
Exobiology issues and experiments at a Mars base
p 105 A87-17762

BIOLOGICAL MODELS (MATHEMATICS)

A simplified model of heat exchange --- thermoregulation
of human body p 110 A87-25114
Experimental modeling of autoimmune reactions under
the effect of nonionizing microwave radiation
p 102 A87-25167
Using low-level filters to encode spatial displacements
of visual stimuli p 119 A87-25400

BIOPHYSICS

Thermodepolarization analysis of purple membrane films
of halobacteria p 100 A87-24248
Spacecraft life-support systems: Biophysical principles
of design and testing --- Russian book
p 122 A87-25498

BLOOD

The combined effect on blood cells of hyperbaric
conditions and negative temperatures
p 104 A87-26400
Operation Everest 2: Alveolar and arterial blood gases
at extreme altitude
[AD-A173401] p 117 A87-18307

BLOOD CIRCULATION

Reorganization of microcirculation in the lower
extremities under conditions of regional orthostatic
hypertension p 111 A87-25115

BLOOD FLOW

Nonthermoregulatory control of human skin blood flow
p 108 A87-24142

BLOOD PLASMA

The acid-base state and gas composition of blood of
residents of the northeastern USSR p 110 A87-25109
Autologous red blood cell reinfusion: Effects on stress
and fluid regulatory hormones during exercise-heat
stress
[AD-A172545] p 118 A87-18311

BLOOD VESSELS

Vascular responses under the effect of cold in mountain
climbers who are candidates to an Everest expedition
team p 110 A87-25112

BODY TEMPERATURE

Heat exhaustion caused by body dehydration
p 111 A87-25171
Resynchronization of circadian sleep-wake and
temperature cycles in the squirrel monkey following phase
shifts of the environmental light-dark cycle
p 103 A87-25954
Masking of the circadian rhythms of heart rate and core
temperature by the rest-activity cycle in man
p 113 A87-27250
Cooling different body surfaces during upper-and-lower
body exercise
[AD-A173320] p 117 A87-18305
Portable diagnostic radiometer
[AD-A173761] p 118 A87-18312

BONE DEMINERALIZATION

Immobilization-associated osteoporosis in primates
p 105 A87-27325

BONES

Solid mechanical vibrations. III --- pilot exposure
p 108 A87-24106
Osteoblast histogenesis in periodontal ligament and
tibial metaphysis during simulated weightlessness
p 103 A87-25951
The effects of prostaglandin E2 in rapidly growing rats
Depressed longitudinal and radial growth and increased
metaphyseal hard tissue mass p 105 A87-27323
Automated trabecular bone histomorphometry
p 105 A87-27324

BRAIN

A selective imidazobenzodiazepine antagonist of
ethanol in the rat p 99 A87-23475
Hysteresis in the perception of motion direction as
evidence for neural cooperativity p 119 A87-25637
Neuromagnetic investigation of workload and attention
[AD-A173155] p 124 A87-18315

BRAIN CIRCULATION

Changes in the functional activity of cerebral cortical
structures and in their blood supply in alert rabbits
subjected to rocking motion p 102 A87-25198

BUBBLES

Subcontact lens bubble formation under low
atmospheric pressure conditions
[AD-A173533] p 118 A87-18309

C**CAMERAS**

Visual simulation the old way p 123 A87-26699

CARBOHYDRATE METABOLISM

Increased response to insulin of glucose metabolism in
the 6-day unloaded rat soleus muscle
p 99 A87-23441

CARBON DIOXIDE

Arterial blood gases and acid-base status of dogs during
graded dynamic exercise p 100 A87-24148

CARBON DIOXIDE CONCENTRATION

The acid-base state and gas composition of blood of
residents of the northeastern USSR p 110 A87-25109

CARDIAC AURICLES

Parametric endocardiographic studies with two
populations of pilots. I - Statistical analysis
p 108 A87-24105

CARDIAC VENTRICLES

Parametric endocardiographic studies with two
populations of pilots. I - Statistical analysis
p 108 A87-24105

CARDIOLOGY

Effect of water immersion on cardiopulmonary
physiology at high gravity (+Gz) p 109 A87-24143
Coronogenic metabolic acidosis and the problems of
its pharmacological correlation p 100 A87-24260

CARDIOVASCULAR SYSTEM

Medicinal treatments for cardiovascular blockings and
their impact on flight fitness p 108 A87-24104

CAROTID SINUS REFLEX

Reactivity of the human vegetative nervous system from
data obtained on the oculocardiac, carotid-sinus, and
planar reflexes p 111 A87-25119

CARTILAGE

The effects of prostaglandin E2 in rapidly growing rats
Depressed longitudinal and radial growth and increased
metaphyseal hard tissue mass p 105 A87-27323

CATARACTS

Crystalline implants and the visual aptitude of pilots
p 107 A87-24102

CATHODE RAY TUBES

Unitary suprathreshold color-difference metrics of
legibility for CRT raster imagery
[AD-A175062] p 123 A87-17434

CELL MEMBRANES (BIOLOGY)

Role of amphiphilic compounds in the evolution of
membrane structure on the early earth
p 125 A87-25812

CEMENTATION

Giant subtidal stromatolites forming in normal salinity
waters p 101 A87-24860

CEREBRAL CORTEX

Evoked cortical potentials in humans in response to
vertical threshold accelerations p 111 A87-25117
Changes in the functional activity of cerebral cortical
structures and in their blood supply in alert rabbits
subjected to rocking motion p 102 A87-25198
Neuromagnetic investigation of workload and attention
[AD-A173155] p 124 A87-18315

CEREBRUM

Lipid peroxidation in cerebral synaptosomes of rats
under sleep disturbance p 104 A87-26301

CHEMICAL BONDS

Universal regularities in protein primary structure
Preference in bonding and periodicity
p 103 A87-25814

CHEMICAL EVOLUTION

Role of amphiphilic compounds in the evolution of
membrane structure on the early earth
p 125 A87-25812
Did template-directed nucleation precede molecular
replication? p 125 A87-25813
Universal regularities in protein primary structure
Preference in bonding and periodicity
p 103 A87-25814

Chemical evolution of iron containing enzymes - Mixed
ligand complexes of iron as intermediary steps
p 125 A87-25816

The adsorption and reaction of adenine nucleotides on
montmorillonite p 125 A87-25817
Kinetics of the hydrolysis of guanosine
5'-phospho-2-methylimidazole p 125 A87-25818

CHEMICAL REACTIONS

Chemical evolution of iron containing enzymes - Mixed
ligand complexes of iron as intermediary steps
p 125 A87-25816

The adsorption and reaction of adenine nucleotides on
montmorillonite p 125 A87-25817

CHEMORECEPTORS

Axoglial contacts in the area postrema of the cat - An
ultrastructural study p 105 A87-27249

CHLOROPHYLLS

Laser-induced chlorophyll fluorescence of living plants
p 106 A87-18201
Application of laser-induced chlorophyll-A fluorescence
in forest decline research p 106 A87-18203
Laser and sunlight-induced fluorescence from
chlorophyll pigments p 106 A87-18205

- Photoinhibition of chlorophyll-A fluorescence and its influence to remote sensing techniques p 106 N87-18206
- Laser-induced chlorophyll-A fluorescence of terrestrial plants p 107 N87-18207
- Remote sensing experiment: ADRIA 1984: A comparison of passive and laser-induced chlorophyll-fluorescence p 107 N87-18208
- CHROMOSOMES**
- A new type of chromosome aberrations in microspores of *Tradescantia paludosa* observed in experiments on board satellites p 101 A87-24266
- CIRCADIAN RHYTHMS**
- Resynchronization of circadian sleep-wake and temperature cycles in the squirrel monkey following phase shifts of the environmental light-dark cycle p 103 A87-25954
- Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962
- Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964
- Masking of the circadian rhythms of heart rate and core temperature by the rest-activity cycle in man p 113 A87-27250
- CIVIL AVIATION**
- Medically disqualified airline pilots [AD-A173244] p 116 N87-18303
- CLIMATOLOGY**
- Vegetation, climatic and floral changes at the Cretaceous-Tertiary boundary p 101 A87-24867
- CLOSED ECOLOGICAL SYSTEMS**
- Supercritical water oxidation of products of human metabolism [NASA-CR-180144] p 115 N87-17430
- COCKPIT SIMULATORS**
- Development of better cockpit training programmes under way p 119 A87-25850
- COCKPITS**
- Sinus barotrauma in the aeronautical environment. I p 108 A87-24107
- COGNITION**
- The role of attention in automatic skills [AD-A173190] p 121 N87-18314
- Neuromagnetic investigation of workload and attention [AD-A173155] p 124 N87-18315
- COGNITIVE PSYCHOLOGY**
- Intuitive reasoning about abstract and familiar physics problems p 121 A87-27525
- COLD ACCLIMATIZATION**
- Individual variations in the adaptation to hypoxia and to cold according to the criterion of emotional-behavioral reactivity p 100 A87-24261
- Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375
- Vascular responses under the effect of cold in mountain climbers who are candidates to an Everest expedition team p 110 A87-25112
- Power spectral analysis of the surface electromyogram during shivering p 113 A87-25955
- The combined effect on blood cells of hyperbaric conditions and negative temperatures p 104 A87-26400
- COLOR**
- Unitary suprathreshold color-difference metrics of legibility for CRT raster imagery [AD-A175062] p 123 N87-17434
- COLOR VISION**
- Visual simulation the old way p 123 A87-26699
- COLORIMETRY**
- Unitary suprathreshold color-difference metrics of legibility for CRT raster imagery [AD-A175062] p 123 N87-17434
- CONSOLES**
- A new philosophy for the central control facility of MEA [LINO-131] p 124 N87-18316
- CONTACT LENSES**
- Subcontact lens bubble formation under low atmospheric pressure conditions p 118 N87-18309
- Effects of aviation altitudes on soft contact lens wear [AD-A173534] p 118 N87-18310
- CONTAMINANTS**
- Toxicological safeguards in the manned Mars missions p 116 N87-17781
- CONTROL SYSTEMS DESIGN**
- A new philosophy for the central control facility of MEA [LINO-131] p 124 N87-18316
- CONTROL THEORY**
- Model of the human controller of a dynamic system [MEMO-580] p 124 N87-17435

- CONTROLLABILITY**
- A new philosophy for the central control facility of MEA [LINO-131] p 124 N87-18316
- CORIOLIS EFFECT**
- Effects of sleep loss on vestibular response during simple and complex vestibular stimulation [AD-A173292] p 117 N87-18304
- CORNEA**
- Refractive corneal surgery and its impacts on the visual aptitude of pilots p 107 A87-24101
- Subcontact lens bubble formation under low atmospheric pressure conditions p 118 N87-18309
- CORTICOSTEROIDS**
- Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375
- COSMOCHEMISTRY**
- The search for biomolecules in space p 126 A87-26853
- COSMONAUTS**
- Ergonomic support of cosmonaut activity --- Russian book p 121 A87-24358
- COST EFFECTIVENESS**
- Visual simulation the old way p 123 A87-26699
- CROP GROWTH**
- Orientation of wheat roots under the effect of the geomagnetic field p 100 A87-24250
- CYSTEAMINE**
- The role of radioprotectors in the effectiveness of the treatment of combined radiation injuries p 102 A87-25170
- Radioprotective activity of cystamine and gammaphos under gamma-ray irradiation p 104 A87-26282
- CYTOLGY**
- Prostaglandins and the interphase death of irradiated cells p 101 A87-25164
- Osteoblast histogenesis in periodontal ligament and tibial metaphysis during simulated weightlessness p 103 A87-25951
- Effects of hypergravity on 'whole-blood' cultures of human lymphocytes p 103 A87-25952
- Axoglial contacts in the area postrema of the cat - An ultrastructural study p 105 A87-27249
- D**
- DEGRADATION**
- Reduction-oxidation state and protein degradation in skeletal muscle of fasted and refed rats p 104 A87-26198
- DEHYDRATION**
- Heat exhaustion caused by body dehydration p 111 A87-25171
- DEPOLARIZATION**
- Thermodepolarization analysis of purple membrane films of halobactena p 100 A87-24248
- DESIGN ANALYSIS**
- A new philosophy for the central control facility of MEA [LINO-131] p 124 N87-18316
- DESYNCHRONIZATION (BIOLOGY)**
- Resynchronization of circadian sleep-wake and temperature cycles in the squirrel monkey following phase shifts of the environmental light-dark cycle p 103 A87-25954
- DETECTION**
- The role of attention in automatic skills [AD-A173190] p 121 N87-18314
- DIABETES MELLITUS**
- Protein turnover in adipose tissue from fasted or diabetic rats p 99 A87-23439
- DIAGNOSIS**
- Diagnosing fatigue and overfatigue in flight personnel p 111 A87-25172
- Portable diagnostic radiometer [AD-A173761] p 118 N87-18312
- DIRECTIVITY**
- Orientation of wheat roots under the effect of the geomagnetic field p 100 A87-24250
- DISPLAY DEVICES**
- On the selection and evaluation of visual display symbology Factors influencing search and identification times p 122 A87-25839
- Stereoscopic displays and the human dual visual system p 123 A87-26698
- Visual simulation the old way p 123 A87-26699
- Unitary suprathreshold color-difference metrics of legibility for CRT raster imagery [AD-A175062] p 123 N87-17434
- DISSOLVED GASES**
- Operation Everest 2: Alveolar and arterial blood gases at extreme altitude [AD-A173401] p 117 N87-18307

- DISTANCE**
- Fast noninertial shifts of attention --- for target discrimination task p 112 A87-25510
- DRUGS**
- Medicinal treatments for cardiovascular blockings and their impact on flight fitness p 108 A87-24104
- Propranolol does not impair exercise oxygen uptake in normal men at high altitude p 109 A87-24150
- Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375
- DYNAMICAL SYSTEMS**
- Model of the human controller of a dynamic system [MEMO-580] p 124 N87-17435
- E**
- EARTH (PLANET)**
- Role of amphiphilic compounds in the evolution of membrane structure on the early earth p 125 A87-25812
- ECHOCARDIOGRAPHY**
- Parametric endocardiographic studies with two populations of pilots. I - Statistical analysis p 108 A87-24105
- EDEMA**
- Sinus barotrauma in the aeronautical environment. I p 108 A87-24107
- ELECTRIC STIMULI**
- Use of an electrotranquilization method to increase vestibular stability in humans p 113 A87-26281
- ELECTROCARDIOGRAPHY**
- Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146
- ELECTROENCEPHALOGRAPHY**
- Changes in the functional activity of cerebral cortical structures and in their blood supply in alert rabbits subjected to rocking motion p 102 A87-25198
- International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959
- ELECTROMAGNETIC FIELDS**
- The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation p 100 A87-24249
- ELECTROMYOGRAPHY**
- Power spectral analysis of the surface electromyogram during shivering p 113 A87-25955
- ELECTROPHYSIOLOGY**
- Thermodepolarization analysis of purple membrane films of halobactena p 100 A87-24248
- EMOTIONAL FACTORS**
- Individual variations in the adaptation to hypoxia and to cold according to the criterion of emotional-behavioral reactivity p 100 A87-24261
- ENDOCRINOLOGY**
- Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375
- Prostaglandins and the interphase death of irradiated cells p 101 A87-25164
- ENVIRONMENTAL CONTROL**
- A physicochemical environmental control/life support system for the Mars transit vehicle p 124 N87-17788
- Manned Mars mission environmental control and life support subsystem p 124 N87-17797
- ENVIRONMENTAL MONITORING**
- Laser-induced fluorescence of plants and its application in environmental research p 106 N87-18202
- Application of laser-induced chlorophyll-A fluorescence in forest decline research p 106 N87-18203
- ENZYME ACTIVITY**
- The effect of continuous and modulated laser irradiation on the activity of the glutamic-acid-metabolism enzymes in rat tissues p 102 A87-25168
- Effect of dietary protein quality on the serum enzymes of rats exposed to simulated hypobaric hypoxic stress p 104 A87-25956
- Halobacterial adenosine triphosphatases and the adenosine triphosphatase from *Halobacterium saccharovorum* p 105 A87-27399
- ENZYMES**
- Chemical evolution of iron containing enzymes - Mixed ligand complexes of iron as intermediary steps p 125 A87-25816
- ERYTHROCYTES**
- The combined effect on blood cells of hyperbaric conditions and negative temperatures p 104 A87-26400
- Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress [AD-A172545] p 118 N87-18311

ETHYL ALCOHOL

- A selective imidazobenzodiazepine antagonist of ethanol in the rat p 99 A87-23475

ETIOLOGY

- Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 N87-18302

EVOKED RESPONSE (PSYCHOPHYSIOLOGY)

- Neuromagnetic investigation of workload and attention [AD-A173155] p 124 N87-18315

EXERCISE PHYSIOLOGY

- Nonthermoregulatory control of human skin blood flow p 108 A87-24142
Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144
Arterial blood gases and acid-base status of dogs during graded dynamic exercise p 100 A87-24148
Propranolol does not impair exercise oxygen uptake in normal men at high altitude p 109 A87-24150
Orthostatic tolerance and aerobic capacity p 113 A87-25957

EXHAUSTION

- Heat exhaustion caused by body dehydration p 111 A87-25171
Diagnosing fatigue and overfatigue in flight personnel p 111 A87-25172

EXO BIOLOGY

- How roots respond to gravity p 99 A87-23524
Spacecraft life-support systems: Biophysical principles of design and testing --- Russian book p 122 A87-25498
Osteoblast histogenesis in periodontal ligament and tibial metaphysis during simulated weightlessness p 103 A87-25951
Exobiology issues and experiments at a Mars base p 105 N87-17762
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 294) [NASA-SP-7011(294)] p 116 N87-18301

EXPERT SYSTEMS

- The role of expert systems on Space Station p 122 A87-25758
Space Station - The use of expert systems for planning p 122 A87-25759

EXTRATERRESTRIAL LIFE

- The search for biomolecules in space p 126 A87-26853

EXTRAVEHICULAR ACTIVITY

- Physiological and technological considerations for Mars mission extravehicular activity p 124 N87-17798

EYE MOVEMENTS

- Statistical dependency in visual scanning p 123 A87-25840
M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. VI - Vestibular reactions to lateral acceleration following ten days of weightlessness p 115 A87-27349

F

FASTING

- Protein turnover in adipose tissue from fasted or diabetic rats p 99 A87-23439
Reduction-oxidation state and protein degradation in skeletal muscle of fasted and refed rats p 104 A87-26198

FATIGUE (BIOLOGY)

- Diagnosing fatigue and overfatigue in flight personnel p 111 A87-25172

FEET (ANATOMY)

- The effect of localized microwave irradiation of the rat foot on the impulse activity in the tibial nerve p 102 A87-25169

FLIGHT CREWS

- Asthma and aircrew p 108 A87-24108

FLIGHT FITNESS

- Refractive corneal surgery and its impacts on the visual aptitude of pilots p 107 A87-24101
Crystalline implants and the visual aptitude of pilots p 107 A87-24102
Middle ear surgery and its impacts on the flight fitness of pilots p 107 A87-24103
Medicinal treatments for cardiovascular blockings and their impact on flight fitness p 108 A87-24104

FLIGHT OPERATIONS

- International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960

FLIGHT SAFETY

- Sinus barotrauma in the aeronautical environment. I p 108 A87-24107
Asthma and aircrew p 108 A87-24108

FLIGHT SIMULATION

- Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 N87-18302

FLIGHT SIMULATORS

- Symptoms of kinetosis: Simulator sickness - The relationship to sensorial illusions p 108 A87-24109
Visual simulation the old way p 123 A87-26699
Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 N87-18302

FLIGHT STRESS (BIOLOGY)

- Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963

FOOD INTAKE

- Reduction-oxidation state and protein degradation in skeletal muscle of fasted and refed rats p 104 A87-26198

FORESTS

- Application of laser-induced chlorophyll-A fluorescence in forest decline research p 106 N87-18203

FREE RADICALS

- The problem of peroxidation in radiobiology p 101 A87-25165

G

GAMMA RAYS

- Radioprotective activity of cystamine and gammaphos under gamma-ray irradiation p 104 A87-26282

GANGLIA

- Dynamics of certain characteristics of sympathetic ganglia of animals subjected to chemical desympathization at high altitude p 103 A87-25199

GAS EXCHANGE

- Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144

GAS PRESSURE

- Subcontact lens bubble formation under low atmospheric pressure conditions [AD-A173533] p 118 N87-18309

GENETICS

- A new type of chromosome aberrations in microspores of Tradescantia paludosa observed in experiments on board satellites p 101 A87-24266

GEOMAGNETISM

- Orientation of wheat roots under the effect of the geomagnetic field p 100 A87-24250

GLUCOSE

- Increased response to insulin of glucose metabolism in the 6-day unloaded rat soleus muscle p 99 A87-23441

GLUTAMIC ACID

- The effect of continuous and modulated laser irradiation on the activity of the glutamic-acid-metabolism enzymes in rat tissues p 102 A87-25168

GRAVITATIONAL EFFECTS

- How roots respond to gravity p 99 A87-23524

GRAVITATIONAL PHYSIOLOGY

- Effect of water immersion on cardiopulmonary physiology at high gravity (+Gz) p 109 A87-24143
Osteoblast histogenesis in periodontal ligament and tibial metaphysis during simulated weightlessness p 103 A87-25951

- Effects of hypergravity on 'whole-blood' cultures of human lymphocytes p 103 A87-25952

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. II - Visual vestibular tilt interaction in weightlessness p 114 A87-27345

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. V - Postural responses following exposure to weightlessness p 114 A87-27348

GROUP DYNAMICS

- Effects of sleep loss on vestibular response during simple and complex vestibular stimulation [AD-A173292] p 117 N87-18304

GROWTH

- Reduction-oxidation state and protein degradation in skeletal muscles of growing rats p 99 A87-23453
The effects of prostaglandin E2 in rapidly growing rats Depressed longitudinal and radial growth and increased metaphyseal hard tissue mass p 105 A87-27323

GUANOSINES

- Kinetics of the hydrolysis of guanosine 5'-phospho-2-methylimidazole p 125 A87-25818

H

HALOPHILES

- Halobacterial adenosine triphosphatases and the adenosine triphosphatase from Halobacterium saccharovorum p 105 A87-27399

HAZARDS

- Manned Mars mission radiation environment and radiobiology p 116 N87-17776
Natural radiation hazards on the manned Mars mission p 116 N87-17777

HEALTH PHYSICS

- Predicting the health condition of middle-aged persons from results of hemodynamic reactions to physical loads p 110 A87-25110

HEARING

- The biomechanics of hearing [ISL-R-102/86] p 118 N87-18313

HEART DISEASES

- Medically disqualified airline pilots [AD-A173244] p 116 N87-18303

HEART FUNCTION

- Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111
Reactivity of the human vegetative nervous system from data obtained on the oculocardiac, carotid-sinus, and planar reflexes p 111 A87-25119
The effect of a low-frequency magnetic field on the autorhythm of a frog's isolated atrium p 104 A87-26302

- Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 N87-18306

HEART RATE

- Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146
Masking of the circadian rhythms of heart rate and core temperature by the rest-activity cycle in man p 113 A87-27250
Cooling different body surfaces during upper-and-lower body exercise [AD-A173320] p 117 N87-18305

- Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 N87-18306

HEAT

- Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress [AD-A172545] p 118 N87-18311

HEAT TRANSFER

- A simplified model of heat exchange --- thermoregulation of human body p 110 A87-25114

HEMATOCRIT

- Distortion of calculated whole-body hematocrit during lower-body immersion in water p 109 A87-24147

HEMATOLOGY

- Distortion of calculated whole-body hematocrit during lower-body immersion in water p 109 A87-24147
Arterial blood gases and acid-base status of dogs during graded dynamic exercise p 100 A87-24148
The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation p 100 A87-24249

- Reliability of autoregulatory mechanisms in biosystems subjected to ionizing radiation p 102 A87-25166

- The role of the state of serum water in osmolality regulation in ground squirrels during spontaneous awakening p 103 A87-25200

- Effects of hypergravity on 'whole-blood' cultures of human lymphocytes p 103 A87-25952

HEMATOPOIESIS

- The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation p 100 A87-24249

HEMODYNAMIC RESPONSES

- Effect of water immersion on cardiopulmonary physiology at high gravity (+Gz) p 109 A87-24143
Organization and suprabulbar control of the baroreceptor reflex arc p 100 A87-24259
Predicting the health condition of middle-aged persons from results of hemodynamic reactions to physical loads p 110 A87-25110

- Vascular responses under the effect of cold in mountain climbers who are candidates to an Everest expedition team p 110 A87-25112

- Reorganization of microcirculation in the lower extremities under conditions of regional orthostatic hypertension p 111 A87-25115

- Orthostatic tolerance and aerobic capacity p 113 A87-25957

HIBERNATION

- The role of the state of serum water in osmolality regulation in ground squirrels during spontaneous awakening p 103 A87-25200

HIGH ALTITUDE

- Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 N87-18306

- Operation Everest 2: Alveolar and arterial blood gases at extreme altitude [AD-A173401] p 117 N87-18307
- HIGH ALTITUDE ENVIRONMENTS**
Effects of aviation altitudes on soft contact lens wear [AD-A173534] p 118 N87-18310
- HIGH ALTITUDE PRESSURE**
Effects of aviation altitudes on soft contact lens wear [AD-A173534] p 118 N87-18310
- HIGH PRESSURE**
The combined effect on blood cells of hyperbaric conditions and negative temperatures p 104 A87-26400
- HIPPOCAMPUS**
Neuromagnetic investigation of workload and attention [AD-A173155] p 124 N87-18315
- HISTOLOGY**
Adrenergic and local control of O₂ uptake during and after severe hypoxia p 100 A87-24149
The effect of continuous and modulated laser irradiation on the activity of the glutamic-acid-metabolism enzymes in rat tissues p 102 A87-25168
Lipid peroxidation in cerebral synaptosomes of rats under sleep disturbance p 104 A87-26301
Automated trabecular bone histomorphometry p 105 A87-27324
Immobilization-associated osteoporosis in primates p 105 A87-27325
- HORMONES**
Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress [AD-A172545] p 118 N87-18311
- HUMAN BEINGS**
An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit [AD-A174640] p 123 N87-17433
- HUMAN CENTRIFUGES**
Effect of water immersion on cardiopulmonary physiology at high gravity (+ Gz) p 109 A87-24143
- HUMAN FACTORS ENGINEERING**
Ergonomic support of cosmonaut activity --- Russian book p 121 A87-24358
Manned Mars mission crew factors p 124 N87-17772
Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 N87-18302
- HUMAN PERFORMANCE**
Masking of the circadian rhythms of heart rate and core temperature by the rest-activity cycle in man p 113 A87-27250
Model of the human controller of a dynamic system [MEMO-580] p 124 N87-17435
Sedating and nonsedating sleeping aids in air operations [AD-A173503] p 117 N87-18308
Neuromagnetic investigation of workload and attention [AD-A173155] p 124 N87-18315
- HUMAN REACTIONS**
Evoked cortical potentials in humans in response to vertical threshold accelerations p 111 A87-25117
- HUMAN WASTES**
Supercritical water oxidation of products of human metabolism [NASA-CR-180144] p 115 N87-17430
- HYDROLYSIS**
Kinetics of the hydrolysis of guanosine 5'-phospho-2-methylimidazole p 125 A87-25818
- HYPERBARIC CHAMBERS**
The combined effect on blood cells of hyperbaric conditions and negative temperatures p 104 A87-26400
- HYPERCAPNIA**
Effects of adenosine on ventilatory responses to hypoxia and hypercapnia in humans p 109 A87-24145
- HYPEROXIA**
Effects of hypoxia and hyperoxia on ventilatory kinetics during recovery from exercise p 113 A87-25958
- HYPERTENSION**
Organization and suprabulbar control of the baroreceptor reflex arc p 100 A87-24259
Reorganization of microcirculation in the lower extremities under conditions of regional orthostatic hypertension p 111 A87-25115
- HYPERTHERMIA**
The effects of different types of hyperthermia on work capacity p 110 A87-25113
Heat exhaustion caused by body dehydration p 111 A87-25171
- HYPOBARIC ATMOSPHERES**
Effect of dietary protein quality on the serum enzymes of rats exposed to simulated hypobaric hypoxic stress p 104 A87-25956
- Operation Everest 2: Alveolar and arterial blood gases at extreme altitude [AD-A173401] p 117 N87-18307
- HYPODYNAMIA**
Immobilization-associated osteoporosis in primates p 105 A87-27325
- HYPOKINESIA**
Increased response to insulin of glucose metabolism in the 6-day unloaded rat soleus muscle p 99 A87-23441
Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146
The effect of immersion hypokinesia on characteristics of the rhythmic activity of soleus muscle motor units p 111 A87-25116
- HYPOTHERMIA**
Vascular responses under the effect of cold in mountain climbers who are candidates to an Everest expedition team p 110 A87-25112
The combined effect on blood cells of hyperbaric conditions and negative temperatures p 104 A87-26400
- HYPOVENTILATION**
Increasing the thermal stability of an organism by means of hypoventilational training p 113 A87-26280
- HYPOXEMIA**
Propranolol does not impair exercise oxygen uptake in normal men at high altitude p 109 A87-24150
Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 N87-18306
- HYPOXIA**
Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144
Effects of adenosine on ventilatory responses to hypoxia and hypercapnia in humans p 109 A87-24145
Adrenergic and local control of O₂ uptake during and after severe hypoxia p 100 A87-24149
Individual variations in the adaptation to hypoxia and to cold according to the criterion of emotional-behavioral reactivity p 100 A87-24261
Dynamics of certain characteristics of sympathetic ganglia of animals subjected to chemical desympathization at high altitude p 103 A87-25199
Effect of dietary protein quality on the serum enzymes of rats exposed to simulated hypobaric hypoxic stress p 104 A87-25956
Effects of hypoxia and hyperoxia on ventilatory kinetics during recovery from exercise p 113 A87-25958
Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 N87-18306
- HYSTERESIS**
Hysteresis in the perception of motion direction as evidence for neural cooperativity p 119 A87-25637
- ILLUSIONS**
Symptoms of kinetosis: Simulator sickness - The relationship to sensorial illusions p 108 A87-24109
- IMAGE CONTRAST**
Vernier acuity predicted from changes in the light distribution of the retinal image p 112 A87-25511
Unitary suprathreshold color-difference metrics of legibility for CRT raster imagery [AD-A175062] p 123 N87-17434
- IMAGE PROCESSING**
Unitary suprathreshold color-difference metrics of legibility for CRT raster imagery [AD-A175062] p 123 N87-17434
- IMAGE ROTATION**
Selective internal operations in the recognition of locally and globally point-inverted patterns p 119 A87-25512
- IMAGES**
Unitary suprathreshold color-difference metrics of legibility for CRT raster imagery [AD-A175062] p 123 N87-17434
- IMMOBILIZATION**
Immobilization-associated osteoporosis in primates p 105 A87-27325
- IMMUNOLOGY**
Experimental modeling of autoimmune reactions under the effect of nonionizing microwave radiation p 102 A87-25167
Interferon in resistance to bacterial and protozoan infections p 104 A87-26195
- IMPLANTATION**
Crystalline implants and the visual aptitude of pilots p 107 A87-24102
- INFECTIOUS DISEASES**
Middle ear surgery and its impacts on the flight fitness of pilots p 107 A87-24103
Interferon in resistance to bacterial and protozoan infections p 104 A87-26195
- INFORMATION TRANSFER**
The effect of perspective geometry on judged direction in spatial information instruments p 123 A87-25841
- INFRARED LASERS**
Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111
- INFRARED RADIATION**
Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111
- INORGANIC COMPOUNDS**
Did template-directed nucleation precede molecular replication? p 125 A87-25813
- INSULIN**
Increased response to insulin of glucose metabolism in the 6-day unloaded rat soleus muscle p 99 A87-23441
- INTERFERON**
Interferon in resistance to bacterial and protozoan infections p 104 A87-26195
- INTERNATIONAL COOPERATION**
International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960
- INTOXICATION**
A selective imidazobenzodiazepine antagonist of ethanol in the rat p 99 A87-23475
- IONIZING RADIATION**
Reliability of autoregulatory mechanisms in biosystems subjected to ionizing radiation p 102 A87-25166
- IRON COMPOUNDS**
Chemical evolution of iron containing enzymes - Mixed ligand complexes of iron as intermediary steps p 125 A87-25816
- ISCHEMIA**
Coronary metabolic acidosis and the problems of its pharmacological correlation p 100 A87-24260
- J**
- JET LAG**
International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959
Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961
Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962
Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963
Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964
- K**
- KERATINS**
Middle ear surgery and its impacts on the flight fitness of pilots p 107 A87-24103
- L**
- LASER INDUCED FLUORESCENCE**
Laser-induced chlorophyll fluorescence of living plants p 106 N87-18201
Laser-induced fluorescence of plants and its application in environmental research p 106 N87-18202
Application of laser-induced chlorophyll-A fluorescence in forest decline research p 106 N87-18203
Laser-Induced Fluorescence (LIF) from plant foliage p 106 N87-18204
Laser and sunlight-induced fluorescence from chlorophyll pigments p 106 N87-18205
Photoinhibition of chlorophyll-A fluorescence and its influence to remote sensing techniques p 106 N87-18206
Laser-induced chlorophyll-A fluorescence of terrestrial plants p 107 N87-18207
- LASER OUTPUTS**
The effect of continuous and modulated laser irradiation on the activity of the glutamic-acid-metabolism enzymes in rat tissues p 102 A87-25168
- LEARNING**
Increasing the thermal stability of an organism by means of hypoventilational training p 113 A87-26280
- LEG (ANATOMY)**
Reorganization of microcirculation in the lower extremities under conditions of regional orthostatic hypertension p 111 A87-25115
- LIFE SCIENCES**
The 1985-86 NASA space/gravitational biology accomplishments [NASA-TM-89809] p 107 N87-18300

LIFE SUPPORT SYSTEMS

Spacecraft life-support systems: Biophysical principles of design and testing --- Russian book

p 122 A87-25498

A physicochemical environmental control/life support system for the Mars transit vehicle

p 124 N87-17788

Manned Mars mission environmental control and life support subsystem

p 124 N87-17797

LIGANDS

Chemical evolution of iron containing enzymes - Mixed ligand complexes of iron as intermediary steps

p 125 A87-25816

LIPID METABOLISM

Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation

p 101 A87-24375

Lipid peroxidation in cerebral synaptosomes of rats under sleep disturbance

p 104 A87-26301

LONG DURATION SPACE FLIGHT

Adaptation and readaptation medical concerns of a Mars trip

p 115 N87-17770

Human adaptation and readaptation for Mars mission

p 115 N87-17771

Manned Mars mission crew factors

p 124 N87-17772

Manned Mars mission health maintenance facility

p 115 N87-17773

Manned Mars mission psychological issues

p 121 N87-17774

Manned Mars mission radiation environment and radiobiology

p 116 N87-17776

Natural radiation hazards on the manned Mars mission

p 116 N87-17777

Socio/psychological issues for a Mars mission

p 121 N87-17778

Radiation environment and shielding for early manned Mars missions

p 116 N87-17780

Toxicological safeguards in the manned Mars missions

p 116 N87-17781

A physicochemical environmental control/life support system for the Mars transit vehicle

p 124 N87-17788

Manned Mars mission environmental control and life support subsystem

p 124 N87-17797

LOSSES

Effects of sleep loss on vestibular response during simple and complex vestibular stimulation

[AD-A173292] p 117 N87-18304

LOWER BODY NEGATIVE PRESSURE

Distortion of calculated whole-body hematocrit during lower-body immersion in water

p 109 A87-24147

LUMINANCE

Vernier acuity predicted from changes in the light distribution of the retinal image

p 112 A87-25511

LYMPHOCYTES

The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation

p 100 A87-24249

Effects of hypergravity on 'whole-blood' cultures of human lymphocytes

p 103 A87-25952

M**MAGNETIC EFFECTS**

Orientation of wheat roots under the effect of the geomagnetic field

p 100 A87-24250

The effect of a low-frequency magnetic field on the autorhythm of a frog's isolated atrium

p 104 A87-26302

MAN ENVIRONMENT INTERACTIONS

The acid-base state and gas composition of blood of residents of the northeastern USSR

p 110 A87-25109

MAN MACHINE SYSTEMS

Ergonomic support of cosmonaut activity --- Russian book

p 121 A87-24358

Model of the human controller of a dynamic system [MEMO-580]

p 124 N87-17435

Manned Mars mission crew factors

p 124 N87-17772

MANIPULATORS

A robotic system for dexterous tasks

p 122 A87-25757

MANNED SPACE FLIGHT

Spacecraft life-support systems: Biophysical principles of design and testing --- Russian book

p 122 A87-25498

Adaptation and readaptation medical concerns of a Mars trip

p 115 N87-17770

Radiation environment and shielding for early manned Mars missions

p 116 N87-17780

Toxicological safeguards in the manned Mars missions

p 116 N87-17781

A physicochemical environmental control/life support system for the Mars transit vehicle

p 124 N87-17788

Manned Mars mission environmental control and life support subsystem

p 124 N87-17797

Physiological and technological considerations for Mars mission extravehicular activity

p 124 N87-17798

Automation, robotics, and inflight training for manned Mars missions

p 121 N87-17803

MAPPING

Neuromagnetic investigation of workload and attention [AD-A173155]

p 124 N87-18315

MARS (PLANET)

Exobiology issues and experiments at a Mars base

p 105 N87-17762

Adaptation and readaptation medical concerns of a Mars trip

p 115 N87-17770

Human adaptation and readaptation for Mars mission

p 115 N87-17771

Manned Mars mission crew factors

p 124 N87-17772

Manned Mars mission health maintenance facility

p 115 N87-17773

Manned Mars mission radiation environment and radiobiology

p 116 N87-17776

Socio/psychological issues for a Mars mission

p 121 N87-17778

Radiation environment and shielding for early manned Mars missions

p 116 N87-17780

Toxicological safeguards in the manned Mars missions

p 116 N87-17781

A physicochemical environmental control/life support system for the Mars transit vehicle

p 124 N87-17788

Manned Mars mission environmental control and life support subsystem

p 124 N87-17797

Physiological and technological considerations for Mars mission extravehicular activity

p 124 N87-17798

Automation, robotics, and inflight training for manned Mars missions

p 121 N87-17803

MARS SURFACE

Natural radiation hazards on the manned Mars mission

p 116 N87-17777

Physiological and technological considerations for Mars mission extravehicular activity

p 124 N87-17798

MEDICAL EQUIPMENT

Portable diagnostic radiometer [AD-A173761]

p 118 N87-18312

MEDICAL SERVICES

Medicinal treatments for cardiovascular blockings and their impact on flight fitness

p 108 A87-24104

MEDITERRANEAN SEA

Remote sensing experiment: ADRIA 1984: A comparison of passive and laser-induced chlorophyll-fluorescence

p 107 N87-18208

MICROSPORES

A new type of chromosome aberrations in microspores of *Tradescantia paludosa* observed in experiments on board satellites

p 101 A87-24266

MICROWAVE RADIOMETERS

Portable diagnostic radiometer [AD-A173761]

p 118 N87-18312

MICROWAVES

Experimental modeling of autoimmune reactions under the effect of nonionizing microwave radiation

p 102 A87-25167

The effect of localized microwave irradiation of the rat foot on the impulse activity in the tibial nerve

p 102 A87-25169

MIDDLE EAR

Middle ear surgery and its impacts on the flight fitness of pilots

p 107 A87-24103

MILITARY OPERATIONS

Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress

[AD-A172545] p 118 N87-18311

MILLIMETER WAVES

The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation

p 100 A87-24249

Biological effects of low-intensity millimeter-wave radiation

p 122 A87-25216

MINERAL METABOLISM

The role of the state of serum water in osmolality regulation in ground squirrels during spontaneous awakening

p 103 A87-25200

MISSION PLANNING

Space Station - The use of expert systems for planning

p 122 A87-25759

MOLECULAR ABSORPTION

Biological effects of low-intensity millimeter-wave radiation

p 122 A87-25216

MOLECULAR BIOLOGY

Did template-directed nucleation precede molecular replication?

p 125 A87-25813

MOLECULAR STRUCTURE

Universal regularities in protein primary structure Preference in bonding and periodicity

p 103 A87-25814

MONITORS

Portable diagnostic radiometer [AD-A173761]

p 118 N87-18312

MONTMORILLONITE

The adsorption and reaction of adenine nucleotides on montmorillonite

p 125 A87-25817

MOTION

Intuitive reasoning about abstract and familiar physics problems

p 121 A87-27525

MOTION PERCEPTION

Apparent motion occurs only between similar spatial frequencies

p 119 A87-23438

Anisotropic responses to motion toward and away from the eye

p 119 A87-23440

Three theories of stroboscopic motion detection --- two-stimulus vs. multi-stimulus visual perception

p 112 A87-25398

Spatial phase and frequency in motion capture of random-dot patterns

p 112 A87-25399

Using low-level filters to encode spatial displacements of visual stimuli

p 119 A87-25400

Spatial integration characteristics in motion detection and direction identification --- in human vision

p 112 A87-25508

Hysteresis in the perception of motion direction as evidence for neural cooperativity

p 119 A87-25637

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. VI - Vestibular reactions to lateral acceleration following ten days of weightlessness

p 115 A87-27349

Intuitive reasoning about abstract and familiar physics problems

p 121 A87-27525

MOTION SICKNESS

Symptoms of kinetosis: Simulator sickness - The relationship to sensorial illusions

p 108 A87-24109

Changes in the functional activity of cerebral cortical structures and in their blood supply in alert rabbits subjected to rocking motion

p 102 A87-25198

Use of an electrotranquilization method to increase vestibular stability in humans

p 113 A87-26281

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. IV - Space motion sickness: Symptoms, stimuli, and predictability

p 114 A87-27347

Role of orientation reference selection in motion sickness

[NASA-CR-180161] p 115 N87-17431

Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226]

p 116 N87-18302

MOTION SICKNESS DRUGS

Dexamethasone mimicks the antimotion sickness effects of amphetamine and scopolamine

p 109 A87-24750

Effects of sleep loss on vestibular response during simple and complex vestibular stimulation

[AD-A173292] p 117 N87-18304

MOTION SIMULATION

Symptoms of kinetosis: Simulator sickness - The relationship to sensorial illusions

p 108 A87-24109

MUSCULAR FUNCTION

Increased response to insulin of glucose metabolism in the 6-day unloaded rat soleus muscle

p 99 A87-23441

Reduction-oxidation state and protein degradation in skeletal muscles of growing rats

p 99 A87-23453

The effect of immersion hypokinesia on characteristics of the rhythmic activity of soleus muscle motor units

p 111 A87-25116

The effect of localized microwave irradiation of the rat foot on the impulse activity in the tibial nerve

p 102 A87-25169

Power spectral analysis of the surface electromyogram during shivering

p 113 A87-25955

MUSCULAR STRENGTH

Reduction-oxidation state and protein degradation in skeletal muscle of fasted and refed rats

p 104 A87-26198

MUTATIONS

A new type of chromosome aberrations in microspores of *Tradescantia paludosa* observed in experiments on board satellites

p 101 A87-24266

MYOCARDIUM

Coronarogenic metabolic acidosis and the problems of its pharmacological correlation

p 100 A87-24260

MYOPIA

Refractive corneal surgery and its impacts on the visual aptitude of pilots

p 107 A87-24101

N

NERVOUS SYSTEM

- Solid mechanical vibrations. III --- pilot exposure
p 108 A87-24106

NEUROPHYSIOLOGY

- Adrenergic and local control of O₂ uptake during and after severe hypoxia p 100 A87-24149
Axoglial contacts in the area postrema of the cat - An ultrastructural study p 105 A87-27249

NUCLEOTIDES

- Did template-directed nucleation precede molecular replication? p 125 A87-25813
The adsorption and reaction of adenine nucleotides on montmorillonite p 125 A87-25817

NUMERICAL DATA BASES

- On the selection and evaluation of visual display symbology Factors influencing search and identification times p 122 A87-25839

NUTRITIONAL REQUIREMENTS

- Effect of dietary protein quality on the serum enzymes of rats exposed to simulated hypobaric hypoxic stress p 104 A87-25956

O

OCEAN BOTTOM

- Giant subtidal stromatolites forming in normal salinity waters p 101 A87-24860

OCEAN DATA ACQUISITIONS SYSTEMS

- Remote sensing experiment: ADRIA 1984: A comparison of passive and laser-induced chlorophyll-fluorescence p 107 A87-18208

OPERATOR PERFORMANCE

- Evaluation of an operator's functional status under the conditions of sensory deficit p 111 A87-25118

OPTICAL ILLUSION

- The tilt after-effect - Changes with stimulus size and eccentricity --- for pilot visual perception study p 112 A87-25509

OPTICAL TRACKING

- Statistical dependency in visual scanning p 123 A87-25840

ORBITAL SERVICING

- The role of robotics in space p 122 A87-25756
A robotic system for dexterous tasks p 122 A87-25757

ORBITAL SPACE STATIONS

- Automation, robotics, and inflight training for manned Mars missions p 121 A87-17803

ORGANIC COMPOUNDS

- Role of amphiphilic compounds in the evolution of membrane structure on the early earth p 125 A87-25812
Did template-directed nucleation precede molecular replication? p 125 A87-25813

ORGANIC PEROXIDES

- Lipid peroxidation in cerebral synaptosomes of rats under sleep disturbance p 104 A87-26301

ORTHOSTATIC TOLERANCE

- Reorganization of microcirculation in the lower extremities under conditions of regional orthostatic hypertension p 111 A87-25115
Orthostatic tolerance and aerobic capacity p 113 A87-25957

OSMOSIS

- The role of the state of serum water in osmolality regulation in ground squirrels during spontaneous awakening p 103 A87-25200

OSTEOPOROSIS

- Immobilization-associated osteoporosis in primates p 105 A87-27325

OTOLITH ORGANS

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346
M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. VI - Vestibular reactions to lateral acceleration following ten days of weightlessness p 115 A87-27349

OXIDATION

- Reduction-oxidation state and protein degradation in skeletal muscles of growing rats p 99 A87-23453
Supercritical water oxidation of products of human metabolism [NASA-CR-180144] p 115 A87-17430

OXIDATION-REDUCTION REACTIONS

- Reduction-oxidation state and protein degradation in skeletal muscle of fasted and refed rats p 104 A87-26198

OXYGEN CONSUMPTION

- Adrenergic and local control of O₂ uptake during and after severe hypoxia p 100 A87-24149

- Propranolol does not impair exercise oxygen uptake in normal men at high altitude p 109 A87-24150
The acid-base state and gas composition of blood of residents of the northeastern USSR p 110 A87-25109
Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 A87-18306

OZONE

- Persistence of the acute effects of ozone exposure p 113 A87-25953

P

PALEOBIOLOGY

- Vegetation, climatic and floral changes at the Cretaceous-Tertiary boundary p 101 A87-24867

PATHOGENESIS

- Coronarogenic metabolic acidosis and the problems of its pharmacological correlation p 100 A87-24260

PATIENTS

- Portable diagnostic radiometer [AD-A173761] p 118 A87-18312

PATTERN RECOGNITION

- Selective internal operations in the recognition of locally and globally point-inverted patterns p 119 A87-25512

PERCEPTION

- The role of attention in automatic skills [AD-A173190] p 121 A87-18314

PERCEPTUAL ERRORS

- The effect of perspective geometry on judged direction in spatial information instruments p 123 A87-25841

PERIODIC VARIATIONS

- Universal regularities in protein primary structure Preference in bonding and periodicity p 103 A87-25814

- International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959

- International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960

PERIPHERAL VISION

- The tilt after-effect - Changes with stimulus size and eccentricity --- for pilot visual perception study p 112 A87-25509

PEROXIDES

- Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375
The problem of peroxidation in radiobiology p 101 A87-25165

PERSONNEL SELECTION

- Manned Mars mission crew factors p 124 A87-17772

PHOTOMETRY

- Automated trabecular bone histomorphometry p 105 A87-27324

PHYSICAL EXAMINATIONS

- Medically disqualified airline pilots [AD-A173244] p 116 A87-18303

PHYSICAL EXERCISE

- Predicting the health condition of middle-aged persons from results of hemodynamic reactions to physical loads p 110 A87-25110

- The effects of different types of hyperthermia on work capacity p 110 A87-25113

- Effects of hypoxia and hyperoxia on ventilatory kinetics during recovery from exercise p 113 A87-25958

- Masking of the circadian rhythms of heart rate and core temperature by the rest-activity cycle in man p 113 A87-27250

- Cooling different body surfaces during upper-and-lower body exercise [AD-A173320] p 117 A87-18305

PHYSICAL WORK

- A simplified model of heat exchange --- thermoregulation of human body p 110 A87-25114

PHYSIOCHEMISTRY

- Dynamics of certain characteristics of sympathetic ganglia of animals subjected to chemical desympathization at high altitude p 103 A87-25199

PHYSIOLOGICAL ACCELERATION

- Effects of hypergravity on 'whole-blood' cultures of human lymphocytes p 103 A87-25952

PHYSIOLOGICAL DEFENSES

- Experimental modeling of autoimmune reactions under the effect of nonionizing microwave radiation p 102 A87-25167

- Interferon in resistance to bacterial and protozoan infections p 104 A87-26195

PHYSIOLOGICAL EFFECTS

- Effect of water immersion on cardiopulmonary physiology at high gravity (+Gz) p 109 A87-24143

- Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146

- The effects of different types of hyperthermia on work capacity p 110 A87-25113

- Changes in the functional activity of cerebral cortical structures and in their blood supply in alert rabbits subjected to rocking motion p 102 A87-25198

- Osteoblast histogenesis in periodontal ligament and tibial metaphysis during simulated weightlessness p 103 A87-25951

- Persistence of the acute effects of ozone exposure p 113 A87-25953

- Effects of hypoxia and hyperoxia on ventilatory kinetics during recovery from exercise p 113 A87-25958

- International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959

- The effects of prostaglandin E₂ in rapidly growing rats Depressed longitudinal and radial growth and increased metaphyseal hard tissue mass p 105 A87-27323

- Biological effects of aerial shock waves: Review of work to date [ISL-NB-402/85] p 115 A87-17432

- Human adaptation and readaptation for Mars mission p 115 A87-17771

- Manned Mars mission psychological issues p 121 A87-17774

- Physiological and technological considerations for Mars mission extravehicular activity p 124 A87-17798

- Cooling different body surfaces during upper-and-lower body exercise [AD-A173320] p 117 A87-18305

PHYSIOLOGICAL RESPONSES

- Increased response to insulin of glucose metabolism in the 6-day unloaded rat soleus muscle p 99 A87-23441

- Effects of adenosine on ventilatory responses to hypoxia and hypercapnia in humans p 109 A87-24145

- Individual variations in the adaptation to hypoxia and to cold according to the criterion of emotional-behavioral reactivity p 100 A87-24261

- Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111

- Evoked cortical potentials in humans in response to vertical threshold accelerations p 111 A87-25117

- Reactivity of the human vegetative nervous system from data obtained on the oculocardiac, carotid-sinus, and planar reflexes p 111 A87-25119

- Reliability of autoregulatory mechanisms in biosystems subjected to ionizing radiation p 102 A87-25166

- Heat exhaustion caused by body dehydration p 111 A87-25171

- Using low-level filters to encode spatial displacements of visual stimuli p 119 A87-25400

- Hysteresis in the perception of motion direction as evidence for neural cooperativity p 119 A87-25637

- Effects of hypergravity on 'whole-blood' cultures of human lymphocytes p 103 A87-25952

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. V - Postural responses following exposure to weightlessness p 114 A87-27348

- Effects of aviation altitudes on soft contact lens wear [AD-A173534] p 118 A87-18310

- Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress [AD-A172545] p 118 A87-18311

- PHYSIOLOGICAL TESTS
Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 A87-18302

- PILOT PERFORMANCE
Solid mechanical vibrations. III --- pilot exposure p 108 A87-24106

- Diagnosing fatigue and overfatigue in flight personnel p 111 A87-25172

- The tilt after-effect - Changes with stimulus size and eccentricity --- for pilot visual perception study p 112 A87-25509

- Statistical dependency in visual scanning p 123 A87-25840

- The effect of perspective geometry on judged direction in spatial information instruments p 123 A87-25841

- International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959

- International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960

- Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961

- Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962

- Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963
Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964
- PILOT SELECTION**
Refractive corneal surgery and its impacts on the visual aptitude of pilots p 107 A87-24101
Crystalline implants and the visual aptitude of pilots p 107 A87-24102
Middle ear surgery and its impacts on the flight fitness of pilots p 107 A87-24103
Parametric endocardiographic studies with two populations of pilots. I - Statistical analysis p 108 A87-24105
- PILOT TRAINING**
Development of better cockpit training programmes under way p 119 A87-25850
- PLANT ROOTS**
How roots respond to gravity p 99 A87-23524
Orientation of wheat roots under the effect of the geomagnetic field p 100 A87-24250
- PLANTS (BOTANY)**
Vegetation, climatic and floral changes at the Cretaceous-Tertiary boundary p 101 A87-24867
Laser-induced chlorophyll fluorescence of living plants p 106 A87-18201
Laser-induced fluorescence of plants and its application in environmental research p 106 A87-18202
Laser-Induced Fluorescence (LIF) from plant foliage p 106 A87-18204
Laser-induced chlorophyll-A fluorescence of terrestrial plants p 107 A87-18207
- POSTURE**
M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. V - Postural responses following exposure to weightlessness p 114 A87-27348
- POWER SPECTRA**
Power spectral analysis of the surface electromyogram during shivering p 113 A87-25955
- PRESSURE PULSES**
An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit [AD-A174640] p 123 A87-17433
- PRESSURE SUITS**
An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit [AD-A174640] p 123 A87-17433
- PROPHYLAXIS**
Use of an electrotranquilization method to increase vestibular stability in humans p 113 A87-26281
- PROSTAGLANDINS**
Prostaglandins and the interphase death of irradiated cells p 101 A87-25164
The effects of prostaglandin E2 in rapidly growing rats
Depressed longitudinal and radial growth and increased metaphyseal hard tissue mass p 105 A87-27323
- PROTEIN METABOLISM**
Protein turnover in adipose tissue from fasted or diabetic rats p 99 A87-23439
The effect of continuous and modulated laser irradiation on the activity of the glutamic-acid-metabolism enzymes in rat tissues p 102 A87-25168
Effect of dietary protein quality on the serum enzymes of rats exposed to simulated hypobaric hypoxic stress p 104 A87-25956
- PROTEIN SYNTHESIS**
Protein turnover in adipose tissue from fasted or diabetic rats p 99 A87-23439
Reduction-oxidation state and protein degradation in skeletal muscles of growing rats p 99 A87-23453
Reduction-oxidation state and protein degradation in skeletal muscle of fasted and re-fed rats p 104 A87-26198
- PROTEINS**
Universal regularities in protein primary structure
Preference in bonding and periodicity p 103 A87-25814
- PROTOZOA**
Interferon in resistance to bacterial and protozoan infections p 104 A87-26195
- PSYCHOLOGICAL EFFECTS**
Evaluation of an operator's functional status under the conditions of sensory deficit p 111 A87-25118
Human adaptation and readaptation for Mars mission p 115 A87-17771
Manned Mars mission psychological issues p 121 A87-17774
Socio/psychological issues for a Mars mission p 121 A87-17778
- PSYCHOLOGY**
The role of attention in automatic skills [AD-A173190] p 121 A87-18314
- PSYCHOMOTOR PERFORMANCE**
Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 A87-18302

PSYCHOPHYSICS

- Anisotropic responses to motion toward and away from the eye p 119 A87-23440
Three theories of stroboscopic motion detection --- two-stimulus vs. multi-stimulus visual perception p 112 A87-25398
Spatial phase and frequency in motion capture of random-dot patterns p 112 A87-25399
Spatial integration characteristics in motion detection and direction identification --- in human vision p 112 A87-25508
The tilt after-effect - Changes with stimulus size and eccentricity --- for pilot visual perception study p 112 A87-25509
Selective internal operations in the recognition of locally and globally point-inverted patterns p 119 A87-25512

PSYCHOPHYSIOLOGY

- Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 A87-18302

PULMONARY FUNCTIONS

- Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144
Persistence of the acute effects of ozone exposure p 113 A87-25953

Q**QUALIFICATIONS**

- Medically disqualified airline pilots [AD-A173244] p 116 A87-18303

R**RADIATION DAMAGE**

- Prostaglandins and the interphase death of irradiated cells p 101 A87-25164
The role of radioprotectors in the effectiveness of the treatment of combined radiation injuries p 102 A87-25170

RADIATION DOSAGE

- The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation p 100 A87-24249
Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111
Radioprotective activity of cystamine and gammaphos under gamma-ray irradiation p 104 A87-26282

RADIATION EFFECTS

- The effect of localized microwave irradiation of the rat foot on the impulse activity in the tibial nerve p 102 A87-25169
Biological effects of low-intensity millimeter-wave radiation p 122 A87-25216
Investigation on the asymmetrical induced yields in (Sr-90)-(Y-90)-beta-irradiated D- and L-alanines p 125 A87-25815

RADIATION PROTECTION

- Manned Mars mission radiation environment and radiobiology p 116 A87-17776
Natural radiation hazards on the manned Mars mission p 116 A87-17777

RADIATION SOURCES

- Radiation environment and shielding for early manned Mars missions p 116 A87-17780

RADIO ASTRONOMY

- The search for biomolecules in space p 126 A87-26853

RADIOBIOLOGY

- Prostaglandins and the interphase death of irradiated cells p 101 A87-25164
The problem of peroxidation in radiobiology p 101 A87-25165
Reliability of autoregulatory mechanisms in biosystems subjected to ionizing radiation p 102 A87-25166
Experimental modeling of autoimmune reactions under the effect of nonionizing microwave radiation p 102 A87-25167
The effect of continuous and modulated laser irradiation on the activity of the glutamic-acid-metabolism enzymes in rat tissues p 102 A87-25168
The role of radioprotectors in the effectiveness of the treatment of combined radiation injuries p 102 A87-25170
Biological effects of low-intensity millimeter-wave radiation p 122 A87-25216
Radioprotective activity of cystamine and gammaphos under gamma-ray irradiation p 104 A87-26282
Automated trabecular bone histomorphometry p 105 A87-27324

RADIOCHEMISTRY

- The problem of peroxidation in radiobiology p 101 A87-25165

RANDOM PROCESSES

- Spatial phase and frequency in motion capture of random-dot patterns p 112 A87-25399

RATS

- A selective imidazobenzodiazepine antagonist of ethanol in the rat p 99 A87-23475

REACTION KINETICS

- Kinetics of the hydrolysis of guanosine 5'-phospho-2-methylimidazole p 125 A87-25818
Supercritical water oxidation of products of human metabolism [NASA-CR-180144] p 115 A87-17430
Laser-Induced Fluorescence (LIF) from plant foliage p 106 A87-18204

REDUCED GRAVITY

- Adaptation and readaptation medical concerns of a Mars trip p 115 A87-17770
The 1985-86 NASA space/gravitational biology accomplishments [NASA-TM-89809] p 107 A87-18300

REDUCTION (CHEMISTRY)

- Reduction-oxidation state and protein degradation in skeletal muscles of growing rats p 99 A87-23453
Desulfurococcus amylolyticus N.SP - New species of extremal-thermophilic archaeobacteria from hydrothermal systems p 101 A87-24275

REFLEXES

- Nonthermoregulatory control of human skin blood flow p 108 A87-24142
Organization and suprabulbar control of the baroreceptor reflex arc p 100 A87-24259
M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346

REMOTE SENSING

- Photoinhibition of chlorophyll-A fluorescence and its influence to remote sensing techniques p 106 A87-18206
Laser-induced chlorophyll-A fluorescence of terrestrial plants p 107 A87-18207
Remote sensing experiment: ADRIA 1984: A comparison of passive and laser-induced chlorophyll-fluorescence p 107 A87-18208

REQUIREMENTS

- Manned Mars mission environmental control and life support subsystem p 124 A87-17797

RESPIRATORY PHYSIOLOGY

- Effect of water immersion on cardiopulmonary physiology at high gravity (+Gz) p 109 A87-24143
Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144
Effects of adenosine on ventilatory responses to hypoxia and hypercapnia in humans p 109 A87-24145
Arterial blood gases and acid-base status of dogs during graded dynamic exercise p 100 A87-24148
Orthostatic tolerance and aerobic capacity p 113 A87-25957
Effects of hypoxia and hyperoxia on ventilatory kinetics during recovery from exercise p 113 A87-25958
Increasing the thermal stability of an organism by means of hypoventilational training p 113 A87-26280

RESPIRATORY RATE

- Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111

RESPONSE TIME (COMPUTERS)

- On the selection and evaluation of visual display symbology Factors influencing search and identification times p 122 A87-25839

RETINAL IMAGES

- Vernier acuity predicted from changes in the light distribution of the retinal image p 112 A87-25511

RHYTHM (BIOLOGY)

- Mathematical method for identifying biological and heliogeophysical rhythms of different frequency p 101 A87-25147
The effect of a low-frequency magnetic field on the aurihrhythm of a frog's isolated atrium p 104 A87-26302

RIGID STRUCTURES

- Anisotropic responses to motion toward and away from the eye p 119 A87-23440

RISK

- Manned Mars mission health maintenance facility p 115 A87-17773

ROBOTICS

- The role of robotics in space p 122 A87-25756
A robotic system for dexterous tasks p 122 A87-25757
Automation and robotics with aerospace applications p 123 A87-25984

ROTATION

- Role of orientation reference selection in motion sickness
[NASA-CR-180161] p 115 N87-17431

S**SALINITY**

- Giant subtidal stromatolites forming in normal salinity waters p 101 A87-24860

SEARCH PROFILES

- On the selection and evaluation of visual display symbology Factors influencing search and identification times p 122 A87-25839

SEARCHING

- The search for biomolecules in space p 126 A87-26853

SEDATIVES

- Sedating and nonsedating sleeping aids in air operations
[AD-A173503] p 117 N87-18308

SENSORY DEPRIVATION

- Evaluation of an operator's functional status under the conditions of sensory deficit p 111 A87-25118

SENSORY PERCEPTION

- Symptoms of kinetosis: Simulator sickness - The relationship to sensorial illusions p 108 A87-24109

SERUMS

- The role of the state of serum water in osmolality regulation in ground squirrels during spontaneous awakening p 103 A87-25200

SHIVERING

- Power spectral analysis of the surface electromyogram during shivering p 113 A87-25955

SHOCK WAVES

- Biological effects of aerial shock waves: Review of work to date
[ISL-NB-402/85] p 115 N87-17432

SIGNS AND SYMPTOMS

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. IV - Space motion sickness: Symptoms, stimuli, and predictability p 114 A87-27347

- Medically disqualified airline pilots
[AD-A173244] p 116 N87-18303

SKIN TEMPERATURE (BIOLOGY)

- Nonthermoregulatory control of human skin blood flow p 108 A87-24142

SLEEP

- Resynchronization of circadian sleep-wake and temperature cycles in the squirrel monkey following phase shifts of the environmental light-dark cycle p 103 A87-25954

- Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961

- Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962

- Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963

- Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964

- Effects of sleep loss on vestibular response during simple and complex vestibular stimulation
[AD-A173292] p 117 N87-18304

- Sedating and nonsedating sleeping aids in air operations
[AD-A173503] p 117 N87-18308

SLEEP DEPRIVATION

- International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959

- International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960

- Lipid peroxidation in cerebral synaptosomes of rats under sleep disturbance p 104 A87-26301

- Effects of sleep loss on vestibular response during simple and complex vestibular stimulation
[AD-A173292] p 117 N87-18304

SOCIAL FACTORS

- Socio/psychological issues for a Mars mission p 121 N87-17778

SOLAR CYCLES

- Mathematical method for identifying biological and heliogeophysical rhythms of different frequency p 101 A87-25147

SOLAR TERRESTRIAL INTERACTIONS

- Mathematical method for identifying biological and heliogeophysical rhythms of different frequency p 101 A87-25147

SPACE ADAPTATION SYNDROME

- Dexamethasone mimicks the antinotion sickness effects of amphetamine and scopolamine p 109 A87-24750

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. IV - Space motion sickness: Symptoms, stimuli, and predictability p 114 A87-27347

- Adaptation and readaptation medical concerns of a Mars trip p 115 N87-17770

- Human adaptation and readaptation for Mars mission p 115 N87-17771

SPACE FLIGHT TRAINING

- Automation, robotics, and inflight training for manned Mars missions p 121 N87-17803

SPACE MAINTENANCE

- The role of robotics in space p 122 A87-25756

SPACE PERCEPTION

- Anisotropic responses to motion toward and away from the eye p 119 A87-23440

- The effect of perspective geometry on judged direction in spatial information instruments p 123 A87-25841

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. II - Visual vestibular tilt interaction in weightlessness p 114 A87-27345

SPACE PSYCHOLOGY

- Manned Mars mission psychological issues p 121 N87-17774

SPACE STATIONS

- The role of robotics in space p 122 A87-25756

- The role of expert systems on Space Station p 122 A87-25758

- Space Station - The use of expert systems for planning p 122 A87-25759

- Automation and robotics with aerospace applications p 123 A87-25984

SPACE SUITS

- Physiological and technological considerations for Mars mission extravehicular activity p 124 N87-17798

SPACEBORNE EXPERIMENTS

- A new type of chromosome aberrations in microspores of *Tradescantia paludosa* observed in experiments on board satellites p 101 A87-24266

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. II - Visual vestibular tilt interaction in weightlessness p 114 A87-27345

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. IV - Space motion sickness: Symptoms, stimuli, and predictability p 114 A87-27347

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. V - Postural responses following exposure to weightlessness p 114 A87-27348

SPACECRAFT CABIN ATMOSPHERES

- A physicochemical environmental control/life support system for the Mars transit vehicle p 124 N87-17788

SPACECRAFT CONFIGURATIONS

- Radiation environment and shielding for early manned Mars missions p 116 N87-17780

SPACECRAFT EQUIPMENT

- A robotic system for dexterous tasks p 122 A87-25757

SPACECREWS

- Adaptation and readaptation medical concerns of a Mars trip p 115 N87-17770

- Manned Mars mission health maintenance facility p 115 N87-17773

- Manned Mars mission radiation environment and radiobiology p 116 N87-17776

SPATIAL DISTRIBUTION

- Spatial phase and frequency in motion capture of random-dot patterns p 112 A87-25399

- Using low-level filters to encode spatial displacements of visual stimuli p 119 A87-25400

- Spatial integration characteristics in motion detection and direction identification --- in human vision p 112 A87-25508

- Vernier acuity predicted from changes in the light distribution of the retinal image p 112 A87-25511

- The role of attention in automatic skills
[AD-A173190] p 121 N87-18314

SPECTRUM ANALYSIS

- Power spectral analysis of the surface electromyogram during shivering p 113 A87-25955

SPINAL CORD

- Axoglial contacts in the area postrema of the cat - An ultrastructural study p 105 A87-27249

SPORTS MEDICINE

- Vascular responses under the effect of cold in mountain climbers who are candidates to an Everest expedition team p 110 A87-25112

STATISTICAL DISTRIBUTIONS

- Statistical dependency in visual scanning p 123 A87-25840

STEREOSCOPIC VISION

- Stereoscopic displays and the human dual visual system p 123 A87-26698

STRESS (PHYSIOLOGY)

- Dexamethasone mimicks the antinotion sickness effects of amphetamine and scopolamine p 109 A87-24750

- Predicting the health condition of middle-aged persons from results of hemodynamic reactions to physical loads p 110 A87-25110

- The effects of different types of hyperthermia on work capacity p 110 A87-25113

- Cooling different body surfaces during upper-and-lower body exercise
[AD-A173320] p 117 N87-18305

- Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress
[AD-A172545] p 118 N87-18311

STRESS (PSYCHOLOGY)

- Organization and suprabulbar control of the baroreceptor reflex arc p 100 A87-24259

STROBOSCOPES

- Three theories of stroboscopic motion detection --- two-stimulus vs. multi-stimulus visual perception p 112 A87-25398

STRONTIUM 90

- Investigation on the asymmetrical induced yields in (Sr-90)-(Y-90)-beta-irradiated D- and L-alanines p 125 A87-25815

SUBMERGED BODIES

- Distortion of calculated whole-body hematocrit during lower-body immersion in water p 109 A87-24147

- The effect of immersion hypokinesia on characteristics of the rhythmic activity of soleus muscle motor units p 111 A87-25116

SULFUR

- Desulfurococcus amylolyticus N.SP - New species of extremal-thermophilic archaeobacteria from hydrothermal systems p 101 A87-24275

SUNLIGHT

- Laser and sunlight-induced fluorescence from chlorophyll pigments p 106 N87-18205

- Photoinhibition of chlorophyll-A fluorescence and its influence to remote sensing techniques p 106 N87-18206

SUPERCritical FLUIDS

- Supercritical water oxidation of products of human metabolism
[NASA-CR-180144] p 115 N87-17430

SURGERY

- Refractive corneal surgery and its impacts on the visual aptitude of pilots p 107 A87-24101

- Middle ear surgery and its impacts on the flight fitness of pilots p 107 A87-24103

SYMBOLIC PROGRAMMING

- On the selection and evaluation of visual display symbology Factors influencing search and identification times p 122 A87-25839

SYMPATHETIC NERVOUS SYSTEM

- Reactivity of the human vegetative nervous system from data obtained on the oculocardiac, carotid-sinus, and planar reflexes p 111 A87-25119

- Dynamics of certain characteristics of sympathetic ganglia of animals subjected to chemical desympathization at high altitude p 103 A87-25199

SYNAPSES

- Lipid peroxidation in cerebral synaptosomes of rats under sleep disturbance p 104 A87-26301

SYNCHRONISM

- An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit
[AD-A174640] p 123 N87-17433

SYSTEMS ENGINEERING

- Space Station - The use of expert systems for planning p 122 A87-25759

T**TARGET RECOGNITION**

- Fast noninertial shifts of attention --- for target discrimination task p 112 A87-25510

- The effect of perspective geometry on judged direction in spatial information instruments p 123 A87-25841

TASK COMPLEXITY

Fast noninertial shifts of attention --- for target discrimination task p 112 A87-25510

TEMPERATURE DEPENDENCE

Thermopolarization analysis of purple membrane films of halobacteria p 100 A87-24248

TEMPERATURE EFFECTS

Cooling different body surfaces during upper-and-lower body exercise [AD-A173320] p 117 N87-18305

TEMPERATURE MEASURING INSTRUMENTS

Portable diagnostic radiometer [AD-A173761] p 118 N87-18312

TEMPORAL DISTRIBUTION

Persistence of the acute effects of ozone exposure p 113 A87-25953

TENDONS

Solid mechanical vibrations. III --- pilot exposure p 108 A87-24106

THERMAL COMFORT

The effects of different types of hyperthermia on work capacity p 110 A87-25113

THERMOPHILES

Desulfurococcus amylolyticus N.SP - New species of extremal-thermophilic archaeobacteria from hydrothermal systems p 101 A87-24275

THERMOREGULATION

Nonthermoregulatory control of human skin blood flow p 108 A87-24142

A simplified model of heat exchange --- thermoregulation of human body p 110 A87-25114

Increasing the thermal stability of an organism by means of hypoventilational training p 113 A87-26280

Cooling different body surfaces during upper-and-lower body exercise [AD-A173320] p 117 N87-18305

TIDES

Giant subtidal stromatolites forming in normal salinity waters p 101 A87-24860

TOXICOLOGY

Automated trabecular bone histomorphometry p 105 A87-27324

Toxicological safeguards in the manned Mars missions p 116 N87-17781

TRAINING EVALUATION

Development of better cockpit training programmes under way p 119 A87-25850

TRANQUILIZERS

Use of an electrotranquilization method to increase vestibular stability in humans p 113 A87-26281

Sedating and nonsedating sleeping aids in air operations [AD-A173503] p 117 N87-18308

TRANSOCEANIC FLIGHT

Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961

Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964

TRYPTOPHAN

Sedating and nonsedating sleeping aids in air operations [AD-A173503] p 117 N87-18308

U**UNDERGROUND STRUCTURES**

Natural radiation hazards on the manned Mars mission p 116 N87-17777

V**VEGETATION**

Vegetation, climatic and floral changes at the Cretaceous-Tertiary boundary p 101 A87-24867

VEGETATION GROWTH

Giant subtidal stromatolites forming in normal salinity waters p 101 A87-24860

VESTIBULAR NYSTAGMUS

Effects of sleep loss on vestibular response during simple and complex vestibular stimulation [AD-A173292] p 117 N87-18304

VESTIBULAR TESTS

Use of an electrotranquilization method to increase vestibular stability in humans p 113 A87-26281

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. II - Visual vestibular tilt interaction in weightlessness p 114 A87-27345

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. IV - Space motion sickness: Symptoms, stimuli, and predictability p 114 A87-27347

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. V - Postural responses following exposure to weightlessness p 114 A87-27348

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. VI - Vestibular reactions to lateral acceleration following ten days of weightlessness p 115 A87-27349

Role of orientation reference selection in motion sickness [NASA-CR-180161] p 115 N87-17431

VIBRATION EFFECTS
Solid mechanical vibrations. III --- pilot exposure p 108 A87-24106

VIBRATION ISOLATORS
Solid mechanical vibrations. III --- pilot exposure p 108 A87-24106

VISUAL ACUITY
Crystalline implants and the visual aptitude of pilots p 107 A87-24102

Vernier acuity predicted from changes in the light distribution of the retinal image p 112 A87-25511

Effects of aviation altitudes on soft contact lens wear [AD-A173534] p 118 N87-18310

VISUAL DISCRIMINATION
Selective internal operations in the recognition of locally and globally point-inverted patterns p 119 A87-25512

VISUAL PERCEPTION
Stereoscopic displays and the human dual visual system p 123 A87-26698

Role of orientation reference selection in motion sickness [NASA-CR-180161] p 115 N87-17431

Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 N87-18302

The role of attention in automatic skills [AD-A173190] p 121 N87-18314

VISUAL PIGMENTS
Thermopolarization analysis of purple membrane films of halobacteria p 100 A87-24248

VISUAL STIMULI
Apparent motion occurs only between similar spatial frequencies p 119 A87-23438

Anisotropic responses to motion toward and away from the eye p 119 A87-23440

Three theories of stroboscopic motion detection --- two-stimulus vs. multi-stimulus visual perception p 112 A87-25398

Spatial phase and frequency in motion capture of random-dot patterns p 112 A87-25399

Using low-level filters to encode spatial displacements of visual stimuli p 119 A87-25400

Spatial integration characteristics in motion detection and direction identification --- in human vision p 112 A87-25508

The tilt after-effect - Changes with stimulus size and eccentricity --- for pilot visual perception study p 112 A87-25509

Fast noninertial shifts of attention --- for target discrimination task p 112 A87-25510

Vernier acuity predicted from changes in the light distribution of the retinal image p 112 A87-25511

Selective internal operations in the recognition of locally and globally point-inverted patterns p 119 A87-25512

Statistical dependency in visual scanning p 123 A87-25840

The effect of perspective geometry on judged direction in spatial information instruments p 123 A87-25841

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. II - Visual vestibular tilt interaction in weightlessness p 114 A87-27345

VISUAL TASKS
Fast noninertial shifts of attention --- for target discrimination task p 112 A87-25510

On the selection and evaluation of visual display symbology Factors influencing search and identification times p 122 A87-25839

W

WAKEFULNESS
Resynchronization of circadian sleep-wake and temperature cycles in the squirrel monkey following phase shifts of the environmental light-dark cycle p 103 A87-25954

Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961

Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962

Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963

WATER BALANCE
The role of the state of serum water in osmolality regulation in ground squirrels during spontaneous awakening p 103 A87-25200

WATER TEMPERATURE
Distortion of calculated whole-body hematocrit during lower-body immersion in water p 109 A87-24147

WEAR
Effects of aviation altitudes on soft contact lens wear [AD-A173534] p 118 N87-18310

WEIGHTLESSNESS
M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. II - Visual vestibular tilt interaction in weightlessness p 114 A87-27345

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. V - Postural responses following exposure to weightlessness p 114 A87-27348

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. VI - Vestibular reactions to lateral acceleration following ten days of weightlessness p 115 A87-27349

WEIGHTLESSNESS SIMULATION
Osteoblast histogenesis in periodontal ligament and tibial metaphysis during simulated weightlessness p 103 A87-25951

WHEAT
Orientation of wheat roots under the effect of the geomagnetic field p 100 A87-24250

WORK CAPACITY
The effects of different types of hyperthermia on work capacity p 110 A87-25113

A simplified model of heat exchange --- thermoregulation of human body p 110 A87-25114

Evaluation of an operator's functional status under the conditions of sensory deficit p 111 A87-25118

Use of an electrotranquilization method to increase vestibular stability in humans p 113 A87-26281

WORK-REST CYCLE
Resynchronization of circadian sleep-wake and temperature cycles in the squirrel monkey following phase shifts of the environmental light-dark cycle p 103 A87-25954

WORKLOADS (PSYCHOPHYSIOLOGY)
Evaluation of an operator's functional status under the conditions of sensory deficit p 111 A87-25118


Diagnosing fatigue and overfatigue in flight personnel p 111 A87-25172

Neuromagnetic investigation of workload and attention [AD-A173155] p 124 N87-18315

Y

YTTTRIUM ISOTOPES
Investigation on the asymmetrical induced yields in (Sr-90)-(Y-90)-beta-irradiated D- and L-alanines p 125 A87-25815

Typical Personal Author Index Listing



Listings in this index are arranged alphabetically by personal author. The title of the document provides the user with a brief description of the subject matter. The report number helps to indicate the type of document listed (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title. Under any one author's name the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

A

- AGAFAFEV, V. S.**
Prostaglandins and the interphase death of irradiated cells p 101 A87-25164
- AIBA, T. S.**
Vernier acuity predicted from changes in the light distribution of the retinal image p 112 A87-25511
- ALEKSANIAN, Z. A.**
Individual variations in the adaptation to hypoxia and to cold according to the criterion of emotional-behavioral reactivity p 100 A87-24261
- ALEXANDER, JOANNE**
Intuitive reasoning about abstract and familiar physics problems p 121 A87-27525
- AMANN, V.**
Remote sensing experiment: ADRIA 1984: A comparison of passive and laser-induced chlorophyll-fluorescence p 107 N87-18208
- AMEROTTI, R.**
Investigation on the asymmetrical induced yields in (Sr-90)-(Y-90)-beta-irradiated D- and L-alanines p 125 A87-25815
- ANDERSON, R.**
The effects of prostaglandin E2 in rapidly growing rats Depressed longitudinal and radial growth and increased metaphyseal hard tissue mass p 105 A87-27323
- ANTIPOV, V. V.**
A new type of chromosome aberrations in microspores of Tradescantia paludosa observed in experiments on board satellites p 101 A87-24266
- ARIELI, R.**
Effect of water immersion on cardiopulmonary physiology at high gravity (+Gz) p 109 A87-24143
- ARIFULIN, A. A.**
The effect of localized microwave irradiation of the rat foot on the impulse activity in the tibial nerve p 102 A87-25169
- ARROTT, A. P.**
M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. VI - Vestibular reactions to lateral acceleration following ten days of weightlessness p 115 A87-27349

B

- BAEVSKII, B. M.**
Evaluation of an operator's functional status under the conditions of sensory deficit p 111 A87-25118
- BALLION, J. C.**
Refractive corneal surgery and its impacts on the visual aptitude of pilots p 107 A87-24101
- BARABOI, V. A.**
The problem of peroxidation in radiobiology p 101 A87-25165
Reliability of autoregulatory mechanisms in biosystems subjected to ionizing radiation p 102 A87-25166
- BEBINOV, E. M.**
Dynamics of certain characteristics of sympathetic ganglia of animals subjected to chemical desympathization at high altitude p 103 A87-25199
- BELIAKOV, V. M.**
Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111
- BETSKII, O. V.**
Biological effects of low-intensity millimeter-wave radiation p 122 A87-25216
- BHARGAVA, VALMIK**
Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146
- BISCHOF, WALTER F.**
Selective internal operations in the recognition of locally and globally point-inverted patterns p 119 A87-25512
- BLACK, F. OWEN**
Role of orientation reference selection in motion sickness [NASA-CR-180161] p 115 N87-17431
- BLIWISSE, NANCY G.**
Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961
- BLOCK, MICHAEL G.**
Subcontact lens bubble formation under low atmospheric pressure conditions [AD-A173533] p 118 N87-18309
Effects of aviation altitudes on soft contact lens wear [AD-A173534] p 118 N87-18310
- BLUTH, B. J.**
Socio/psychological issues for a Mars mission p 121 N87-17778
- BODROV, V. A.**
Diagnosing fatigue and overfatigue in flight personnel p 111 A87-25172
- BOGART, JAMES E.**
Power spectral analysis of the surface electromyogram during shivering p 113 A87-25955
- BOGATINA, N. I.**
Orientation of wheat roots under the effect of the geomagnetic field p 100 A87-24250
- BOITARD, M.**
Parametric endocardiographic studies with two populations of pilots. I - Statistical analysis p 108 A87-24105
- BONCH-OSMOLOVSKAIA, E. A.**
Desulfurococcus amylolyticus N.SP - New species of extremal-thermophilic archaeobacteria from hydrothermal systems p 101 A87-24275
- BONDI, KENNETH R.**
Distortion of calculated whole-body hematocrit during lower-body immersion in water p 109 A87-24147
- BORISEVICH, G. P.**
Thermopolarization analysis of purple membrane films of halobacteria p 100 A87-24248
- BOUTELLIER, U.**
Effect of water immersion on cardiopulmonary physiology at high gravity (+Gz) p 109 A87-24143
- BROWN, K. S.**
Laser and sunlight-induced fluorescence from chlorophyll pigments p 106 N87-18205
- BROWN, R. J.**
Immobilization-associated osteoporosis in primates p 105 A87-27325
- BURENKOV, M. S.**
The effect of localized microwave irradiation of the rat foot on the impulse activity in the tibial nerve p 102 A87-25169

BURLATON, J. P.

Medicinal treatments for cardiovascular blockings and their impact on flight fitness p 108 A87-24104

BURT, PETER J.

Three theories of stroboscopic motion detection p 112 A87-25398

BYKOV, V. M.

Reorganization of microcirculation in the lower extremities under conditions of regional orthostatic hypertension p 111 A87-25115

C

CAIN, S. M.

Adrenergic and local control of O2 uptake during and after severe hypoxia p 100 A87-24149

CALVERT, J. E.

The tilt after-effect - Changes with stimulus size and eccentricity p 112 A87-25509

CARSKADON, MARY A.

Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961

CASALI, JOHN G.

Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 N87-18302

CHA, V. A.

The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation p 100 A87-24249

CHAPPELLE, E. W.

Laser-Induced Fluorescence (LIF) from plant foliage p 106 N87-18204

CHEBOTAREV, E. E.

The problem of peroxidation in radiobiology p 101 A87-25165

CHIRKOVA, E. N.

Mathematical method for identifying biological and heliogeophysical rhythms of different frequency p 101 A87-25147

CHURCH, GABIE

Effects of hypoxia and hyperoxia on ventilatory kinetics during recovery from exercise p 113 A87-25958

CLAPP, ROBERT E.

Stereoscopic displays and the human dual visual system p 123 A87-26698

COFFMAN, JULIA

Protein turnover in adipose tissue from fasted or diabetic rats p 99 A87-23439

COGOLI, AUGUSTO

Effects of hypergravity on 'whole-blood' cultures of human lymphocytes p 103 A87-25952

COHEN, SUZANNE A.

Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961

COLEMAN, MARTIN E.

Toxicological safeguards in the manned Mars missions p 116 N87-17781

COLLINS, WILLIAM E.

Effects of sleep loss on vestibular response during simple and complex vestibular stimulation [AD-A173292] p 117 N87-18304

CONNELL, LINDA J.

International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959

Masking of the circadian rhythms of heart rate and core temperature by the rest-activity cycle in man p 113 A87-27250

CONTE, E.

Investigation on the asymmetrical induced yields in (Sr-90)-(Y-90)-beta-irradiated D- and L-alanines p 125 A87-25815

CONTENCIN, P.

Middle ear surgery and its impacts on the flight fitness of pilots p 107 A87-24103

CORBE, C.

Crystalline implants and the visual aptitude of pilots p 107 A87-24102

CRAWLEY, JACQUELINE N.

A selective imidazobenzodiazepine antagonist of ethanol in the rat p 99 A87-23475

CYMERMAN, ALLEN

Propranolol does not impair exercise oxygen uptake in normal men at high altitude p 109 A87-24150

Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 N87-18306

Operation Everest 2: Alveolar and arterial blood gases at extreme altitude [AD-A173401] p 117 N87-18307

D

DADDABBO, A.

Investigation on the asymmetrical induced yields in (Sr-90)-(Y-90)-beta-irradiated D- and L-alanines p 125 A87-25815

DAMELIO, FERNANDO E.

Axoglial contacts in the area postrema of the cat - An ultrastructural study p 105 A87-27249

DANCER, A.

The biomechanics of hearing [ISL-R-102/86] p 118 N87-18313

DANIAROV, S. B.

Dynamics of certain characteristics of sympathetic ganglia of animals subjected to chemical desympathization at high altitude p 103 A87-25199

DARK, SHIRLEY J.

Medically disqualified airline pilots [AD-A173244] p 116 N87-18303

DEAMER, DAVID W.

Role of amphiphilic compounds in the evolution of membrane structure on the early earth p 125 A87-25812

DECRISTOFANO, BARRY

Cooling different body surfaces during upper-and-lower body exercise [AD-A173320] p 117 N87-18305

DEGEE, ANTONIE L. W.

Interferon in resistance to bacterial and protozoan infections p 104 A87-26195

DEGIOANNI, JOSEPH C.

Manned Mars mission health maintenance facility p 115 N87-17773

DELONE, N. L.

A new type of chromosome aberrations in microspores of *Tradescantia paludosa* observed in experiments on board satellites p 101 A87-24266

DEMENT, WILLIAM C.

International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960

Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961

DENNIS, R. C.

Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress [AD-A172545] p 118 N87-18311

DEOPUJARI, SUSHAMA W.

Chemical evolution of iron containing enzymes - Mixed ligand complexes of iron as intermediary steps p 125 A87-25816

DIDENKO, N. P.

The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation p 100 A87-24249

DIDIER, A.

Medicinal treatments for cardiovascular blockings and their impact on flight fitness p 108 A87-24104

DILL, ROBERT F.

Giant subtidal stromatolites forming in normal salinity waters p 101 A87-24860

DIXON, C. M. S.

Effects of adenosine on ventilatory responses to hypoxia and hypercapnia in humans p 109 A87-24145

DRONIQU, J.

Asthma and aircrew p 108 A87-24108

E

ELLIS, STEPHEN R.

Statistical dependency in visual scanning p 123 A87-25840

The effect of perspective geometry on judged direction in spatial information instruments p 123 A87-25841

ENDO, SHIRO

Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962

ENGOVATOV, V. V.

The effect of localized microwave irradiation of the rat foot on the impulse activity in the tibial nerve p 102 A87-25169

EPSTEIN, YORAM

Cooling different body surfaces during upper-and-lower body exercise [AD-A173320] p 117 N87-18305

ERSHOV, A. F.

Reactivity of the human vegetative nervous system from data obtained on the oculocardiac, carotid-sinus, and planar reflexes p 111 A87-25119

EVANS, MICHAEL L.

How roots respond to gravity p 99 A87-23524

F

FAGAN, JULIE M.

Reduction-oxidation state and protein degradation in skeletal muscles of growing rats p 99 A87-23453

Reduction-oxidation state and protein degradation in skeletal muscle of fasted and refed rats p 104 A87-26198

FANFANI, G.

Investigation on the asymmetrical induced yields in (Sr-90)-(Y-90)-beta-irradiated D- and L-alanines p 125 A87-25815

FARHI, L. E.

Effect of water immersion on cardiopulmonary physiology at high gravity (+Gz) p 109 A87-24143

FARSHATOV, M. N.

The role of radioprotectors in the effectiveness of the treatment of combined radiation injuries p 102 A87-25170

FERRIS, JAMES P.

The adsorption and reaction of adenine nucleotides on montmorillonite p 125 A87-25817

FIELDER, PAUL J.

Osteoblast histogenesis in periodontal ligament and tibial metaphysis during simulated weightlessness p 103 A87-25951

FLYNN, WILLIAM J.

Subcontact lens bubble formation under low atmospheric pressure conditions [AD-A173533] p 118 N87-18309

Effects of aviation altitudes on soft contact lens wear [AD-A173534] p 118 N87-18310

FOERTSCH, BERTHOLD

Universal regularities in protein primary structure Preference in bonding and periodicity p 103 A87-25814

FOLEY, JOANNE

An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit [AD-A174640] p 123 N87-17433

FOLINSBEE, LAWRENCE J.

Persistence of the acute effects of ozone exposure p 113 A87-25953

FOSTER, DAVID H.

Selective internal operations in the recognition of locally and globally point-inverted patterns p 119 A87-25512

FRANCESCONI, RALPH P.

Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress [AD-A172545] p 118 N87-18311

FRIEDMAN, DANIEL B.

Arterial blood gases and acid-base status of dogs during graded dynamic exercise p 100 A87-24148

FUCHS-BISLIN, PIA

Effects of hypergravity on 'whole-blood' cultures of human lymphocytes p 103 A87-25952

FULLER, R. W.

Effects of adenosine on ventilatory responses to hypoxia and hypercapnia in humans p 109 A87-24145

G

GALE, G. E.

Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144

GANDER, PHILIPPA H.

International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959

Masking of the circadian rhythms of heart rate and core temperature by the rest-activity cycle in man p 113 A87-27250

GARNER, ROBERT P.

Effects of hypoxia and hyperoxia on ventilatory kinetics during recovery from exercise p 113 A87-25958

GATSURA, V. V.

Coronogenic metabolic acidosis and the problems of its pharmacological correlation p 100 A87-24260

GAVRIKOV, K. V.

Predicting the health condition of middle-aged persons from results of hemodynamic reactions to physical loads p 110 A87-25110

GEMBITSKII, E. V.

Heat exhaustion caused by body dehydration p 111 A87-25171

GERLITS, I. A.

Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375

GIBBS, MICHAEL A.

Axoglial contacts in the area postrema of the cat - An ultrastructural study p 105 A87-27249

GIPPENREITER, E. B.

Vascular responses under the effect of cold in mountain climbers who are candidates to an Everest expedition team p 110 A87-25112

GITELZON, I. I.

The combined effect on blood cells of hyperbaric conditions and negative temperatures p 104 A87-26400

GLOWA, JOHN R.

A selective imidazobenzodiazepine antagonist of ethanol in the rat p 99 A87-23475

GLUSHKO, ALEKSANDR ALEKSANDROVICH

Spacecraft life-support systems: Biophysical principles of design and testing p 122 A87-25498

GODOROZIA, M. D.

A simplified model of heat exchange p 110 A87-25114

GOLDBERGER, ARY L.

Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146

GOLDWATER, DANIELLE

Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146

GOMES, GARY G.

Visual simulation the old way p 123 A87-26699

GONCHAREVSKAIA, O. A.

The role of the state of serum water in osmolality regulation in ground squirrels during spontaneous awakening p 103 A87-25200

GONZALEZ, R. R.

Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress [AD-A172545] p 118 N87-18311

GOREA, ANDREI

Spatial integration characteristics in motion detection and direction identification p 112 A87-25508

GOULD, CHERYL L.

Interferon in resistance to bacterial and protozoan infections p 104 A87-26195

GOUBAT, J. P.

Medicinal treatments for cardiovascular blockings and their impact on flight fitness p 108 A87-24104

GOUTEYRON, J. F.

Sinus barotrauma in the aeronautical environment. I p 108 A87-24107

GRAEBER, R. CURTIS

International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959

International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960

Masking of the circadian rhythms of heart rate and core temperature by the rest-activity cycle in man p 113 A87-27250

GREEN, ROGER L.

Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963

GROVES, BERTRON M.

Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 N87-18306

GROZOVSKII, G. I.

Reliability of autoregulatory mechanisms in biosystems subjected to ionizing radiation p 102 A87-25166

GUBINSKII, ANATOLII ILICH

Ergonomic support of cosmonaut activity p 121 A87-24358

GUENTHER, K. P.

Photoinhibition of chlorophyll-A fluorescence and its influence to remote sensing techniques p 106 N87-18206

Laser-induced chlorophyll-A fluorescence of terrestrial plants p 107 N87-18207

Remote sensing experiment: ADRIA 1984: A comparison of passive and laser-induced chlorophyll-fluorescence p 107 N87-18208

GULDBERG, JENS

Space Station - The use of expert systems for planning p 122 A87-25759

GUNDEL, ALEXANDER

Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964

GUREVICH, M. E.

The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation p 100 A87-24249

GUSKOV, S. V.

Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111

H**HABA, T.**

The effects of prostaglandin E2 in rapidly growing rats
Depressed longitudinal and radial growth and increased metaphyseal hard tissue mass p 105 A87-27323

HAGAN, WILLIAM J., JR.

The adsorption and reaction of adenine nucleotides on montmorillonite p 125 A87-25817

HAIDET, GEORGE C.

Arterial blood gases and acid-base status of dogs during graded dynamic exercise p 100 A87-24148

HALL, STEPHEN B.

Radiation environment and shielding for early manned Mars missions p 116 A87-17780

HAMMOND, M. D.

Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144

HARRIS, J. P.

The tilt after-effect - Changes with stimulus size and eccentricity p 112 A87-25509

HASENSTEIN, KARL-HEINZ

How roots respond to gravity p 99 A87-23524

HELLING, RICHARD K.

Supercritical water oxidation of products of human metabolism
[NASA-CR-180144] p 115 A87-17430

HENRIKSEN, ERIK J.

Increased response to insulin of glucose metabolism in the 6-day unloaded rat soleus muscle p 99 A87-23441

HICKS, KENYON

Using low-level filters to encode spatial displacements of visual stimuli p 119 A87-25400

HOCHSTEIN, LAWRENCE I.

Halobacterial adenosine triphosphatases and the adenosine triphosphatase from Halobacterium saccharovorum p 105 A87-27399

HOFFMAN, JAMES E.

The role of attention in automatic skills
[AD-A173190] p 121 A87-18314

HOLT, ALAN C.

Automation, robotics, and inflight training for manned Mars missions p 121 A87-17803

HORVATH, STEVEN M.

Persistence of the acute effects of ozone exposure p 113 A87-25953

HUANG, SHAO-YUNG

Propranolol does not impair exercise oxygen uptake in normal men at high altitude p 109 A87-24150

HUETER, UWE

Manned Mars mission environmental control and life support subsystem p 124 A87-17797

HUFF, GEORGE A.

Supercritical water oxidation of products of human metabolism
[NASA-CR-180144] p 115 A87-17430

HUGHES, J. M. B.

Effects of adenosine on ventilatory responses to hypoxia and hypercapnia in humans p 109 A87-24145

I**INADA, V.**

Spatial phase and frequency in motion capture of random-dot patterns p 112 A87-25399

IVANOV, ORLIN CH.

Universal regularities in protein primary structure
Preference in bonding and periodicity p 103 A87-25814

IVANOV, V. V.

Use of an electrotranquilization method to increase vestibular stability in humans p 113 A87-26281

J**JACQUIOT, P.**

Crystalline implants and the visual aptitude of pilots p 107 A87-24102

JARON, DON

An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit
[AD-A174640] p 123 A87-17433

JEE, W. S. S.

Automated trabecular bone histomorphometry p 105 A87-27324
Immobilization-associated osteoporosis in primates p 105 A87-27325

JOHNSON, DAVID G.

Increased response to insulin of glucose metabolism in the 6-day unloaded rat soleus muscle p 99 A87-23441

JOHNSON, JOHN M.

Nonthermoregulatory control of human skin blood flow p 108 A87-24142

JOHNSON, PHILIP C.

Adaptation and readaptation medical concerns of a Mars trip p 115 A87-17770

JONES, ANTHONY T.

Giant subtidal stromatolites forming in normal salinity waters p 101 A87-24860

JONIDES, JOHN

Intuitive reasoning about abstract and familiar physics problems p 121 A87-27525

JULESZ, BELA

Fast noninertial shifts of attention p 112 A87-25510

K**KABESHEVA, T. A.**

Vascular responses under the effect of cold in mountain climbers who are candidates to an Everest expedition team p 110 A87-25112

KAHN, JEREMY I.

Selective internal operations in the recognition of locally and globally point-inverted patterns p 119 A87-25512

KAISER, MARY KISTER

Intuitive reasoning about abstract and familiar physics problems p 121 A87-27525

KALMAMBETOVA, A. I.

Dynamics of certain characteristics of sympathetic ganglia of animals subjected to chemical desympathization at high altitude p 103 A87-25199

KAMALUDDIN, MR.

Chemical evolution of iron containing enzymes - Mixed ligand complexes of iron as intermediary steps p 125 A87-25816

KANAVARIOTI, ANASTASSIA

Kinetics of the hydrolysis of guanosine 5'-phospho-2-methylimidazole p 125 A87-25818

KAPITAN, K. S.

Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144

KAUFMAN, LLOYD

Neuromagnetic investigation of workload and attention
[AD-A173155] p 124 A87-18315

KELLY, KEVIN

Giant subtidal stromatolites forming in normal salinity waters p 101 A87-24860

KENYON, R. V.

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. V - Postural responses following exposure to weightlessness p 114 A87-27348

KEPICS, FRANK

An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit
[AD-A174640] p 123 A87-17433

KIERSZENBAUM, FELIPE

Interferon in resistance to bacterial and protozoan infections p 104 A87-26195

KILINA, T. S.

Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111

KIM, H. H.

Laser and sunlight-induced fluorescence from chlorophyll pigments p 106 A87-18205

KING, C. E.

Adrenergic and local control of O2 uptake during and after severe hypoxia p 100 A87-24149

KIRBY, EDWARD E.

Subcontact lens bubble formation under low atmospheric pressure conditions
[AD-A173533] p 118 A87-18309

KIRENSKAIA, A. V.

The effect of immersion hypokinesia on characteristics of the rhythmic activity of soleus muscle motor units p 111 A87-25116

KNIGHT, DOUGLAS R.

Distortion of calculated whole-body hematocrit during lower-body immersion in water p 109 A87-24147

KOHL, RANDALL LEE

Dexamethasone mimicks the antinotion sickness effects of amphetamine and scopolamine p 109 A87-24750

KOLESNIKOV, GENNADI MIKHAILOVICH

Ergonomic support of cosmonaut activity p 121 A87-24358

KOLOKOLOV, A. S.

The effect of a low-frequency magnetic field on the autorhythm of a frog's isolated atrium p 104 A87-26302

KOLOSOVA, N. G.

Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375

KONONENKO, A. A.

Thermodepolarization analysis of purple membrane films of halobacteria p 100 A87-24248

KOROLEV, L. A.

Increasing the thermal stability of an organism by means of hypoventilation training p 113 A87-26280

KOZLOVSKAIA, I. B.

The effect of immersion hypokinesia on characteristics of the rhythmic activity of soleus muscle motor units p 111 A87-25116

KRISTJANSSON, HORDUR

Halobacterial adenosine triphosphatases and the adenosine triphosphatase from Halobacterium saccharovorum p 105 A87-27399

KSHUTASHVILI, T. SH.

The effect of a low-frequency magnetic field on the autorhythm of a frog's isolated atrium p 104 A87-26302

KUDENKO, IU. A.

The combined effect on blood cells of hyperbaric conditions and negative temperatures p 104 A87-26400

KULIKOV, V. IU.

Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375

KUNA, P.

Radioprotective activity of cystamine and gammaphos under gamma-ray irradiation p 104 A87-26282

KUROSAKI, YUKO

Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962

KUZNETSOV, A. N.

The effect of a low-frequency magnetic field on the autorhythm of a frog's isolated atrium p 104 A87-26302

L**LANGELAND, JENS**

Space Station - The use of expert systems for planning p 122 A87-25759

LANSIMIES, ESKO A.

Orthostatic tolerance and aerobic capacity p 113 A87-25957

LAUBER, JOHN K.

International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959

LAVROVA, V. M.

The effect of continuous and modulated laser irradiation on the activity of the glutamic-acid-metabolism enzymes in rat tissues p 102 A87-25168

LAZAREV, A. V.

The effect of a low-frequency magnetic field on the autorhythm of a frog's isolated atrium p 104 A87-26302

LEFEBVRE, J.

Parametric endocardiographic studies with two populations of pilots. I - Statistical analysis p 108 A87-24105

LEGER, A.

Symptoms of kinetosis: Simulator sickness - The relationship to sensorial illusions p 108 A87-24109

LEGUAY, G.

Asthma and aircrew p 108 A87-24108

LETAW, JOHN R.

Natural radiation hazards on the manned Mars mission p 116 A87-17777

LICHTENBERG, B. K.

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. IV - Space motion sickness: Symptoms, stimuli, and predictability p 114 A87-27347

- LICHTENTHALER, H. K.**
Laser-induced chlorophyll fluorescence of living plants
p 106 N87-18201
- Application of laser-induced chlorophyll-A fluorescence
in forest decline research
p 106 N87-18203
- LIPPERT, THOMAS M.**
Unitary suprathreshold color-difference metrics of
legibility for CRT raster imagery
[AD-A175062] p 123 N87-17434
- LITVIN, V. M.**
Orientation of wheat roots under the effect of the
geomagnetic field p 100 A87-24250
- LORENZI, GIOVANNA**
Effects of hypergravity on 'whole-blood' cultures of
human lymphocytes p 103 A87-25952

M

- MAGNANI, PIERGIOVANNI**
A robotic system for dexterous tasks
p 122 A87-25757
- MAILLE, M.**
Crystalline implants and the visual aptitude of pilots
p 107 A87-24102
- MAKSIMUK, V. F.**
Changes in the functional activity of cerebral cortical
structures and in their blood supply in alert rabbits
subjected to rocking motion p 102 A87-25198
- MALCONIAN, MARK K.**
Operation Everest 2: Alveolar and arterial blood gases
at extreme altitude
[AD-A173401] p 117 N87-18307
- MANENT, P.**
Refractive corneal surgery and its impacts on the visual
aptitude of pilots p 107 A87-24101
- MANSFIELD, JOHN M.**
Interferon in resistance to bacterial and protozoan
infections p 104 A87-26195
- MARACHEV, A. G.**
The acid-base state and gas composition of blood of
residents of the northeastern USSR p 110 A87-25109
- MATVEEV, L. N.**
The acid-base state and gas composition of blood of
residents of the northeastern USSR p 110 A87-25109
- MAXWELL, D. L.**
Effects of adenosine on ventilatory responses to hypoxia
and hypercapnia in humans p 109 A87-24145
- MCCANN, MICHAEL E.**
Radiation environment and shielding for early manned
Mars missions p 116 N87-17780
- MCCOY, R. K.**
M.I.T./Canadian vestibular experiments on the
Spacelab-1 mission. IV - Space motion sickness:
Symptoms, stimuli, and predictability p 114 A87-27347
- MCCULLOUGH, ROBERT E.**
Propranolol does not impair exercise oxygen uptake in
normal men at high altitude p 109 A87-24150
- MCCULLOUGH, ROSANN G.**
Propranolol does not impair exercise oxygen uptake in
normal men at high altitude p 109 A87-24150
- MCGREEVY, MICHAEL WALLACE**
The effect of perspective geometry on judged direction
in spatial information instruments p 123 A87-25841
- MCKAY, CHRISTOPHER P.**
Exobiology issues and experiments at a Mars base
p 105 N87-17762
- MEHLER, WILLIAM R.**
Axoglial contacts in the area postrema of the cat - An
ultrastructural study p 105 A87-27249
- MELNIK, S. G.**
Use of an electrotranquilization method to increase
vestibular stability in humans p 113 A87-26281
- MILLER, ROBERT E., II**
Subcontact lens bubble formation under low
atmospheric pressure conditions
[AD-A173533] p 118 N87-18309
- Effects of aviation altitudes on soft contact lens wear
[AD-A173534] p 118 N87-18310
- MIROSHNICHENKO, M. L.**
Desulfurococcus amylolyticus N.SP - New species of
extremal-thermophilic archaeobacteria from hydrothermal
systems p 101 A87-24275
- MODESTINO, S.**
M.I.T./Canadian vestibular experiments on the
Spacelab-1 mission. II - Visual vestibular tilt interaction in
weightlessness p 114 A87-27345
- MONEY, K. E.**
M.I.T./Canadian vestibular experiments on the
Spacelab-1 mission. I - Sensory adaptation to
weightlessness and readaptation to one-g: An overview
p 114 A87-27344

- M.I.T./Canadian vestibular experiments on the
Spacelab-1 mission. III - Effects of prolonged
weightlessness on a human otolith-spinal reflex
p 114 A87-27346
- M.I.T./Canadian vestibular experiments on the
Spacelab-1 mission. IV - Space motion sickness:
Symptoms, stimuli, and predictability p 114 A87-27347
- MONIN, I. U. G.**
The role of the state of serum water in osmolality
regulation in ground squirrels during spontaneous
awakening p 103 A87-25200
- MOORE-EDE, M. C.**
Resynchronization of circadian sleep-wake and
temperature cycles in the squirrel monkey following phase
shifts of the environmental light-dark cycle
p 103 A87-25954
- MOORE, LORNA G.**
Propranolol does not impair exercise oxygen uptake in
normal men at high altitude p 109 A87-24150
- MOORE, RANDY**
How roots respond to gravity p 99 A87-23524
- MOORE, THOMAS**
An experimental microcomputer controlled system for
synchronized pulsating anti-gravity suit
[AD-A174640] p 123 N87-17433
- MOREY, EMILY R.**
Osteoblast histogenesis in periodontal ligament and
tibial metaphysis during simulated weightlessness
p 103 A87-25951
- MORGAN, M. J.**
Vernier acuity predicted from changes in the light
distribution of the retinal image p 112 A87-25511
- MORI, ATSUYOSHI**
Patterns of sleep-wakefulness before and after
transmeridian flight in commercial airline pilots
p 120 A87-25962
- MOSTOVNIKOV, V. A.**
The effect of continuous and modulated laser irradiation
on the activity of the glutamic-acid-metabolism enzymes
in rat tissues p 102 A87-25168
- MUSCH, TIMOTHY I.**
Arterial blood gases and acid-base status of dogs during
graded dynamic exercise p 100 A87-24148
- MUZA, STEPHEN R.**
Power spectral analysis of the surface electromyogram
during shivering p 113 A87-25955

N

- NACHTWEY, D. S.**
Manned Mars mission radiation environment and
radiobiology p 116 N87-17776
- NAKIPOVA, O. V.**
The effect of a low-frequency magnetic field on the
autorhythm of a frog's isolated atrium p 104 A87-26302
- NARCY, P.**
Middle ear surgery and its impacts on the flight fitness
of pilots p 107 A87-24103
- NAUMANN, MARTIN**
Sleep, sleepiness, and circadian rhythmicity in aircrews
operating on transatlantic routes p 120 A87-25964
- NAUMENKO, G. M.**
Experimental modeling of autoimmune reactions under
the effect of nonionizing microwave radiation
p 102 A87-25167
- NECHAEV, S. V.**
The effect of continuous and modulated laser irradiation
on the activity of the glutamic-acid-metabolism enzymes
in rat tissues p 102 A87-25168
- NEMOV, V. V.**
Mathematical method for identifying biological and
heliogeophysical rhythms of different frequency
p 101 A87-25147
- NIBUSH, V. A.**
Reactivity of the human vegetative nervous system from
data obtained on the oculocardiac, carotid-sinus, and
planar reflexes p 111 A87-25119
- NICHOLSON, ANTHONY N.**
International cooperative study of aircrew layover sleep
Operational summary p 120 A87-25960
- Nocturnal sleep and daytime alertness of aircrew after
transmeridian flights p 120 A87-25963
- NIKANDROVA, T. I.**
Prostaglandins and the interphase death of irradiated
cells p 101 A87-25164
- NIKITIN, I. U. M.**
Mathematical method for identifying biological and
heliogeophysical rhythms of different frequency
p 101 A87-25147
- NIKLOWITZ, W. J.**
Immobilization-associated osteoporosis in primates
p 105 A87-27325

- NIKULIN, N. F.**
Development of better cockpit training programmes
under way p 119 A87-25850
- NIKUMB, S. K.**
Effect of dietary protein quality on the serum enzymes
of rats exposed to simulated hypobaric hypoxic stress
p 104 A87-25956
- NILOVA, N. S.**
Lipid peroxidation in cerebral synaptosomes of rats
under sleep disturbance p 104 A87-26301
- NOLOP, K. B.**
Effects of adenosine on ventilatory responses to hypoxia
and hypercapnia in humans p 109 A87-24145
- NOVOZHILOV, G. N.**
Heat exhaustion caused by body dehydration
p 111 A87-25171

O

- OMAN, C. M.**
M.I.T./Canadian vestibular experiments on the
Spacelab-1 mission. I - Sensory adaptation to
weightlessness and readaptation to one-g: An overview
p 114 A87-27344
- M.I.T./Canadian vestibular experiments on the
Spacelab-1 mission. IV - Space motion sickness:
Symptoms, stimuli, and predictability p 114 A87-27347
- OREL, V. E.**
Reliability of autoregulatory mechanisms in biosystems
subjected to ionizing radiation p 102 A87-25166
- ORGEL, LESLIE E.**
Did template-directed nucleation precede molecular
replication? p 125 A87-25813
- OSMININ, F. V.**
Reactivity of the human vegetative nervous system from
data obtained on the oculocardiac, carotid-sinus, and
planar reflexes p 111 A87-25119
- OST, ALAN H.**
Protein turnover in adipose tissue from fasted or diabetic
rats p 99 A87-23439

P

- PAGLIONE, R. W.**
Portable diagnostic radiometer
[AD-A173761] p 118 N87-18312
- PANDOLF, KENT B.**
Power spectral analysis of the surface electromyogram
during shivering p 113 A87-25955
- Cooling different body surfaces during upper-and-lower
body exercise
[AD-A173320] p 117 N87-18305
- PANFEROVA, N. E.**
Vascular responses under the effect of cold in mountain
climbers who are candidates to an Everest expedition
team p 110 A87-25112
- PANTLE, ALLAN**
Using low-level filters to encode spatial displacements
of visual stimuli p 119 A87-25400
- PARFENOV, G. P.**
A new type of chromosome aberrations in microspores
of *Tradescantia paludosa* observed in experiments on
board satellites p 101 A87-24266
- PASCOE, PETA A.**
Nocturnal sleep and daytime alertness of aircrew after
transmeridian flights p 120 A87-25963
- PAVLENKO, R. A.**
The combined effect on blood cells of hyperbaric
conditions and negative temperatures p 104 A87-26400
- PAVLOV, A. S.**
The effects of different types of hyperthermia on work
capacity p 110 A87-25113
- PERELMUTER, V. M.**
The effect of millimeter-range electromagnetic
oscillations on the blood system of animals depending
on the animal's initial status and the zone of irradiation
p 100 A87-24249
- PERRONE, JOHN A.**
Anisotropic responses to motion toward and away from
the eye p 119 A87-23440
- PETERKA, ROBERT J.**
Role of orientation reference selection in motion
sickness
[NASA-CR-180161] p 115 N87-17431
- PHILLIPS, GREGORY**
Hysteresis in the perception of motion direction as
evidence for neural cooperativity p 119 A87-25637
- PHILPOTT, DELBERT E.**
Axoglial contacts in the area postrema of the cat - An
ultrastructural study p 105 A87-27249

- PIEDECOCCO, B.**
Parametric endocardiographic studies with two populations of pilots. I - Statistical analysis p 108 A87-24105
- PIERALICE, M.**
Investigation on the asymmetrical induced yields in (Sr-90)-(Y-90)-beta-irradiated D- and L-alanines p 125 A87-25815
- PIKULEV, A. T.**
The effect of continuous and modulated laser irradiation on the activity of the glutamic-acid-metabolism enzymes in rat tissues p 102 A87-25168
- PISANKO, A. P.**
Reactivity of the human vegetative nervous system from data obtained on the oculocardiac, carotid-sinus, and planar reflexes p 111 A87-25119
- POIRIER, J. L.**
Solid mechanical vibrations. III p 108 A87-24106
- POLESSKAIA, L. M.**
A simplified model of heat exchange p 110 A87-25114
- POLIG, E.**
Automated trabecular bone histomorphometry p 105 A87-27324
- POLOZHENTSEV, S. D.**
Heat exhaustion caused by body dehydration p 111 A87-25171
- PONOMAREV, A. P.**
Thermopolarization analysis of purple membrane films of halobacteria p 100 A87-24248
- POPOVICH, PAVEL ROMANOVICH**
Ergonomic support of cosmonaut activity p 121 A87-24358
- POWERS, SCOTT K.**
Effects of hypoxia and hyperoxia on ventilatory kinetics during recovery from exercise p 113 A87-25958
- PRIANISHNIKOVA, E. N.**
Prostaglandins and the interphase death of irradiated cells p 101 A87-25164
- PRICE, P.**
The effects of prostaglandin E2 in rapidly growing rats
Depressed longitudinal and radial growth and increased metaphyseal hard tissue mass p 105 A87-27323
- PUTVINSKII, A. V.**
Biological effects of low-intensity millimeter-wave radiation p 122 A87-25216
- Q**
- QUANDIEU, P.**
Parametric endocardiographic studies with two populations of pilots. I - Statistical analysis p 108 A87-24105
- R**
- RAMA RAO, M. V.**
Effect of dietary protein quality on the serum enzymes of rats exposed to simulated hypobaric hypoxic stress p 104 A87-25956
- RAMACHANDRAN, V. S.**
Spatial phase and frequency in motion capture of random-dot patterns p 112 A87-25399
- RAUHALA, ERKKI**
Orthostatic tolerance and aerobic capacity p 113 A87-25957
- REDDY, B. R.**
An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit [AD-A174640] p 123 A87-17433
- REEVES, JOHN T.**
Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 A87-18306
Operation Everest 2: Alveolar and arterial blood gases at extreme altitude [AD-A173401] p 117 A87-18307
- REMINGTON, ROGER**
On the selection and evaluation of visual display symbology Factors influencing search and identification times p 122 A87-25839
- REUDINK, D. O.**
Automation and robotics with aerospace applications p 123 A87-25984
- RIES, A.**
Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144
- ROBERTS, W. EUGENE**
Osteoblast histogenesis in periodontal ligament and tibial metaphysis during simulated weightlessness p 103 A87-25951

- ROCK, PAUL B.**
Operation Everest 2: Alveolar and arterial blood gases at extreme altitude [AD-A173401] p 117 A87-18307
- ROMANTSEV, E. F.**
Prostaglandins and the interphase death of irradiated cells p 101 A87-25164
- RZHEVSKAIA, Z. I.**
The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation p 100 A87-24249

S

- SADLER, MARTHA H.**
Halobacterial adenosine triphosphatases and the adenosine triphosphatase from Halobacterium saccharovorum p 105 A87-27399
- SAGI, DOV**
Fast noninertial shifts of attention p 112 A87-25510
- SAMEL, ALEXANDER**
Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964
- SANTHANAM, K.**
Effect of dietary protein quality on the serum enzymes of rats exposed to simulated hypobaric hypoxic stress p 104 A87-25956
- SANTORO, THOMAS**
Distortion of calculated whole-body hematocrit during lower-body immersion in water p 109 A87-24147
- SANTY, PATRICIA A.**
Manned Mars mission crew factors p 124 A87-17772
Manned Mars mission psychological issues p 121 A87-17774
- SASAKI, MITSUO**
International cooperative study of aircrew layover sleep
Operational summary p 120 A87-25960
Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962
- SAVAGE, WAYNE**
Axoglial contacts in the area postrema of the cat - An ultrastructural study p 105 A87-27249
- SAVINA, L. A.**
Predicting the health condition of middle-aged persons from results of hemodynamic reactions to physical loads p 110 A87-25110
- SAWKA, M. N.**
Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress [AD-A172545] p 118 A87-18311
- SAWKA, MICHAEL N.**
Power spectral analysis of the surface electromyogram during shivering p 113 A87-25955
Cooling different body surfaces during upper-and-lower body exercise [AD-A173320] p 117 A87-18305
- SCHIMMEL, FRED**
A new philosophy for the central control facility of MEA [LINC-131] p 124 A87-18316
- SCHLITENHARDT, P.**
Remote sensing experiment: ADRIA 1984: A comparison of passive and laser-induced chlorophyll-fluorescence p 107 A87-18208
- SCHMITT, HARRISON H.**
Human adaptation and readaptation for Mars mission p 115 A87-17771
- SCHMUCK, G.**
Application of laser-induced chlorophyll-A fluorescence in forest decline research p 106 A87-18203
- SCHWARTZ, EDWIN**
Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964
- SCHWARTZ, ROCHELLE D.**
A selective imidazobenzodiazepine antagonist of ethanol in the rat p 99 A87-23475
- SEDEJ, MELAINE M.**
A physicochemical environmental control/life support system for the Mars transit vehicle p 124 A87-17788
Physiological and technological considerations for Mars mission extravehicular activity p 124 A87-17798
- SEIDEL, WESLEY F.**
Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961
- SEIGNEURIC, A.**
Medicinal treatments for cardiovascular blockings and their impact on light fitness p 108 A87-24104
- SEKULER, ROBERT**
Hysteresis in the perception of motion direction as evidence for neural cooperativity p 119 A87-25637

- SELEZNEV, V. I.**
Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111
- SELIATITSKAIA, V. G.**
Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375
- SEMENOVA, T. D.**
Evaluation of an operator's functional status under the conditions of sensory deficit p 111 A87-25118
- SHAKULA, A. V.**
Use of an electrotranquilization method to increase vestibular stability in humans p 113 A87-26281
- SHELHAMER, M.**
M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. II - Visual vestibular tilt interaction in weightlessness p 114 A87-27345
- SHINN, EUGENE A.**
Giant subtidal stromatolites forming in normal salinity waters p 101 A87-24860
- SHORIN, IU. P.**
Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375
- SIDORENKO, A. F.**
Coronagenic metabolic acidosis and the problems of its pharmacological correlation p 100 A87-24260
- SILBERBERG, REIN**
Natural radiation hazards on the manned Mars mission p 116 A87-17777
- SINGH, MALA**
Chemical evolution of iron containing enzymes - Mixed ligand complexes of iron as intermediary steps p 125 A87-25816
- SIROTA, M. G.**
The effect of immersion hypokinesia on characteristics of the rhythmic activity of soleus muscle motor units p 111 A87-25116
- SKOLNICK, PHIL**
A selective imidazobenzodiazepine antagonist of ethanol in the rat p 99 A87-23475
- SKOROMNYI, N. A.**
Changes in the functional activity of cerebral cortical structures and in their blood supply in alert rabbits subjected to rocking motion p 102 A87-25198
- SLAVINSKII, E. IU.**
Evoked cortical potentials in humans in response to vertical threshold accelerations p 111 A87-25117
- SLESAREV, A. I.**
Desulfurococcus amylolyticus N.SP - New species of extremal-thermophilic archaeobacteria from hydrothermal systems p 101 A87-24275
- SLOGGETT, D. R.**
The role of expert systems on Space Station p 122 A87-25758
- SNYDER, HARRY L.**
Unitary suprathreshold color-difference metrics of legibility for CRT raster imagery [AD-A175062] p 123 A87-17434
- SNYDER, LEWIS E.**
The search for biomolecules in space p 126 A87-26853
- SOBOLEVSKII, V. I.**
Increasing the thermal stability of an organism by means of hypoventilation training p 113 A87-26280
- SONNENFELD, GERALD**
Interferon in resistance to bacterial and protozoan infections p 104 A87-26195
- SPENCER, MICHAEL B.**
Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963
- SPERLING, GEORGE**
Three theories of stroboscopic motion detection p 112 A87-25398
- SPINWEBER, CHERYL L.**
Sedating and nonsedating sleeping aids in air operations [AD-A173503] p 117 A87-18308
- STARK, LAWRENCE**
Statistical dependency in visual scanning p 123 A87-25840
- STEINEN, RANDOLPH P.**
Giant subtidal stromatolites forming in normal salinity waters p 101 A87-24860
- STONE, BARBARA M.**
Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963
- STRASSER, R. J.**
Laser-induced fluorescence of plants and its application in environmental research p 106 A87-18202
- STRAY-GUNDERSEN, JAMES**
Arterial blood gases and acid-base status of dogs during graded dynamic exercise p 100 A87-24148

SUNTISOV, V. N.

Reactivity of the human vegetative nervous system from data obtained on the oculocardiac, carotid-sinus, and planar reflexes p 111 A87-25119

SUTTON, JOHN R.

Operation Everest 2: Preservation of cardiac function at extreme altitude p 117 N87-18306

Operation Everest 2: Alveolar and arterial blood gases at extreme altitude [AD-A173401] p 117 N87-18307

SUZDAK, PETER D.

A selective imidazobenzodiazepine antagonist of ethanol in the rat p 99 A87-23475

SVETLICHNAIA, T. P.

Desulfurococcus amylolyticus N.SP. - New species of extremal-thermophilic archaeobacteria from hydrothermal systems p 101 A87-24275

SWALLOW, K. C.

Supercritical water oxidation of products of human metabolism [NASA-CR-180144] p 115 N87-17430

T**TARANOVA, N. P.**

Lipid peroxidation in cerebral synaptosomes of rats under sleep disturbance p 104 A87-26301

TESTER, JEFFERSON W.

Supercritical water oxidation of products of human metabolism [NASA-CR-180144] p 115 N87-17430

THOMASSON, T. B.

Supercritical water oxidation of products of human metabolism [NASA-CR-180144] p 115 N87-17430

TISCHLER, MARC E.

Protein turnover in adipose tissue from fasted or diabetic rats p 99 A87-23439

Increased response to insulin of glucose metabolism in the 6-day unloaded rat soleus muscle p 99 A87-23441

Reduction-oxidation state and protein degradation in skeletal muscles of growing rats p 99 A87-23453

Reduction-oxidation state and protein degradation in skeletal muscle of fasted and refed rats p 104 A87-26198

TOMI, L. M.

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346

TRAVKIN, M. P.

Orientation of wheat roots under the effect of the geomagnetic field p 100 A87-24250

TREDICI, THOMAS J.

Subcontact lens bubble formation under low atmospheric pressure conditions [AD-A173533] p 118 N87-18309

Effects of aviation altitudes on soft contact lens wear [AD-A173534] p 118 N87-18310

TRINUS, K. F.

Evoked cortical potentials in humans in response to vertical threshold accelerations p 111 A87-25117

TSAGO, C. H.

Natural radiation hazards on the manned Mars mission p 116 N87-17777

TSYRLIN, V. A.

Organization and suprabulbar control of the baroreceptor reflex arc p 100 A87-24259

U**UENO, K.**

The effects of prostaglandin E2 in rapidly growing rats

Depressed longitudinal and radial growth and increased metaphyseal hard tissue mass p 105 A87-27323

UPCHURCH, GARLAND R., JR.

Vegetation, climatic and floral changes at the Cretaceous-Tertiary boundary p 101 A87-24867

V**VAN SANTEN, JAN P. H.**

Three theories of stroboscopic motion detection p 112 A87-25398

VANGELI, V. S.

A simplified model of heat exchange p 110 A87-25114

VASILEVSKII, N. N.

Individual variations in the adaptation to hypoxia and to cold according to the criterion of emotional-behavioral reactivity p 100 A87-24261

B-6**VASSOUT, P.**

Biological effects of aerial shock waves: Review of work to date [ISL-NB-402/85] p 115 N87-17432

VICAUT, E.

Parametric endocardiographic studies with two populations of pilots. I - Statistical analysis p 108 A87-24105

VINOGRADOV, G. I.

Experimental modeling of autoimmune reactions under the effect of nonionizing microwave radiation p 102 A87-25167

W**WAGNER, P. D.**

Pulmonary gas exchange in humans during normobaric hypoxic exercise p 109 A87-24144

WAGNER, PETER D.

Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 N87-18306

WALDROP, TONY G.

Arterial blood gases and acid-base status of dogs during graded dynamic exercise p 100 A87-24148

WALIGORA, JAMES M.

Physiological and technological considerations for Mars mission extravehicular activity p 124 N87-17798

WATSON, ANDREW B.

Apparent motion occurs only between similar spatial frequencies p 119 A87-23438

WATT, D. G. D.

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346

WEAVER, LELLAND A. C.

The role of robotics in space p 122 A87-25756

WEGMANN, HANS M.

International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960

Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964

WEWERINKE, P. H.

Model of the human controller of a dynamic system [MEMO-580] p 124 N87-17435

WEXLER, D. B.

Resynchronization of circadian sleep-wake and temperature cycles in the squirrel monkey following phase shifts of the environmental light-dark cycle p 103 A87-25954

WIERVILLE, WALTER W.

Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 N87-18302

WILLIAMS, D. L.

Laser-Induced Fluorescence (LIF) from plant foliage p 106 N87-18204

WILLIAMS, DOUGLAS

Hysteresis in the perception of motion direction as evidence for neural cooperativity p 119 A87-25637

On the selection and evaluation of visual display symbology Factors influencing search and identification times p 122 A87-25839

WILLIAMSON, SAMUEL J.

Neuromagnetic investigation of workload and attention [AD-A173155] p 124 N87-18315

WOLFE, JACK A.

Vegetation, climatic and floral changes at the Cretaceous-Tertiary boundary p 101 A87-24867

WOODBURY, D.

The effects of prostaglandin E2 in rapidly growing rats

Depressed longitudinal and radial growth and increased metaphyseal hard tissue mass p 105 A87-27323

Y**YOUNG, A. J.**

Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress [AD-A172545] p 118 N87-18311

YOUNG, ANDREW J.

Power spectral analysis of the surface electromyogram during shivering p 113 A87-25955

Cooling different body surfaces during upper-and-lower body exercise [AD-A173320] p 117 N87-18305

YOUNG, D. R.

Immobilization-associated osteoporosis in primates p 105 A87-27325

YOUNG, L. R.

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. II - Visual vestibular tilt interaction in weightlessness p 114 A87-27345

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. V - Postural responses following exposure to weightlessness p 114 A87-27348

M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. VI - Vestibular reactions to lateral acceleration following ten days of weightlessness p 115 A87-27349

Z**ZAGUSTINA, V. B.**

Individual variations in the adaptation to hypoxia and to cold according to the criterion of emotional-behavioral reactivity p 100 A87-24261

ZHULANOVA, Z. I.

Prostaglandins and the interphase death of irradiated cells p 101 A87-25164


ZIMMERMANN, R.

Laser-induced chlorophyll-A fluorescence of terrestrial plants p 107 N87-18207

ZYRIANOVA, T. N.

The effect of continuous and modulated laser irradiation on the activity of the glutamic-acid-metabolism enzymes in rat tissues p 102 A87-25168

Typical Corporate Source Index Listing



Listings in this index are arranged alphabetically by corporate source. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

A

Arizona Univ., Tucson.

- Protein turnover in adipose tissue from fasted or diabetic rats p 99 A87-23439
- Increased response to insulin of glucose metabolism in the 6-day unloaded rat soleus muscle p 99 A87-23441
- Reduction-oxidation state and protein degradation in skeletal muscles of growing rats p 99 A87-23453
- Reduction-oxidation state and protein degradation in skeletal muscle of fasted and refed rats p 104 A87-26198

Army Research Inst. of Environmental Medicine,

- Natick, Mass.
- Cooling different body surfaces during upper-and-lower body exercise [AD-A173320] p 117 N87-18305
- Operation Everest 2: Alveolar and arterial blood gases at extreme altitude [AD-A173401] p 117 N87-18307
- Autologous red blood cell reinfusion: Effects on stress and fluid regulatory hormones during exercise-heat stress [AD-A172545] p 118 N87-18311

B

Beth Israel Hospital, Boston, Mass.

- Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146
- British Airways Medical Service, Middlesex (England).
- Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963

C

California Univ., Berkeley.

- Statistical dependency in visual scanning p 123 A87-25840

California Univ., La Jolla.

- The effects of prostaglandin E2 in rapidly growing rats
- Depressed longitudinal and radial growth and increased metaphyseal hard tissue mass p 105 A87-27323

California Univ., San Diego.

- Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146

California Univ., San Francisco.

- Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961

Colorado Univ., Denver.

- Operation Everest 2: Preservation of cardiac function at extreme altitude [AD-A173322] p 117 N87-18306

D

David Sarnoff Research Center, Princeton, N.J.

- Portable diagnostic radiometer [AD-A173761] p 118 N87-18312

Defence and Civil Inst. of Environmental Medicine, Downsview (Ontario).

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344
- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346
- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. IV - Space motion sickness: Symptoms, stimuli, and predictability p 114 A87-27347

Delaware Univ., Newark.

- The role of attention in automatic skills [AD-A173190] p 121 N87-18314

Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Cologne (West Germany).

- International cooperative study of aircrew layover sleep
- Operational summary p 120 A87-25960
- Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964

Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Oberpfaffenhofen (West Germany).

- Remote sensing experiment: ADRIA 1984: A comparison of passive and laser-induced chlorophyll-fluorescence p 107 N87-18208

Deutsche Lufthansa Aktiengesellschaft, Frankfurt am Main (West Germany).

- Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964

Drexel Univ., Philadelphia, Pa.

- An experimental microcomputer controlled system for synchronized pulsating anti-gravity suit [AD-A174640] p 123 N87-17433

F

Federal Aviation Administration, Washington, D.C.

- Medically disqualified airline pilots [AD-A173244] p 116 N87-18303
- Effects of sleep loss on vestibular response during simple and complex vestibular stimulation [AD-A173292] p 117 N87-18304

G

George Washington Univ., Washington, D.C.

- The 1985-86 NASA space/gravitational biology accomplishments [NASA-TM-89809] p 107 N87-18300

Good Samaritan Hospital and Medical Center, Portland, Oreg.

- Role of orientation reference selection in motion sickness [NASA-CR-180161] p 115 N87-17431

H

Harvard Univ., Boston, Mass.

- Resynchronization of circadian sleep-wake and temperature cycles in the squirrel monkey following phase shifts of the environmental light-dark cycle p 103 A87-25954

I

Institut Franco-Allemand de Recherches, St. Louis (France).

- Biological effects of aerial shock waves: Review of work to date [ISL-NB-402/85] p 115 N87-17432
- The biomechanics of hearing [ISL-R-102/86] p 118 N87-18313

J

Japan Air Lines Co. Ltd., Tokyo.

- International cooperative study of aircrew layover sleep
- Operational summary p 120 A87-25960
- Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962

K

Karlsruhe Univ. (West Germany).

- Laser-induced chlorophyll fluorescence of living plants p 106 N87-18201
- Application of laser-induced chlorophyll-A fluorescence in forest decline research p 106 N87-18203
- Kernforschungszentrum, Karlsruhe (West Germany).
- Automated trabecular bone histomorphometry p 105 A87-27324

L

Louisville Univ., Ky.

- Interferon in resistance to bacterial and protozoan infections p 104 A87-26195

M

Massachusetts Inst. of Tech., Cambridge.

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344
- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. II - Visual vestibular tilt interaction in weightlessness p 114 A87-27345
- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. IV - Space motion sickness: Symptoms, stimuli, and predictability p 114 A87-27347

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. V - Postural responses following exposure to weightlessness p 114 A87-27348
- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. VI - Vestibular reactions to lateral acceleration following ten days of weightlessness p 115 A87-27349

- Supercritical water oxidation of products of human metabolism [NASA-CR-180144] p 115 N87-17430

McGill Univ., Montreal (Quebec).

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. I - Sensory adaptation to weightlessness and readaptation to one-g: An overview p 114 A87-27344

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346

Michigan State Univ., East Lansing.

Interferon in resistance to bacterial and protozoan infections p 104 A87-26195

Michigan Univ., Ann Arbor.

Intuitive reasoning about abstract and familiar physics problems p 121 A87-27525

N**Nationaal Inst. voor Kernfysica en Hoge Energiefysica, Amsterdam (Netherlands).**

A new philosophy for the central control facility of MEA [LINC-131] p 124 N87-18316

National Aeronautics and Space Administration, Washington, D.C.

Socio/psychological issues for a Mars mission p 121 N87-17778
The 1985-86 NASA space/gravitational biology accomplishments [NASA-TM-89809] p 107 N87-18300

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 294) [NASA-SP-7011(294)] p 116 N87-18301

National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

Apparent motion occurs only between similar spatial frequencies p 119 A87-23438
Anisotropic responses to motion toward and away from the eye p 119 A87-23440
Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146
Kinetics of the hydrolysis of guanosine 5'-phospho-2-methylimidazole p 125 A87-25818
On the selection and evaluation of visual display symbology Factors influencing search and identification times p 122 A87-25839
Statistical dependency in visual scanning p 123 A87-25840

The effect of perspective geometry on judged direction in spatial information instruments p 123 A87-25841
Osteoblast histogenesis in periodontal ligament and tibial metaphysis during simulated weightlessness p 103 A87-25951

International aircrew sleep and wakefulness after multiple time zone flights - A cooperative study p 120 A87-25959

International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960

Axoglial contacts in the area postrema of the cat - An ultrastructural study p 105 A87-27249

Masking of the circadian rhythms of heart rate and core temperature by the rest-activity cycle in man p 113 A87-27250

Immobilization-associated osteoporosis in primates p 105 A87-27325

Halobacterial adenosine triphosphatases and the adenosine triphosphatase from Halobacterium saccharovorum p 105 A87-27399

Intuitive reasoning about abstract and familiar physics problems p 121 A87-27525

Exobiology issues and experiments at a Mars base p 105 N87-17762

National Aeronautics and Space Administration.**Goddard Space Flight Center, Greenbelt, Md.**

Laser-Induced Fluorescence (LIF) from plant foliage p 106 N87-18204

Laser and sunlight-induced fluorescence from chlorophyll pigments p 106 N87-18205

National Aeronautics and Space Administration.**Lyndon B. Johnson Space Center, Houston, Tex.**

Dexamethasone mimicks the antinotion sickness effects of amphetamine and scopolamine p 109 A87-24750

Adaptation and readaptation medical concerns of a Mars trip p 115 N87-17770

Manned Mars mission crew factors p 124 N87-17772

Manned Mars mission health maintenance facility p 115 N87-17773

Manned Mars mission psychological issues p 121 N87-17774

Manned Mars mission radiation environment and radiobiology p 116 N87-17776

Toxicological safeguards in the manned Mars missions p 116 N87-17781

A physicochemical environmental control/life support system for the Mars transit vehicle p 124 N87-17788

Physiological and technological considerations for Mars mission extravehicular activity p 124 N87-17798

Automation, robotics, and inflight training for manned Mars missions p 121 N87-17803

National Aeronautics and Space Administration.**Marshall Space Flight Center, Huntsville, Ala.**

Human adaptation and readaptation for Mars mission p 115 N87-17771

Radiation environment and shielding for early manned Mars missions p 116 N87-17780

Manned Mars mission environmental control and life support subsystem p 124 N87-17797

Naval Health Research Center, San Diego, Calif.

Sedating and nonsedating sleeping aids in air operations [AD-A173503] p 117 N87-18308

Naval Research Lab., Washington, D. C.

Natural radiation hazards on the manned Mars mission p 116 N87-17777

New York Univ., New York.

Neuromagnetic investigation of workload and attention [AD-A173155] p 124 N87-18315

O**Oldenburg Univ. (West Germany).**

Photoinhibition of chlorophyll-A fluorescence and its influence to remote sensing techniques p 106 N87-18206

Laser-induced chlorophyll-A fluorescence of terrestrial plants p 107 N87-18207

P**Psycho-Linguistic Research Associates, Menlo Park, Calif.**

On the selection and evaluation of visual display symbology Factors influencing search and identification times p 122 A87-25839

R**Rensselaer Polytechnic Inst., Troy, N.Y.**

The adsorption and reaction of adenine nucleotides on montmorillonite p 125 A87-25817

Royal Air Force, Farnborough (England).

International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960

Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963

S**Salk Institute for Biological Studies, San Diego, Calif.**

Did template-directed nucleation precede molecular replication? p 125 A87-25813

San Francisco Univ., Calif.

Immobilization-associated osteoporosis in primates p 105 A87-27325

San Jose State Univ., Calif.

Axoglial contacts in the area postrema of the cat - An ultrastructural study p 105 A87-27249

School of Aerospace Medicine, Brooks AFB, Tex.

Subcontact lens bubble formation under low atmospheric pressure conditions [AD-A173533] p 118 N87-18309

Effects of aviation altitudes on soft contact lens wear [AD-A173534] p 118 N87-18310

Stanford Univ., Calif.

International cooperative study of aircrew layover sleep Operational summary p 120 A87-25960

Sleep and wakefulness in aircrew before and after transoceanic flights p 120 A87-25961

State Univ. of New York, Buffalo.

Effect of water immersion on cardiopulmonary physiology at high gravity (+Gz) p 109 A87-24143

Stuttgart Univ. (West Germany).

Laser-induced fluorescence of plants and its application in environmental research p 106 N87-18202

T**Technion - Israel Inst. of Tech., Haifa.**

Effect of water immersion on cardiopulmonary physiology at high gravity (+Gz) p 109 A87-24143

Technische Hogeschool Twente, Enschede (Netherlands).

Model of the human controller of a dynamic system [MEMO-580] p 124 N87-17435

U**University of the Pacific, San Francisco, Calif.**

Osteoblast histogenesis in periodontal ligament and tibial metaphysis during simulated weightlessness p 103 A87-25951

Utah Univ., Salt Lake City.

The effects of prostaglandin E2 in rapidly growing rats Depressed longitudinal and radial growth and increased metaphyseal hard tissue mass p 105 A87-27323

Automated trabecular bone histomorphometry p 105 A87-27324

Immobilization-associated osteoporosis in primates p 105 A87-27325

V**Veterans Administration Hospital, San Diego, Calif.**

Atropine unmasks bed-rest effect - A spectral analysis of cardiac interbeat intervals p 109 A87-24146

Virginia Polytechnic Inst. and State Univ., Blacksburg.


Unitary suprathreshold color-difference metrics of legibility for CRT raster imagery [AD-A175062] p 123 N87-17434

Vehicular simulator-induced sickness. Volume 3: Survey of etiological factors and research facility requirements [AD-A173226] p 116 N87-18302

W**Wisconsin Univ., Madison.**

Interferon in resistance to bacterial and protozoan infections p 104 A87-26195

Typical Foreign Technology Index Listing



Listings in this index are arranged alphabetically by country of intellectual origin. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the citation in the abstract section.

B

BULGARIA

- Universal regularities in protein primary structure
Preference in bonding and periodicity p 103 A87-25814

C

CANADA

- M.I.T./Canadian vestibular experiments on the Spacelab-1 mission. III - Effects of prolonged weightlessness on a human otolith-spinal reflex p 114 A87-27346

CZECHOSLOVAKIA

- Radioprotective activity of cystamine and gammaphos under gamma-ray irradiation p 104 A87-26282

D

DENMARK

- Space Station - The use of expert systems for planning p 122 A87-25759

F

FINLAND

- Orthostatic tolerance and aerobic capacity p 113 A87-25957

FRANCE

- Refractive corneal surgery and its impacts on the visual aptitude of pilots p 107 A87-24101
Crystalline implants and the visual aptitude of pilots p 107 A87-24102
Middle ear surgery and its impacts on the flight fitness of pilots p 107 A87-24103
Medicinal treatments for cardiovascular blockings and their impact on flight fitness p 108 A87-24104

- Parametric endocardiographic studies with two populations of pilots. I - Statistical analysis p 108 A87-24105
Solid mechanical vibrations. III p 108 A87-24106
Sinus barotrauma in the aeronautical environment. I p 108 A87-24107
Asthma and aircrew p 108 A87-24108
Symptoms of kinetosis: Simulator sickness - The relationship to sensorial illusions p 108 A87-24109
Spatial integration characteristics in motion detection and direction identification p 112 A87-25508
Biological effects of aerial shock waves: Review of work to date p 115 A87-17432
[ISL-NB-402/85]
The biomechanics of hearing p 118 A87-18313
[ISL-R-102/86]

G

GERMANY, FEDERAL REPUBLIC OF

- Sleep, sleepiness, and circadian rhythmicity in aircrews operating on transatlantic routes p 120 A87-25964
Automated trabecular bone histomorphometry p 105 A87-27324
Laser-induced chlorophyll fluorescence of living plants p 106 A87-18201
Laser-induced fluorescence of plants and its application in environmental research p 106 A87-18202
Application of laser-induced chlorophyll-A fluorescence in forest decline research p 106 A87-18203
Photoinhibition of chlorophyll-A fluorescence and its influence to remote sensing techniques p 106 A87-18206
Laser-induced chlorophyll-A fluorescence of terrestrial plants p 107 A87-18207
Remote sensing experiment: ADRIA 1984: A comparison of passive and laser-induced chlorophyll-fluorescence p 107 A87-18208

I

INDIA

- Chemical evolution of iron containing enzymes - Mixed ligand complexes of iron as intermediary steps p 125 A87-25816
Effect of dietary protein quality on the serum enzymes of rats exposed to simulated hypobaric hypoxic stress p 104 A87-25956

ISRAEL

- Effect of water immersion on cardiopulmonary physiology at high gravity (+Gz) p 109 A87-24143

ITALY

- A robotic system for dexterous tasks p 122 A87-25757
Investigation on the asymmetrical induced yields in (Sr-90)-(Y-90)-beta-irradiated D- and L-alanines p 125 A87-25815

J

JAPAN

- Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots p 120 A87-25962

N

NETHERLANDS

- Model of the human controller of a dynamic system [MEMO-580] p 124 A87-17435
A new philosophy for the central control facility of MEA [LINO-131] p 124 A87-18316

S

SWITZERLAND

- Effects of hypergravity on 'whole-blood' cultures of human lymphocytes p 103 A87-25952

U

U.S.S.R.

- Thermodepolarization analysis of purple membrane films of halobacteria p 100 A87-24248
The effect of millimeter-range electromagnetic oscillations on the blood system of animals depending on the animal's initial status and the zone of irradiation p 100 A87-24249
Orientation of wheat roots under the effect of the geomagnetic field p 100 A87-24250
Organization and suprabulbar control of the baroreceptor reflex arc p 100 A87-24259
Coronarogenic metabolic acidosis and the problems of its pharmacological correlation p 100 A87-24260
Individual variations in the adaptation to hypoxia and to cold according to the criterion of emotional-behavioral reactivity p 100 A87-24261
A new type of chromosome aberrations in microspores of *Tradescantia paludosa* observed in experiments on board satellites p 101 A87-24266
Desulfurococcus amylolyticus N.SP - New species of extremal-thermophilic archaeobacteria from hydrothermal systems p 101 A87-24275
Ergonomic support of cosmonaut activity p 121 A87-24358
Study of the role of peroxidative oxidation of lipids in changing the sensitivity of rat liver to glucocorticoids during cold adaptation p 101 A87-24375
The acid-base state and gas composition of blood of residents of the northeastern USSR p 110 A87-25109
Predicting the health condition of middle-aged persons from results of hemodynamic reactions to physical loads p 110 A87-25110
Reactions of the cardiopulmonary system on low-power infrared laser irradiation of isolated skin areas of the hand p 110 A87-25111
Vascular responses under the effect of cold in mountain climbers who are candidates to an Everest expedition team p 110 A87-25112
The effects of different types of hyperthermia on work capacity p 110 A87-25113
A simplified model of heat exchange p 110 A87-25114
Reorganization of microcirculation in the lower extremities under conditions of regional orthostatic hypertension p 111 A87-25115
The effect of immersion hypokinesia on characteristics of the rhythmic activity of soleus muscle motor units p 111 A87-25116
Evoked cortical potentials in humans in response to vertical threshold accelerations p 111 A87-25117
Evaluation of an operator's functional status under the conditions of sensory deficit p 111 A87-25118
Reactivity of the human vegetative nervous system from data obtained on the oculocardiac, carotid-sinus, and planar reflexes p 111 A87-25119
Mathematical method for identifying biological and heliogeophysical rhythms of different frequency p 101 A87-25147
Prostaglandins and the interphase death of irradiated cells p 101 A87-25164
The problem of peroxidation in radiobiology p 101 A87-25165
Reliability of autoregulatory mechanisms in biosystems subjected to ionizing radiation p 102 A87-25166
Experimental modeling of autoimmune reactions under the effect of nonionizing microwave radiation p 102 A87-25167
The effect of continuous and modulated laser irradiation on the activity of the glutamic-acid-metabolism enzymes in rat tissues p 102 A87-25168
The effect of localized microwave irradiation of the rat foot on the impulse activity in the tibial nerve p 102 A87-25169
The role of radioprotectors in the effectiveness of the treatment of combined radiation injuries p 102 A87-25170
Heat exhaustion caused by body dehydration p 111 A87-25171
Diagnosing fatigue and overfatigue in flight personnel p 111 A87-25172

Changes in the functional activity of cerebral cortical structures and in their blood supply in alert rabbits subjected to rocking motion p 102 A87-25198

Dynamics of certain characteristics of sympathetic ganglia of animals subjected to chemical desympathization at high altitude p 103 A87-25199

The role of the state of serum water in osmolality regulation in ground squirrels during spontaneous awakening p 103 A87-25200

Biological effects of low-intensity millimeter-wave radiation p 122 A87-25216

Spacecraft life-support systems: Biophysical principles of design and testing p 122 A87-25498

Development of better cockpit training programmes under way p 119 A87-25850

Increasing the thermal stability of an organism by means of hypoventilational training p 113 A87-26280

Use of an electrotranquilization method to increase vestibular stability in humans p 113 A87-26281

Lipid peroxidation in cerebral synaptosomes of rats under sleep disturbance p 104 A87-26301

The effect of a low-frequency magnetic field on the autorhythm of a frog's isolated atrium p 104 A87-26302

The combined effect on blood cells of hyperbaric conditions and negative temperatures p 104 A87-26400

UNITED KINGDOM

Effects of adenosine on ventilatory responses to hypoxia and hypercapnia in humans p 109 A87-24145

The tilt after-effect - Changes with stimulus size and eccentricity p 112 A87-25509

Vernier acuity predicted from changes in the light distribution of the retinal image p 112 A87-25511

Selective internal operations in the recognition of locally and globally point-inverted patterns p 119 A87-25512

The role of robotics in space p 122 A87-25756

The role of expert systems on Space Station p 122 A87-25758


Nocturnal sleep and daytime alertness of aircrew after transmeridian flights p 120 A87-25963

CONTRACT NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 298)

June 1987

Typical Contract Number Index Listing



Listings in this index are arranged alpha-numerically by contract number. Under each contract number, the accession numbers denoting documents that have been produced as a result of research done under that contract are arranged in ascending order with the AIAA accession numbers appearing first. The accession number denotes the number by which the citation is identified in the abstract section. Preceding the accession number is the page number on which the citation may be found.

NIH-HD-00681	p 109	A87-24150
NIH-HL-06296	p 100	A87-24148
NIH-HL-07171	p 109	A87-24150
NIH-HL-07360	p 100	A87-24148
NIH-HL-14985	p 109	A87-24150
NIH-HL-17731	p 109	A87-24144
NIH-HL-20663	p 108	A87-24142
NIH-HL-26927	p 100	A87-24149
NIH-HL-28662	p 100	A87-24148
NIH-MH-05804	p 120	A87-25961
NIH-RR-00827	p 109	A87-24144
NIH-RR-05375	p 104	A87-26195
NIM-AM-31844	p 105	A87-27324
NSF AST-82-17547	p 126	A87-26853
NSF CHE-83-04466	p 125	A87-25817
NSG-2403	p 115	N87-17430
NSG-9054	p 103	A87-25954
N00014-78-CK-0238	p 123	N87-17434
N00014-83-C-0524	p 118	N87-18312
N00014-84-K-0226	p 116	N87-18302
N00014-85-K-0566	p 123	N87-17433
PHS-AM-28647	p 99	A87-23453
SNSF-3,382,0,82	p 104	A87-26198
SNSF-81,166,0,84	p 103	A87-25952
	p 119	A87-25512

AF-AFOSR-78-3560	p 103	A87-25954
AF-AFOSR-80-0279	p 112	A87-25398
CNRS-ATP-955130	p 112	A87-25508
DAAG29-83-K-0049	p 121	N87-18314
DAMD17-85-C-5205	p 109	A87-24150
DAMD17-85-C-5206	p 117	N87-18306
DE-AC02-76EV-00119	p 105	A87-27323
	p 105	A87-27324
F33615-81-K-0514	p 119	A87-25400
F33615-83-C-0507	p 119	A87-25400
F49620-82-K-0014	p 124	N87-18315
MRC-MA-5837	p 114	A87-27346
MRC-SP-10	p 114	A87-27346
MRC-TG-32	p 114	A87-27346
NAGW-227	p 99	A87-23439
	p 99	A87-23441
	p 99	A87-23453
	p 104	A87-26198
NAGW-356	p 103	A87-25951
NAG2-108	p 105	A87-27323
	p 105	A87-27324
	p 105	A87-27325
NAG2-224	p 115	N87-17430
NAG2-384	p 99	A87-23441
NAG9-117	p 115	N87-17431
NASW-3165	p 107	N87-18300
NAS9-15343	p 114	A87-27344
	p 114	A87-27345
	p 114	A87-27347
	p 114	A87-27348
	p 115	A87-27349
NAS9-16042	p 109	A87-24143
NAS9-17371	p 114	A87-27347
NCA2-OR-675-303	p 105	A87-27249
NCC2-135	p 105	A87-27325
NCC2-213	p 104	A87-26195
NCC2-224	p 103	A87-25951
NCC2-282	p 105	A87-27249
NCC2-302	p 120	A87-25961
	p 120	A87-25962
	p 120	A87-25963
	p 120	A87-25964
NCC2-86	p 123	A87-25840
NGR-33-018-148	p 125	A87-25817
NIH-AI-14848	p 104	A87-26195
NIH-AI-17041	p 104	A87-26195
NIH-AI-22441	p 104	A87-26195
NIH-AM-20935	p 105	A87-27323
NIH-AM-27029	p 105	A87-27323
	p 105	A87-27324
NIH-AM-28647	p 99	A87-23439


CONTRACT

REPORT NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 298)

June 1987

Typical Report Number Index Listing



NASA-TM-89809	p 107	N87-18300 * #
NAVHLTHRSCHC-86-18	p 117	N87-18308 #
NTSC-TR-86-012	p 116	N87-18302 #
PRRL-86-CR-10	p 118	N87-18312 #
USAFSAM-TR-86-20	p 118	N87-18310 #
USAFSAM-TR-86-21	p 118	N87-18309 #
USARIEM-M-48-86	p 118	N87-18311 #
USARIEM-M-54-86	p 117	N87-18305 #
USARIEM-M44/86	p 117	N87-18307 #


Listings in this index are arranged alpha-numerically by report number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

AD-A172545	p 118	N87-18311 #
AD-A173155	p 124	N87-18315 #
AD-A173190	p 121	N87-18314 #
AD-A173226	p 116	N87-18302 #
AD-A173244	p 116	N87-18303 #
AD-A173292	p 117	N87-18304 #
AD-A173320	p 117	N87-18305 #
AD-A173322	p 117	N87-18306 #
AD-A173401	p 117	N87-18307 #
AD-A173503	p 117	N87-18308 #
AD-A173533	p 118	N87-18309 #
AD-A173534	p 118	N87-18310 #
AD-A173761	p 118	N87-18312 #
AD-A174640	p 123	N87-17433 #
AD-A175062	p 123	N87-17434 #
AFOSR-86-0913TR	p 124	N87-18315 #
ARO-20502.7-LS	p 121	N87-18314 #
ETN-87-98793	p 118	N87-18313 #
ETN-87-98805	p 115	N87-17432 #
ETN-87-99059	p 124	N87-17435 #
ETN-87-99147	p 124	N87-18316 #
FAA/AM-86/17	p 116	N87-18303 #
FAA/AM-86/9	p 117	N87-18304 #
FR-1	p 124	N87-18315 #
HFL/ONR-86-3	p 123	N87-17434 #
IEOR-TR-8503	p 116	N87-18302 #
ISL-NB-402/85	p 115	N87-17432 #
ISL-R-102/86	p 118	N87-18313 #
ISSN-0169-2690	p 124	N87-17435 #
LINO-131	p 124	N87-18316 #
MEMO-580	p 124	N87-17435 #
NADC-86119-60	p 123	N87-17433 #
NAS 1.15:89809	p 107	N87-18300 * #
NAS 1.21:7011(294)	p 116	N87-18301 * #
NAS 1.26:180144	p 115	N87-17430 * #
NAS 1.26:180161	p 115	N87-17431 * #
NASA-CR-180144	p 115	N87-17430 * #
NASA-CR-180161	p 115	N87-17431 * #
NASA-SP-7011(294)	p 116	N87-18301 * #

REPORT

ACCESSION NUMBER INDEX

Typical Accession Number Index Listing



Listings in this index are arranged alpha-numerically by accession number. The page number listed to the right indicates the page on which the citation is located. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

A87-23438 * #	p 119	A87-25169 #	p 102
A87-23439 * #	p 99	A87-25170 #	p 102
A87-23440 * #	p 119	A87-25171 #	p 111
A87-23441 * #	p 99	A87-25172 #	p 111
A87-23453 * #	p 99	A87-25198 #	p 102
A87-23475 #	p 99	A87-25199 #	p 103
A87-23524 #	p 99	A87-25200 #	p 103
A87-24101 #	p 107	A87-25216 #	p 122
A87-24102 #	p 107	A87-25398 #	p 112
A87-24103 #	p 107	A87-25399 #	p 112
A87-24104 #	p 108	A87-25400 #	p 119
A87-24105 #	p 108	A87-25498 #	p 122
A87-24106 #	p 108	A87-25508 #	p 112
A87-24107 #	p 108	A87-25509 #	p 112
A87-24108 #	p 108	A87-25510 #	p 112
A87-24109 #	p 108	A87-25511 #	p 112
A87-24142 #	p 108	A87-25512 #	p 119
A87-24143 * #	p 109	A87-25637 #	p 119
A87-24144 #	p 109	A87-25756 #	p 122
A87-24145 #	p 109	A87-25757 #	p 122
A87-24146 * #	p 109	A87-25758 #	p 122
A87-24147 #	p 109	A87-25759 #	p 122
A87-24148 #	p 100	A87-25812 #	p 125
A87-24149 #	p 100	A87-25813 * #	p 125
A87-24150 #	p 109	A87-25814 #	p 103
A87-24248 #	p 100	A87-25815 #	p 125
A87-24249 #	p 100	A87-25816 #	p 125
A87-24250 #	p 100	A87-25817 * #	p 125
A87-24259 #	p 100	A87-25818 * #	p 125
A87-24260 #	p 100	A87-25839 * #	p 122
A87-24261 #	p 100	A87-25840 * #	p 123
A87-24266 #	p 101	A87-25841 * #	p 123
A87-24275 #	p 101	A87-25850 #	p 119
A87-24358 #	p 121	A87-25951 * #	p 103
A87-24375 #	p 101	A87-25952 #	p 103
A87-24750 * #	p 109	A87-25953 #	p 113
A87-24860 #	p 101	A87-25954 * #	p 103
A87-24867 #	p 101	A87-25955 #	p 113
A87-25109 #	p 110	A87-25956 #	p 104
A87-25110 #	p 110	A87-25957 #	p 113
A87-25111 #	p 110	A87-25958 #	p 113
A87-25112 #	p 110	A87-25959 * #	p 120
A87-25113 #	p 110	A87-25960 * #	p 120
A87-25114 #	p 110	A87-25961 * #	p 120
A87-25115 #	p 111	A87-25962 * #	p 120
A87-25116 #	p 111	A87-25963 * #	p 120
A87-25117 #	p 111	A87-25964 * #	p 120
A87-25118 #	p 111	A87-25984 #	p 123
A87-25119 #	p 111	A87-26195 * #	p 104
A87-25147 #	p 101	A87-26198 * #	p 104
A87-25164 #	p 101	A87-26280 #	p 113
A87-25165 #	p 101	A87-26281 #	p 113
A87-25166 #	p 102	A87-26282 #	p 104
A87-25167 #	p 102	A87-26301 #	p 104
A87-25168 #	p 102	A87-26302 #	p 104

A87-26400 #	p 104
A87-26698 #	p 123
A87-26699 #	p 123
A87-26853 #	p 126
A87-27249 * #	p 105
A87-27250 * #	p 113
A87-27323 #	p 105
A87-27324 * #	p 105
A87-27325 * #	p 105
A87-27344 * #	p 114
A87-27345 * #	p 114
A87-27346 * #	p 114
A87-27347 * #	p 114
A87-27348 * #	p 114
A87-27349 * #	p 115
A87-27399 * #	p 105
A87-27525 * #	p 121

N87-17430 * #	p 115
N87-17431 * #	p 115
N87-17432 #	p 115
N87-17433 #	p 123
N87-17434 #	p 123
N87-17435 #	p 124
N87-17762 #	p 105
N87-17770 * #	p 115
N87-17771 * #	p 115
N87-17772 * #	p 124
N87-17773 * #	p 115
N87-17774 * #	p 121
N87-17776 * #	p 116
N87-17777 * #	p 116
N87-17778 * #	p 121
N87-17780 * #	p 116
N87-17781 * #	p 116
N87-17788 * #	p 124
N87-17797 * #	p 124
N87-17798 * #	p 124
N87-17803 * #	p 121
N87-18201 #	p 106
N87-18202 #	p 106
N87-18203 #	p 106
N87-18204 * #	p 106
N87-18205 * #	p 106
N87-18206 #	p 106
N87-18207 #	p 107
N87-18208 #	p 107
N87-18300 * #	p 107
N87-18301 * #	p 116
N87-18302 #	p 116
N87-18303 #	p 116
N87-18304 #	p 117
N87-18305 #	p 117
N87-18306 #	p 117
N87-18307 #	p 117
N87-18308 #	p 117
N87-18309 #	p 118
N87-18310 #	p 118
N87-18311 #	p 118
N87-18312 #	p 118
N87-18313 #	p 118
N87-18314 #	p 121
N87-18315 #	p 124
N87-18316 #	p 124

AVAILABILITY OF CITED PUBLICATIONS

IAA ENTRIES (A87-10000 Series)

Publications announced in *IAA* are available from the AIAA Technical Information Service as follows: Paper copies of accessions are available at \$10.00 per document (up to 50 pages), additional pages \$0.25 each. Microfiche⁽¹⁾ of documents announced in *IAA* are available at the rate of \$4.00 per microfiche on demand. Standing order microfiche are available at the rate of \$1.45 per microfiche for *IAA* source documents and \$1.75 per microfiche for AIAA meeting papers.

Minimum air-mail postage to foreign countries is \$2.50. All foreign orders are shipped on payment of pro-forma invoices.

All inquiries and requests should be addressed to: Technical Information Service, American Institute of Aeronautics and Astronautics, 555 West 57th Street, New York, NY 10019. Please refer to the accession number when requesting publications.

STAR ENTRIES (N87-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

Avail: NTIS. Sold by the National Technical Information Service. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code preceded by the letters HC or MF in the *STAR* citation. Current values for the price codes are given in the tables on NTIS PRICE SCHEDULES.

Documents on microfiche are designated by a pound sign (#) following the accession number. The pound sign is used without regard to the source or quality of the microfiche.

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices. For this service and for information concerning subscription to NASA printed reports, consult the NTIS Subscription Section, Springfield, Va. 22161.

NOTE ON ORDERING DOCUMENTS: When ordering NASA publications (those followed by the * symbol), use the N accession number. NASA patent applications (only the specifications are offered) should be ordered by the US-Patent-Appl-SN number. Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other *report* number shown on the last line of the citation, not by the N accession number. It is also advisable to cite the title and other bibliographic identification.

Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy. The current price and order number are given following the availability line. (NTIS will fill microfiche requests, as indicated above, for those documents identified by a # symbol.)

(1) A microfiche is a transparent sheet of film, 105 by 148 mm in size containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26.1 reduction).

- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in *Energy Research Abstracts*. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center - Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: ESDU. Pricing information on specific data, computer programs, and details on ESDU topic categories can be obtained from ESDU International Ltd. Requesters in North America should use the Virginia address while all other requesters should use the London address, both of which are on page vi.
- Avail: Fachinformationszentrum, Karlsruhe. Sold by the Fachinformationszentrum Energie, Physik, Mathematik GMBH, Eggenstein Leopoldshafen, Federal Republic of Germany, at the price shown in deutschmarks (DM).
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, California. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Documents Room (Room 126), 600 Independence Ave., S.W., Washington, D.C. 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Propulsion Laboratory.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of \$1.50 each, postage free. (See discussion of NASA patents and patent applications below.)
- Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INIS) representative in their country, or by applying directly to the issuing organization.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this Introduction. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.

PUBLIC COLLECTIONS OF NASA DOCUMENTS

DOMESTIC: NASA and NASA-sponsored documents and a large number of aerospace publications are available to the public for reference purposes at the library maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 555 West 57th Street, 12th Floor, New York, New York 10019.

EUROPEAN: An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols # and * from ESA – Information Retrieval Service European Space Agency, 8-10 rue Mario-Nikis, 75738 CEDEX 15, France.

FEDERAL DEPOSITORY LIBRARY PROGRAM

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 50 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 50 regional depositories. A list of the regional GPO libraries, arranged alphabetically by state, appears on the inside back cover. These libraries are *not* sales outlets. A local library can contact a Regional Depository to help locate specific reports, or direct contact may be made by an individual.

STANDING ORDER SUBSCRIPTIONS

NASA SP-7011 and its supplements are available from the National Technical Information Service (NTIS) on standing order subscription as PB 86-912300 at the price of \$8.00 domestic and \$16.00 foreign, and at \$14.00 domestic and \$28.00 foreign for the annual index. Standing order subscriptions do not terminate at the end of a year, as do regular subscriptions, but continue indefinitely unless specifically terminated by the subscriber. Questions on the availability of the predecessor publications, *Aerospace Medicine and Biology* (Volumes I-XI), should be directed to NTIS.

ADDRESSES OF ORGANIZATIONS

American Institute of Aeronautics and
Astronautics
Technical Information Service
555 West 57th Street, 12th Floor
New York, New York 10019

British Library Lending Division,
Boston Spa, Wetherby, Yorkshire,
England

Commissioner of Patents and
Trademarks
U.S. Patent and Trademark Office
Washington, D.C. 20231

Department of Energy
Technical Information Center
P.O. Box 62
Oak Ridge, Tennessee 37830

ESA-Information Retrieval Service
ESRIN
Via Galileo Galilei
00044 Frascati (Rome) Italy

ESDU International, Ltd.
1495 Chain Bridge Road
McLean, Virginia 22101

ESDU International, Ltd.
251-259 Regent Street
London, W1R 7AD, England

Fachinformationszentrum Energie, Physik,
Mathematik GMBH
7514 Eggenstein Leopoldshafen
Federal Republic of Germany

Her Majesty's Stationery Office
P.O. Box 569, S.E. 1
London, England

NASA Scientific and Technical Information
Facility
P.O. Box 8757
B.W.I. Airport, Maryland 21240

National Aeronautics and Space
Administration
Scientific and Technical Information
Office (NTT-1)
Washington, D.C. 20546

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

Pendragon House, Inc.
899 Broadway Avenue
Redwood City, California 94063

Superintendent of Documents
U.S. Government Printing Office
Washington, D.C. 20402

University Microfilms
A Xerox Company
300 North Zeeb Road
Ann Arbor, Michigan 48106

University Microfilms, Ltd.
Tylers Green
London, England

U.S. Geological Survey Library
National Center - MS 950
12201 Sunrise Valley Drive
Reston, Virginia 22092

U.S. Geological Survey Library
2255 North Gemini Drive
Flagstaff, Arizona 86001

U.S. Geological Survey
345 Middlefield Road
Menlo Park, California 94025

U.S. Geological Survey Library
Box 25046
Denver Federal Center, MS914
Denver, Colorado 80225

NTIS PRICE SCHEDULES

(Effective January 1, 1987)

Schedule A STANDARD PRICE DOCUMENTS AND MICROFICHE

PRICE CODE	PAGE RANGE	NORTH AMERICAN PRICE	FOREIGN PRICE
A01	Microfiche	\$ 6.50	\$13.00
A02	001-025	9.95	19.90
A03	026-050	11.95	23.90
A04-A05	051-100	13.95	27.90
A06-A09	101-200	18.95	37.90
A10-A13	201-300	24.95	49.90
A14-A17	301-400	30.95	61.90
A18-A21	401-500	36.95	73.90
A22-A25	501-600	42.95	85.90
A99	601-up	*	*
NO1		45.00	80.00
NO2		48.00	80.00

Schedule E EXCEPTION PRICE DOCUMENTS AND MICROFICHE

PRICE CODE	NORTH AMERICAN PRICE	FOREIGN PRICE
E01	\$ 7.50	15.00
E02	10.00	20.00
E03	11.00	22.00
E04	13.50	27.00
E05	15.50	31.00
E06	18.00	36.00
E07	20.50	41.00
E08	23.00	46.00
E09	25.50	51.00
E10	28.00	56.00
E11	30.50	61.00
E12	33.00	66.00
E13	35.50	71.00
E14	38.50	77.00
E15	42.00	84.00
E16	46.00	92.00
E17	50.00	100.00
E18	54.00	108.00
E19	60.00	120.00
E20	70.00	140.00
E99	*	*

*Contact NTIS for price quote.

IMPORTANT NOTICE

NTIS Shipping and Handling Charges

U.S., Canada, Mexico — ADD \$3.00 per TOTAL ORDER

All Other Countries — ADD \$4.00 per TOTAL ORDER

Exceptions — Does NOT apply to:

ORDERS REQUESTING NTIS RUSH HANDLING
ORDERS FOR SUBSCRIPTION OR STANDING ORDER PRODUCTS ONLY

NOTE: Each additional delivery address on an order
requires a separate shipping and handling charge.

1. Report No. NASA SP-7011 (298)		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle Aerospace Medicine and Biology A Continuing Bibliography (Supplement 298)				5. Report Date June, 1987	
				6. Performing Organization Code	
7. Author(s)				8. Performing Organization Report No.	
9. Performing Organization Name and Address National Aeronautics and Space Administration Washington, DC 20546				10. Work Unit No.	
				11. Contract or Grant No.	
12. Sponsoring Agency Name and Address				13. Type of Report and Period Covered	
				14. Sponsoring Agency Code	
15. Supplementary Notes					
16. Abstract This bibliography lists 173 reports, articles and other documents introduced into the NASA scientific and technical information system in May, 1987.					
17. Key Words (Suggested by Authors(s)) Aerospace Medicine Bibliographies Biological Effects				18. Distribution Statement Unclassified - Unlimited	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified		21. No. of Pages 66		22. Price * A04/HC